WLS-DIS-Daily (12/13/2016 12:00:00 AM - 12/14/2016 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor Average Total			ptime wntime	Good Failed	
127.0.0.1 (Local Probe)					_	
» NWOCA	НТТР	200 msec	100 % 0 %	[23h50m0s [0s	100 % 0 %	[477] [0]
» Internet						
127.0.0.1 (Local Probe)						
» NW O CA	нттр	45 msec	100 %	[23h48m52s [0s	100 % 0 %	
» PowerSchool - Office Side			0 70	[63]	0 70	[0]
127.0.0.1 (Local Probe)						
» NW O CA	НТТР	45 msec	100 %	[23h48m59s	100 %	[477]
» PowerSchool - Teacher			0 %	[0s	0 %	[[0]
127.0.0.1 (Local Probe)						
» III NWOCA	НТТР	67 msec	100 %	[23h49m6s	100 %	[477]
<u>»</u>		or misec	0 %	[0s	0 %	[0]
PowerSchool - Parent / Student 127.0.0.1 (Local Probe)						
»			100 %	[23h43m18s	100 %	[477]
Server Room	P IN G	0 msec	0 %	[0s	0 %	[0]
Barracuda WLS-NOC-001						
127.0.0.1 (Local Probe)			100 %	[23h43m13s	100 %	[477]
Server Room	НТТР	209 msec	0 %	[0s	0 %	[0]
Barracuda WLS-NO C-001						
127.0.0.1 (Local Probe) »					_	
Server Room	P IN G	0 msec	100 % 0 %	[23h50m41s [0s	100 % 0 %	[478] [0]
Barracuda WLS-NOC-012						
127.0.0.1 (Local Probe)						
Server Room	НТТР	196 msec	100 % 0 %	[23h50m36s [0s	100 % 0 %	
» Barracuda WLS-NOC-012			_			
127.0.0.1 (Local Probe)						
Server Room	P IN G	0 msec	100 %	[23h50m51s	100 % 0 %	[478]
» ■ cafe			0 70	[03	0 70	[0]
127.0.0.1 (Local Probe)						
» Server Room	HTTPS	24 msec	100 %	[23h50m46s	100 %	
» uicafe			0 %	[Os	0 %	[0]
127.0.0.1 (Local Probe)						
» Server Room	P IN G	0 msec	100 %	[23h51m0s	100 %	[478]
»		0 111300	0 %	[0s	0 %	[0]
CPS 127.0.0.1 (Local Probe)						
» Server Room	DING	0	100 %	[22h49m36s	100 %	
»	PING	0 msec	0 %	[0s	0 %	
DNS: DNSDHCP 127.0.0.1 (Local Probe)						
»			100 %	[22h49m41s	100 %	[458]
Server Room	DNS	1 msec	0 %	[0s	0 %	
DNS: DNSDHCP						
127.0.0.1 (Local Probe)			100 %	[22h46m29s	100 %	[457]
Server Room	P IN G	0 msec	0 %	[22H46H29S] [0s	0 %	[0]
■ DNS: DNSDHCP2						
127.0.0.1 (Local Probe)			465 51			
Server Room	DNS	1 msec	100 % 0 %	[22h46m34s [0s	100 % 0 %	[457] [0]
» IIII DNS: DNSDHCP2						

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed		
27.0.0.1 (Local Probe) Server Room Drobo 1200	PING	0 msec	100 %	[23h43m30s [0s	100 % 0 %	[477] [0]	
** 127.0.0.1 (Local Probe) ** Server Room ** ** ** ** ** ** ** ** ** ** ** ** *	PIN G	0 msec	100 %	[23h58m37s [0s	100 % 0 %		
I 27.0.0.1 (Local Probe) Server Room BELEARN	PING	0 msec	100 %	[23h44m12s [0s	100 % 0 %		
127.0.0.1 (Local Probe) Server Room ** ** ** ** ** ** ** ** **	нттр	8 msec	100 %	[23h50m25s [0s	100 % 0 %		
127.0.0.1 (Local Probe) Server Room EELEARN 2 Linux	PING	0 msec	100 % 0 %	[23h50m55s [0s	100 % 0 %		
Particular Canada 2	НТТР	7 msec	100 %	[23h50m50s [0s	100 %		
2 127.0.0.1 (Local Probe) Server Room Filr	PIN G	0 msec	100 %	[23h58m49s [0s	100 % 0 %		
127.0.0.1 (Local Probe) Server Room Filr	нттрѕ	86 msec	100 % 0 %	[23h58m54s [0s	100 % 0 %		
127.0.0.1 (Local Probe) Server Room GALAXY-CS	PING	0 msec	100 %	[23h51m35s [0s	100 % 0 %		
127.0.0.1 (Local Probe) Name	PING	2 msec	100 % 0 %	[23h43m16s [0s		[477] [0]	
127.0.0.1 (Local Probe) Name	PING	0 msec	100 % 0 %	[23h50m46s [0s	100 % 0 %	[478] [0]	
* 127.0.0.1 (Local Probe) * Server Room * Image: Server Room 127.0.0.1 127.0.0	PIN G	0 msec	100 % 0 %	[23h52m38s [0s	100 % 0 %	[478] [0]	
127.0.0.1 (Local Probe) Server Room Important the control of the	НТТР	8 msec	100 %	[23h59m1s [0s	100 % 0 %	[478] [0]	
127.0.0.1 (Local Probe) 2	PING	0 msec	100 %	[23h46m37s [0s	100 % 0 %	[478] [0]	
> Tage of the server Room Server Room S	нттр	7 msec	100 % 0 %	[23h59m22s [0s	100 % 0 %	[478] [0]	
127.0.0.1 (Local Probe) Server Room """ iprint-hs	PING	0 msec	100 %	[23h46m30s [0s	100 % 0 %	[478] [0]	

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed		
127.0.0.1 (Local Probe)			100 %	[23h59m8s	100 %	[478]	
Server Room	НТТР	8 msec	0 %	[0s	0 %		
iprint-hs 127.0.0.1 (Local Probe)							
» Server Room	P IN G	0 msec	100 % 0 %	[23h59m10s [0s	100 % 0 %		
» iprint-west							
127.0.0.1 (Local Probe)			_		_		
Server Room	НТТР	8 msec	100 %	[23h59m15s [0s	100 %		
iprint-west 127.0.0.1 (Local Probe)							
» Server Room	DIN 6		100 %	[23h44m5s	100 %	[477]	
<u>»</u>	P IN G	0 msec	0 %	[0s	0 %	[0]	
k1000 127.0.0.1 (Local Probe)							
»			100 %	[23h50m18s	100 %	[477]	
Server Room	НТТР	106 msec	0 %	[0s	0 %		
k1000 127.0.0.1 (Local Probe)							
»			100 %	[23h58m30s	99.792 %	[479]	
Server Room	PING	1 msec	0 %	[0s	0.208 %		
₩ k7							
127.0.0.1 (Local Probe)			100 %	[23h51m7s	100 %	[478]	
Server Room	PING	0 msec	0 %	[0s	0 %		
■ lanschoolcs							
127.0.0.1 (Local Probe)			100.0/	[22]- 40 40-	100 %	[477]	
Server Room	PING	0 msec	100 % 0 %	[23h49m48s [0s	0 %		
■ Idap							
127.0.0.1 (Local Probe)			1000	5221.40.52	100.0/		
Server Room	LDAP	4 msec	100 % 0 %	[23h49m53s [0s	100 % 0 %	[0]	
"Idap							
127.0.0.1 (Local Probe)							
Server Room	PING	0 msec	100 % 0 %	[23h48m40s [0s	100 % 0 %		
LS-ROCKET (Lightspeed)							
127.0.0.1 (Local Probe)							
Server Room	HTTPS	161 msec	100 % 0 %	[23h48m45s [0s			
LS-ROCKET (Lightspeed)							
127.0.0.1 (Local Probe)			_		_		
Server Room	P IN G	0 msec	100 % 0 %	[23h59m38s [0s		[479] [0]	
» papercut							
127.0.0.1 (Local Probe)			_		_		
Server Room	HTTPS	135 msec	100 % 0 %	[23h59m43s [0s			
» papercut							
127.0.0.1 (Local Probe)					_		
Server Room	P IN G	0 msec	100 % 0 %	[23h59m31s [0s		[479] [0]	
» printshop							
127.0.0.1 (Local Probe)							
Server Room	HTTPS	141 msec	100 % 0 %	[23h59m36s [0s			
» printshop							
127.0.0.1 (Local Probe)							
Server Room	P IN G	0 msec	100 % 0 %	[23h51m42s [0s	100 % 0 %		
» PrintTracker							

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed		
127.0.0.1 (Local Probe)							
Server Room	P IN G	6 msec	100 % 0 %	[23h42m50s [0s	100 % 0 %	[477] [0]	
» EIServer Room Environment			0 70	[63	0 70	[0]	
127.0.0.1 (Local Probe)							
Server Room	UTTD	200	100 %	[23h50m43s	100 %	[478]	
» Server Room Environment	НТТР	208 msec	0 %	[0s	0 %	[0]	
127.0.0.1 (Local Probe)			_		_		
Server Room	P IN G	0 msec	100 % 0 %	[23h42m36s [0s	100 % 0 %		
» SonicWall RA1							
127.0.0.1 (Local Probe)							
Server Room	HTTPS	58 msec	100 % 0 %	[23h42m31s	100 % 0 %		
» SonicWall RA1			0 70	[03	0 70	[0]	
127.0.0.1 (Local Probe)							
» Server Room	PING	0 msec	100 %	[23h51m19s			
»			0 %	[0s	0 %	[0]	
staff2 127.0.0.1 (Local Probe)							
» Server Room			100 %	[23h51m9s	100 %	[478]	
»	Staff User Folder	0 Byte	0 %	[0s	0 %	[0]	
staff2							
127.0.0.1 (Local Probe)			100 %	[23h51m9s	100 %	[A70]	
Server Room	Staff Shared Folder	0 Byte	0 %	[0s	0 %	[0]	
staff2							
127.0.0.1 (Local Probe)			_		_		
Server Room	P IN G	0 msec	100 % 0 %	[23h43m9s [0s	100 % 0 %		
> Student Server (Old)							
127.0.0.1 (Local Probe)							
Server Room	P IN G	0 msec	100 % 0 %	[23h44m26s [0s	100 % 0 %		
» ■ student2			0 70	[03	0 70	[0]	
127.0.0.1 (Local Probe)							
» Server Room	Student Folders	0 Byte	100 %			[477]	
» student2			0 %	[0s	0 %	[0]	
127.0.0.1 (Local Probe)							
» Server Room	Students Shared Folder	0 Byte	100 %	[23h44m17s			
»	Students Shared Folder	Обуге	0 %	[0s	0 %	[0]	
student2 127.0.0.1 (Local Probe)							
»			100 %	[23h57m27s	100 %	[478]	
Server Room	PING	0 msec	0 %	[0s			
tech							
127.0.0.1 (Local Probe) »			100.0/	[22] 42 50	100.00	[477]	
Server Room	PING	0 msec	100 % 0 %	[23h43m58s [0s			
tech2							
127.0.0.1 (Local Probe)			_		_		
Server Room	Tech Resources Folder	0 Byte	100 % 0 %	[23h43m53s [0s			
» ■ tech2							
127.0.0.1 (Local Probe)							
Server Room	PING	0 msec	100 % 0 %	[23h50m2s			
» transportation			0 76	los	U 76	[0]	
127.0.0.1 (Local Probe)							
» Server Room	НТТР	7 msec	100 %	[23h50m7s			
»		/ ilisec	0 %	[0s	0 %	[0]	
■ transportation							

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed	
127.0.0.1 (Local Probe)			_			
Server Room	PING	0 msec	100 % 0 %	[23h50m58s [0s	100 % 0 %	
» tran-sql			0 70	[63	0 70	[0]
127.0.0.1 (Local Probe)						
Server Room	НТТР	7 msec	100 %	[23h50m53s	100 %	
» tran-sql			0 %	[0s	0 %	[U]
127.0.0.1 (Local Probe)						
» Server Room			100 %	[23h51m30s	100 %	[478]
»	PING	0 msec	0 %	[0s		[0]
■ Uptime						
127.0.0.1 (Local Probe)			_			
Server Room	нттр	129 msec	100 % 0 %	[23h58m47s [0s	100 %	
» Uptime			_		_	
127.0.0.1 (Local Probe)						
Server Room	P I N G	0 msec	100 % 0 %	[23h51m28s		
» •••• VPU1			0 %	[0s	0 %	[U]
127.0.0.1 (Local Probe)						
» Server Room	PIN G	0 msec	100 %	[23h44m19s		
»		o msec	0 %	[0s	0 %	[0]
wls-ldap 127.0.0.1 (Local Probe)						
»			100 %	[23h50m32s	100 %	[477]
Server Room	НТТР	7 msec	0 %	[Os		[0]
■ w ls-ldap						
127.0.0.1 (Local Probe) »			100.0/	5221.46 54	100.00	[470]
Server Room	P IN G	0 msec	100 % 0 %	[23h46m51s [0s	100 % 0 %	
w Is-vc1						
127.0.0.1 (Local Probe)			_		_	
Server Room	HTTPS	12 msec	100 % 0 %	[23h59m29s [0s	100 %	
» ■ w ls-vc1					_	
127.0.0.1 (Local Probe)						
» Server Room	P IN G	0 msec	100 % 0 %	[23h50m53s [0s		[478]
» WLS-VCMGMT1			0 70	[03	0 70	[0]
127.0.0.1 (Local Probe)						
Server Room	PING	0 msec	100 %	[22h42m24s		[458]
» ===================================			0 %	[0s	0 %	[0]
127.0.0.1 (Local Probe)						
» Server Room	BDB (Barrata Bashtara)	15	100 %	[22h52m15s		
»	RDP (Remote Desktop)	15 msec	0 %	[0s	0 %	[0]
zenworks11 127.0.0.1 (Local Probe)						
»			100 %	[23h59m45s	100 %	[479]
Server Room	PING	0 msec	0 %	[0s		
Zone Director Server (WiFi Controller)						
127.0.0.1 (Local Probe)			100 %	[22h=0m=0-	100 %	[<u>4</u> 70]
Server Room	HTTPS	75 msec	0 %	[23h59m50s [0s	0 %	
Zone Director Server (WiFi Controller)						
127.0.0.1 (Local Probe)			_		_	
Greenwood ES	PING	2 msec	100 % 0 %	[23h42m49s [0s		
» GREE-IDF						
127.0.0.1 (Local Probe)						
Greenwood ES	PING	1 msec	100 % 0 %	[23h42m42s [0s	100 %	
» SGREE-MDF			0 /6	Į (OS	0 70	[0]
		1	<u> </u>	<u> </u>	<u> </u>	

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed	
127.0.0.1 (Local Probe)			100.0/	raak ra10-	100.0/	[470]
Greenwood ES	PING	6 msec	100 % 0 %	[23h52m10s [0s	100 % 0 %	
GREE-SWTC-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h50m57s	100 %	[478]
Hiawatha ES	PING	1 msec	0 %	[0s	0 %	
HIAW-IDF 127.0.0.1 (Local Probe)						
»			100 %	[23h50m50s	100 %	[478]
Hiawatha ES	PING	2 msec	0 %	[Os	0 %	
HIAW-MDF 127.0.0.1 (Local Probe)						
» Hiawatha ES			100 %	[23h52m17s	100 %	[478]
»	PING	5 msec	0 %	[0s	0 %	
HIAW-SWTC1-WIRELESS						
127.0.0.1 (Local Probe)			100.9/	[22b [2m24c	100.9/	[470]
Hiawatha ES	PING	0 msec	100 % 0 %	[23h52m24s [0s	100 % 0 %	
HIAW-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h49m54s	100 %	[477]
Jackman ES	PING	2 msec	0 %	[23n49m54s	0 %	[0]
₹ JACK-IDF						
127.0.0.1 (Local Probe) »			100 %	[23h42m28s	100 %	[477]
Jackman ES	PING	2 msec	0 %	[231142111265 [0s	0 %	
₹ JACK-MDF						
127.0.0.1 (Local Probe)			100.9/	[22b E0m1s	100 %	[470]
Jackman ES	PING	1 msec	100 % 0 %	[23h50m1s [0s	0 %	
Mar Jack-Modular □						
127.0.0.1 (Local Probe)			100 %	[23h52m31s	100 %	[470]
Jackman ES	PING	4 msec	0 %	[0s	0 %	
IJ JACK-SWTC1-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h49m38s	100 %	[477]
Jackman ES	PING	0 msec	0 %			
JACK-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h49m45s	100 %	[477]
Jackman ES	PING	2 msec	0 %	[0s	0 %	[0]
JACK-SWTC3-WIRELESS 127.0.0.1 (Local Probe)						
»			100 %	[23h58m34s	100 %	[479]
McGregor ES	PING	1 msec	0 %	[0s	0 %	[0]
MCGR-IDF 127.0.0.1 (Local Probe)						
»	DING		100 %	[23h58m27s	100 %	[479]
McGregor ES	PING	2 msec	0 %	[0s		[0]
MCGR-MDF 127.0.0.1 (Local Probe)						
»	DING		100 %	[23h42m40s	100 %	[477]
McGregor ES	P IN G	2 msec	0 %	[0s	0 %	
MCGR-SWTC1-WIRELESS 127.0.0.1 (Local Probe)						
» McGregor ES	P IN G	0 msec	100 %	[23h42m47s	100 %	
»	r my	o msec	0 %	[0s	0 %	[0]
MCGR-SWTC2-WIRELESS 127.0.0.1 (Local Probe)						
» Meadowvale ES	Ding	1 msec	100 %	[23h52m21s	99.582 %	[477]
»	Ping	imsec	0 %	[0s	0.418 %	[2]
₩ MEAD-IDF						

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed	
127.0.0.1 (Local Probe) »			400.0	5031.50.44	400.00	
Meadowvale ES	Ping	2 msec	100 % 0 %	[23h52m14s [0s	100 % 0 %	
MEAD-MDF						
127.0.0.1 (Local Probe) »			100.0/	5221.42.54	100.0/	
Meadowvale ES	PING	4 msec	100 % 0 %	[23h42m54s [0s	100 % 0 %	
MEAD-SWTC1-WIRELESS						
127.0.0.1 (Local Probe)			_		_	
Meadowvale ES	PING	5 msec	100 % 0 %	[23h43m1s [0s	99.582 % 0.418 %	[476] [2]
MEAD-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)			_		_	
Monac ES	Ping	1 msec	100 % 0 %	[23h49m49s [0s	100 % 0 %	
» ☑ MONA-IDF						
127.0.0.1 (Local Probe)						
Monac ES	Ping	1 msec	100 %	[23h49m42s	100 %	
» MONA-MDF			0 %	[0s	0 %	[0]
127.0.0.1 (Local Probe)						
» Monac ES	PING	_	100 %	[23h50m48s	100 %	[478]
»	PING	5 msec	0 %	[0s	0 %	[0]
MONA-SWTC1-WIRELESS 127.0.0.1 (Local Probe)						
»			100 %	[23h50m55s	100 %	[478]
Monac ES	PING	4 msec	0 %	[0s	0 %	
MONA-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h58m48s	100 %	[470]
Shoreland ES	Ping	1 msec	0 %	[0s	0 %	
SHOR-IDF						
127.0.0.1 (Local Probe) »			400.0	5001.50 44	400.00	
Shoreland ES	Ping	2 msec	100 % 0 %	[23h58m41s [0s	100 % 0 %	
SHOR-MDF						
127.0.0.1 (Local Probe)					_	
Shoreland ES	PING	5 msec	100 % 0 %	[23h58m25s [0s		[479] [0]
SHOR-SWTC1-WIRELESS						
127.0.0.1 (Local Probe)			_		_	
Shoreland ES	PING	5 msec	100 % 0 %	[23h58m32s [0s		[479] [0]
SHOR-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)						
Wernert ES	Ping	2 msec	100 % 0 %	[23h52m35s [0s		[478] [0]
» S WERN-IDF				[63		
127.0.0.1 (Local Probe)						
»	Ping	2 msec	100 % 0 %	[23h52m28s [0s		[478] [0]
»			3 70	روع	0 70	r.~1
127.0.0.1 (Local Probe)						
» □ Wernert ES	PING	5 msec	100 % 0 %	[23h58m39s		
» WERN-SWTC1-WIRELESS			U % =	[0s	U % 	اردا
127.0.0.1 (Local Probe)						
» Wernert ES	PING	3 msec	100 %	[23h58m46s		
<u>»</u>		3 111360	0 %	[0s	0 %	[0]
WERN-SWTC2-WIRELESS 127.0.0.1 (Local Probe)						
» Jefferson JH	Ping	2	100 %	[23h50m45s		
»	Ping	2 msec	0 %	[0s		
₹ JEFF-IDF-2						

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed	
127.0.0.1 (Local Probe) »						
Jefferson JH	Ping	1 msec	100 % 0 %	[23h50m59s [0s	100 % 0 %	[478] [0]
₹ JEFF-IDF3						
127.0.0.1 (Local Probe)			100 %	[23h42m58s	100 %	[477]
Jefferson JH	Ping	3 msec	0 %	[0s	0 %	
₹ JEFF-MDF-1						
127.0.0.1 (Local Probe)			100 %	[23h50m52s	100 %	[478]
Jefferson JH	Ping	2 msec	0 %	[0s	0 %	[0]
☑ JEFF-MDF-2 ☐ 127.0.0.1 (Local Probe)						
» Jefferson JH	P IN G	2	100 %	[23h49m52s	100 %	[477]
»	PING	3 msec	0 %	[0s	0 %	[0]
IPJEFF-SWTC1-WIRELESS 127.0.0.1 (Local Probe)						
» Jefferson JH			100 %	[23h49m59s	100 %	[477]
»	PING	6 msec	0 %	[0s	0 %	
■ JEFF-SWTC2-WIRELESS						
127.0.0.1 (Local Probe)			100 %	[23h42m26s	100 %	[477]
Jefferson JH »	PING	5 msec	0 %	[0s	0 %	[0]
JEFF-SWTC3-WIRELESS 127.0.0.1 (Local Probe)						
»			100 %	[23h42m51s	100 %	[477]
Washington JH	Ping	3 msec	0 %	[0s	0 %	[0]
₩ ASH-IDF 127.0.0.1 (Local Probe)						
Washington JH		2	100 %	[23h42m37s	100 %	[477]
»	Ping	3 msec	0 %	[0s	0 %	
₩ ASH-MDF-1 127.0.0.1 (Local Probe)						
» Washington JH	Ping	2 msec	100 %	[23h42m44s	100 %	
» W ASH-MDF-2	,g	2 111300	0 %	[0s	0 %	[0]
127.0.0.1 (Local Probe)						
» Washington JH	PIN G	6 msec	100 %	[23h51m30s		[478]
» W ASH-SWTC1-WIRELESS			0 %	[0s	0 %	[0]
127.0.0.1 (Local Probe)						
» ☐ Washington JH	PING	4 msec	100 % 0 %	[23h51m37s [0s		[478]
» ☑ WASH-SWTC2-WIRELESS			3 /6	روع	0 /0	r.~1
127.0.0.1 (Local Probe)						
Whitmer CTC	Ping	3 msec	100 % 0 %	[23h51m39s [0s	100 % 0 %	[478] [0]
» CTC-IDF-101						
127.0.0.1 (Local Probe)						
Whitmer CTC	Ping	2 msec	100 % 0 %	[23h51m46s [0s		[478] [0]
CTC-IDF-102						
127.0.0.1 (Local Probe) »			400.00	1201 54 55	4000	[470]
Whitmer CTC	Ping	2 msec	100 % 0 %	[23h51m53s [0s		
CTC-IDF-2						
127.0.0.1 (Local Probe)			100 %	[23h52m0s	100 %	[// 7 0 1
Whitmer CTC	Ping	1 msec	0 %	[23n52m0s] [0s		[0]
CTC-IDF3						
127.0.0.1 (Local Probe)			100 %	[23h52m7s	100 %	[478]
Whitmer CTC	Ping	2 msec	0 %	[0s		[0]
₹ CTC-MDF-1						

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed		
127.0.0.1 (Local Probe)			100 %	[23h58m29s	100 %	[479]	
Whitmer CTC	Ping	2 msec	0 %	[0s	0 %		
™ CTC-MDF-2 ™ 127.0.0.1 (Local Probe)							
» W hitmer CTC	nu c		100 %	[23h51m49s	100 %	[479]	
»	PING	0 msec	0 %	[0s	0 %		
CTC-SWTC1-WIRELESS							
» Whitmer CTC	PIN G	1 msec	100 %	[23h51m56s			
»	FING	Tillsec	0 %	[0s	0 %	[0]	
CTC-SWTC2-WIRELESS 127.0.0.1 (Local Probe)							
» Whitmer CTC	P IN G	3 msec	100 %	[23h52m3s			
» CTC-SWTC3-WIRELESS			0 %	[0s	0 %	[0]	
127.0.0.1 (Local Probe)							
» Tran-Maint	PIN G	2 msec	100 % 0 %	[23h42m35s	100 %		
»			0 78	[0s	0 %	[0]	
127.0.0.1 (Local Probe)							
> Tran-Maint	P IN G	2 msec	100 %	[23h52m26s	100 %		
» TRAN-SWTC-WIRELESS			0 %	[0s	0 %	[0]	
127.0.0.1 (Local Probe)							
» Administration Bldg	P IN G	0 msec	100 %	[23h59m52s	100 %		
» ADMI-Barracuda-011			0 %	[0s	0 %	[0]	
127.0.0.1 (Local Probe)							
Administration Bldg	НТТР	190 msec	100 % 0 %	[23h59m57s	100 %		
» ADMI-Barracuda-011			0 %	los	0 %	[0]	
127.0.0.1 (Local Probe)							
Administration Bldg	P IN G	0 msec	100 % 0 %	[23h59m59s [0s	100 % 0 %		
» ADMI-Barracusa-012			0 70	[03	0 70	[0]	
127.0.0.1 (Local Probe)							
Administration Bldg	нттр	189 msec	100 % 0 %	[23h57m4s [0s		[478] [0]	
ADMI-Barracusa-012					_		
127.0.0.1 (Local Probe)					_		
Administration Bldg	P IN G	2 msec	100 % 0 %	[23h43m3s [0s			
*ADMI-IDF							
127.0.0.1 (Local Probe)							
Administration Bldg	PING	2 msec	100 % 0 %	[23h49m40s [0s	100 % 0 %	[477] [0]	
admi-mdf €							
127.0.0.1 (Local Probe)			100 %	[23h42m56s	100 %	[477]	
Administration Bldg	PING	3 msec	0 %	[23n42m56s] [0s		[0]	
ADMI-MDF							
127.0.0.1 (Local Probe)			100 %	[23h42m33s	100 %	[477]	
Administration Bldg	PING	3 msec	0 %	[0s			
ADMI-SWTC1-WIRELESS 127.0.0.1 (Local Probe)							
»	DING	_	100 %	[23h52m33s		[478]	
Administration Bldg »	PING	3 msec	0 %	[0s		[0]	
ADMI-SWTC2-WIRELESS 127.0.0.1 (Local Probe)							
» Administration Bldg	PING	0 msec	100 %	[23h49m47s			
»	FING	U msec	0 %	[0s	0 %	[0]	
■ wls-co							