

WLS-DIS-Daily (10/28/2019 12:00:00 AM - 10/29/2019 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » Internet	HTTP	208 msec	100 % 0 %	[23h 58m 56s [00s] 99.376 % 0.624 % [478] [3]
Local Probe (Local Probe) » NWOCA » PowerSchool - Office Side	HTTP	131 msec	100 % 0 %	[23h 50m 48s [00s] 99.792 % 0.208 % [479] [1]
Local Probe (Local Probe) » NWOCA » PowerSchool - Teacher	HTTP	46 msec	100 % 0 %	[23h 59m 57s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » NWOCA » PowerSchool - Parent / Student	HTTP	65 msec	100 % 0 %	[23h 58m 42s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	PING	0 msec	100 % 0 %	[23h 58m 02s [00s] 99.376 % 0.624 % [478] [3]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	HTTP	339 msec	100 % 0 %	[23h 58m 07s [00s] 99.582 % 0.418 % [477] [2]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	PING	0 msec	100 % 0 %	[23h 58m 23s [00s] 99.376 % 0.624 % [478] [3]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	HTTP	299 msec	100 % 0 %	[23h 58m 28s [00s] 99.582 % 0.418 % [477] [2]
Local Probe (Local Probe) » Server Room » cafe	PING	0 msec	100 % 0 %	[23h 50m 55s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » cafe	HTTPS	117 msec	100 % 0 %	[23h 50m 50s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	PING	0 msec	100 % 0 %	[22h 56m 47s [00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	DNS	1 msec	100 % 0 %	[22h 56m 42s [00s] 99.567 % 0.433 % [460] [2]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP2	PING	0 msec	100 % 0 %	[22h 55m 37s [00s] 99.351 % 0.649 % [459] [3]
Local Probe (Local Probe) » Server Room » ECOPY	PING	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » ELEARN	PING	0 msec	100 % 0 %	[23h 57m 02s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » ELEARN	HTTP	23 msec	100 % 0 %	[23h 59m 57s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Gateway	PING	4 msec	100 % 0 %	[23h 59m 02s [00s 99.376 % 0.624 % [478] [3]
Local Probe (Local Probe) » Server Room » IEP	PING	0 msec	100 % 0 %	[23h 58m 20s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	0 msec	100 % 0 %	[23h 58m 09s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	12 msec	100 % 0 %	[23h 58m 04s [00s 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	0 msec	100 % 0 %	[23h 59m 03s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	31 msec	100 % 0 %	[23h 59m 08s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	0 msec	100 % 0 %	[23h 58m 47s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	34 msec	100 % 0 %	[23h 58m 42s [00s 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	0 msec	100 % 0 %	[23h 58m 09s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	14 msec	100 % 0 %	[23h 58m 14s [00s 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 57m 03s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	138 msec	100 % 0 %	[23h 59m 58s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[23h 57m 39s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	0 msec	100 % 0 %	[23h 57m 04s [00s 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	100 % 0 %	[23h 59m 11s [00s 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	HTTPS	52 msec	100 % 0 %	[23h 59m 16s [00s 99.792 % 0.208 % [480] [1]
Local Probe (Local Probe) » Server Room » papercut	PING	0 msec	100 % 0 %	[23h 57m 23s [00s 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » PrintTracker	PING	0 msec	100 % 0 %	[23h 58m 05s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	PING	1 msec	100 % 0 %	[23h 57m 19s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » Server Room Environment	HTTP	126 msec	100 % 0 %	[23h 57m 24s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » STAFF3	PING	0 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff User Folder	0 Byte	96.166 % 3.834 %	[23h 02m 58s [55m 08s] 95.238 % 4.762 %	[460] [23]
Local Probe (Local Probe) » Server Room » STAFF3	Staff Shared Folder	0 Byte	96.161 % 3.839 %	[23h 02m 58s [55m 13s] 95.238 % 4.762 %	[460] [23]
Local Probe (Local Probe) » Server Room » STUDENT3	PING	0 msec	100 % 0 %	[23h 57m 20s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Student Folders	15 Byte	100 % 0 %	[23h 57m 25s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Students Shared Folder	15 Byte	100 % 0 %	[23h 57m 15s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » TECH3	PING	0 msec	100 % 0 %	[23h 59m 07s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » TECH3	Tech Resources Folder	0 Byte	100 % 0 %	[23h 59m 02s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » transportation	PING	0 msec	100 % 0 %	[23h 58m 27s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » transportation	HTTP	8 msec	100 % 0 %	[23h 58m 32s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Server Room » tran-sql	PING	0 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » tran-sql	HTTP	7 msec	100 % 0 %	[23h 58m 06s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » Uptime	PING	0 msec	100 % 0 %	[23h 58m 48s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » Uptime	HTTP	96 msec	100 % 0 %	[23h 58m 53s [00s] 100 % 0 %	[480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » VPU1	PING	0 msec	100 % 0 %	[23h 57m 45s [00s] 99.376 % 0.624 % [478] [3]
Local Probe (Local Probe) » Server Room » wls-vc1	PING	0 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	HTTPS	11 msec	100 % 0 %	[23h 57m 34s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-VCMGMT1	PING	0 msec	100 % 0 %	[23h 57m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	PING	0 msec	100 % 0 %	[23h 59m 39s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	HTTPS	25 msec	100 % 0 %	[23h 59m 44s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	PING	1 msec	99.722 % 0.278 %	[23h 52m 27s [04m 00s] 99.617 % 0.383 % [2864] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Output Phase# 1	120 VAC	100 % 0 %	[23h 52m 14s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	APC UPS Health	1 h 8 m	100 % 0 %	[23h 52m 19s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Input Phase# 1	0 W	100 % 0 %	[23h 43m 09s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	(002) lance Traffic	2.86 kbit/s 29,909 KByte	100 % 0 %	[23h 58m 52s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	Uptime	257 d	100 % 0 %	[23h 52m 03s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	HTTP	445 msec	100 % 0 %	[23h 50m 24s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages In	0.34 ICMP/s 28,820 ICMP	100 % 0 %	[23h 59m 52s [00s] 99.313 % 0.687 % [289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages Out	0.34 ICMP/s 28,828 ICMP	100 % 0 %	[23h 59m 42s [00s] 99.315 % 0.685 % [290] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 27s [00s] 99.656 % 0.344 % [290] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 59m 32s [00s] 99.315 % 0.685 % [290] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 57s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,739 SNMP	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,746 SNMP	100 % 0 %	[23h 58m 02s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,663 TCP	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,754 TCP	100 % 0 %	[23h 59m 12s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,741 UDP	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 12,466 UDP	100 % 0 %	[23h 58m 12s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	99.723 % 0.277 %	[23h 52m 29s [03m 59s] 99.617 % 0.383 % [2864] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 51m 06s [00s] 99.582 % 0.418 % [477] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 57 m	100 % 0 %	[23h 50m 40s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 51m 01s [00s] 99.582 % 0.418 % [477] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	3.43 kbit/s 35,988 KByte	100 % 0 %	[23h 57m 18s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	257 d	100 % 0 %	[23h 52m 25s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	444 msec	100 % 0 %	[23h 48m 45s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 48s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 55m 38s [00s] 100 % 0 % [289] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 08s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 18s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 28,837 ICMP	100 % 0 %	[23h 59m 43s [00s 99.313 % 0.687 %	[289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 28,932 ICMP	100 % 0 %	[23h 55m 13s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,677 TCP	100 % 0 %	[23h 59m 48s [00s 99.31 % 0.69 %	[288] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,787 TCP	100 % 0 %	[23h 55m 33s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,762 SNMP	100 % 0 %	[23h 55m 18s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,727 SNMP	100 % 0 %	[23h 59m 53s [00s 99.313 % 0.687 %	[289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,705 UDP	100 % 0 %	[23h 59m 33s [00s 99.313 % 0.687 %	[289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 12,447 UDP	100 % 0 %	[23h 55m 03s [00s 99.313 % 0.687 %	[289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	99.756 % 0.244 %	[23h 52m 18s [03m 30s 99.652 % 0.348 %	[2867] [10]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 49m 31s [00s 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	34 m 36 s	100 % 0 %	[23h 52m 36s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 52m 56s [00s 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	3.43 kbit/s 35,990 KByte	100 % 0 %	[23h 59m 43s [00s 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	172 d	100 % 0 %	[23h 50m 50s [00s 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	446 msec	100 % 0 %	[23h 41m 41s [00s 100 % 0 %	[477] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 28,860 ICMP	100 % 0 %	[23h 58m 13s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 28,841 ICMP	100 % 0 %	[23h 59m 23s [00s 99.656 % 0.344 %	[290] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 28s [00s 99.315 % 0.685 %	[290] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 57m 53s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 28s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 43s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,738 SNMP	100 % 0 %	[23h 59m 38s [00s 99.315 % 0.685 %	[290] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,750 SNMP	100 % 0 %	[23h 58m 23s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,668 TCP	100 % 0 %	[23h 58m 38s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,763 TCP	100 % 0 %	[23h 57m 48s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,766 UDP	100 % 0 %	[23h 57m 33s [00s 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 12,462 UDP	100 % 0 %	[23h 59m 18s [00s 99.656 % 0.344 %	[290] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	99.755 % 0.245 %	[23h 52m 21s [03m 31s 99.652 % 0.348 %	[2865] [10]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 48m 24s [00s 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 48m 29s [00s 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	22 m 44 s	100 % 0 %	[23h 52m 05s [00s 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	2.86 kbit/s 29,934 KByte	100 % 0 %	[23h 58m 32s [00s 99.584 % 0.416 %	[479] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	257 d	100 % 0 %	[23h 52m 48s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	446 msec	100 % 0 %	[23h 49m 39s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 22s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 56m 27s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 42s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 17s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 28,833 ICMP	100 % 0 %	[23h 59m 32s [00s] 99.313 % 0.687 % [289] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 28,906 ICMP	100 % 0 %	[23h 56m 12s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,689 TCP	100 % 0 %	[23h 56m 17s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,779 TCP	100 % 0 %	[23h 56m 02s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 55m 12s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,753 SNMP	100 % 0 %	[23h 55m 07s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,760 UDP	100 % 0 %	[23h 55m 27s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 12,439 UDP	100 % 0 %	[23h 59m 52s [00s] 99.31 % 0.69 % [288] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	99.756 % 0.244 %	[23h 52m 44s [03m 30s] 99.652 % 0.348 % [2867] [10]
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	40 m 15 s	100 % 0 %	[23h 52m 03s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	21 %	100 % 0 %	[23h 48m 27s [00s] 100 % 0 % [478] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 48m 22s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	2.74 kbit/s 28,726 KByte	100 % 0 %	[23h 58m 04s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	444 msec	100 % 0 %	[23h 48m 37s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	257 d	100 % 0 %	[23h 52m 01s [00s] 99.791 % 0.209 %	[478] [1]
Local Probe (Local Probe) » Server Room » WLS-DC4.wls4kids.org (WLS-DC4)	Ping	0 msec	99.756 % 0.244 %	[23h 52m 37s [03m 30s] 99.652 % 0.348 %	[2867] [10]
Local Probe (Local Probe) » Server Room » WLS-DC4.wls4kids.org (WLS-DC4)	DNS	1 msec	100 % 0 %	[23h 45m 52s [00s] 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Server Room » WLS-DC4.wls4kids.org (WLS-DC4)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 58m 40s [00s] 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	3 msec	100 % 0 %	[23h 59m 00s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	2 msec	100 % 0 %	[23h 58m 17s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	6 msec	100 % 0 %	[23h 58m 16s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	1 msec	100 % 0 %	[23h 57m 55s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	3 msec	100 % 0 %	[23h 57m 37s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[23h 58m 48s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 58m 03s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	2 msec	100 % 0 %	[23h 57m 18s [00s] 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	2 msec	100 % 0 %	[23h 59m 17s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Jackman ES » JACK-MODULAR	PING	1 msec	100 % 0 %	[23h 50m 52s [00s] 99.583 % 0.417 %	[478] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Jackman ES » JACK-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 58m 59s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 57m 35s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC3-WIRELESS	PING	2 msec	100 % 0 %	[23h 58m 19s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » McGregor ES » MCGR-IDF	PING	1 msec	100 % 0 %	[23h 58m 41s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » McGregor ES » MCGR-MDF	PING	2 msec	100 % 0 %	[23h 59m 21s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC1-WIRELESS	PING	2 msec	100 % 0 %	[23h 50m 50s [00s 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 57m 56s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Meadowvale ES » MEAD-IDF	Ping	1 msec	100 % 0 %	[23h 58m 26s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Meadowvale ES » MEAD-MDF	Ping	2 msec	100 % 0 %	[23h 58m 45s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 15s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 14s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Monac ES » MONA-IDF	Ping	1 msec	100 % 0 %	[23h 57m 21s [00s 98.755 % 1.245 %	[476] [6]
Local Probe (Local Probe) » Monac ES » MONA-MDF	Ping	4 msec	100 % 0 %	[23h 59m 41s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Monac ES » MONA-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[23h 58m 38s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 59m 06s [00s 98.755 % 1.245 %	[476] [6]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	2 msec	100 % 0 %	[23h 57m 14s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	3 msec	100 % 0 %	[23h 57m 22s [00s 99.376 % 0.624 %	[478] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 33s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 51s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	3 msec	100 % 0 %	[23h 58m 23s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	2 msec	100 % 0 %	[23h 58m 35s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 59m 31s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 29s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	3 msec	100 % 0 %	[23h 57m 50s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	1 msec	100 % 0 %	[23h 59m 59s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	2 msec	100 % 0 %	[23h 57m 10s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	2 msec	100 % 0 %	[23h 58m 44s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 28s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 58m 46s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 35s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	3 msec	100 % 0 %	[23h 57m 43s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	2 msec	100 % 0 %	[23h 57m 15s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	3 msec	100 % 0 %	[23h 59m 56s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 59m 13s [00s 99.584 % 0.416 %	[479] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 40s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[23h 59m 19s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[23h 59m 42s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	3 msec	100 % 0 %	[23h 59m 28s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	3 msec	100 % 0 %	[23h 58m 00s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	1 msec	100 % 0 %	[23h 57m 16s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	2 msec	100 % 0 %	[23h 59m 38s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[23h 57m 44s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 58m 24s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	3 msec	100 % 0 %	[23h 59m 12s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	0 msec	100 % 0 %	[23h 59m 26s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	744 msec	100 % 0 %	[23h 59m 20s [00s 99.792 % 0.208 %	[480] [1]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	PING	0 msec	100 % 0 %	[23h 57m 36s [00s 99.376 % 0.624 %	[478] [3]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	HTTP	296 msec	100 % 0 %	[23h 57m 31s [00s 99.582 % 0.418 %	[477] [2]
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	2 msec	100 % 0 %	[23h 59m 43s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 % 0 %	[01d 00h 00m 00s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	2 msec	100 % 0 %	[23h 59m 39s [00s 99.584 % 0.416 %	[479] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	4 msec	100 % 0 %	[23h 59m 10s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 % 0 %	[23h 59m 29s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 59m 36s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 59m 20s [00s] 99.584 % 0.416 % [479] [2]