

WLS-DIS-Daily (1/27/2020 12:00:00 AM - 1/28/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	136 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	44 msec	100 % 0 %	[23h 57m 06s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	69 msec	100 % 0 %	[23h 49m 39s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	142 msec	100 % 0 %	[23h 57m 22s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 % 0 %	[23h 50m 30s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	410 msec	100 % 0 %	[23h 50m 35s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 % 0 %	[23h 50m 44s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	306 msec	100 % 0 %	[23h 57m 08s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	0 msec	100 % 0 %	[23h 50m 54s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	20 msec	100 % 0 %	[23h 57m 08s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 % 0 %	[22h 56m 05s [00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	1 msec	100 % 0 %	[22h 56m 00s [00s] 99.567 % 0.433 % [460] [2]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 % 0 %	[22h 56m 19s [00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 % 0 %	[23h 49m 37s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	PING	0 msec	100 % 0 %	[23h 51m 01s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	HTTP	24 msec	100 % 0 %	[23h 57m 15s [00s] 100 % 0 % [479] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>Gateway</b>	PING	4 msec	100 %  0 % 	[23h 52m 30s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>IEP</b>	PING	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS1</b>	PING	0 msec	100 %  0 % 	[23h 51m 09s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS1</b>	HTTP	17 msec	100 %  0 % 	[23h 57m 23s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS2</b>	PING	0 msec	100 %  0 % 	[23h 51m 45s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS2</b>	HTTP	11 msec	100 %  0 % 	[23h 58m 08s [00s] 99.584 %  0.416 %  [479] [2]
Local Probe (Local Probe) » Server Room » <b>WLS-PS3</b>	PING	0 msec	100 %  0 % 	[23h 51m 43s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS3</b>	HTTP	13 msec	100 %  0 % 	[23h 57m 56s [00s] 99.584 %  0.416 %  [479] [2]
Local Probe (Local Probe) » Server Room » <b>WLS-PS4</b>	PING	0 msec	100 %  0 % 	[23h 49m 41s [00s] 100 %  0 %  [479] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS4</b>	HTTP	18 msec	100 %  0 % 	[23h 49m 46s [00s] 100 %  0 %  [479] [0]
Local Probe (Local Probe) » Server Room » <b>k1000</b>	PING	0 msec	100 %  0 % 	[23h 51m 40s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>k1000</b>	HTTP	136 msec	100 %  0 % 	[23h 57m 54s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>WLSAV</b>	PING	0 msec	100 %  0 % 	[23h 50m 07s [00s] 100 %  0 %  [479] [0]
Local Probe (Local Probe) » Server Room » <b>lanschoolcs</b>	PING	0 msec	100 %  0 % 	[23h 49m 46s [00s] 100 %  0 %  [479] [0]
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	PING	0 msec	100 %  0 % 	[23h 51m 52s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	HTTPS	59 msec	100 %  0 % 	[23h 58m 26s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>papercut</b>	PING	0 msec	100 %  0 % 	[23h 51m 08s [00s] 100 %  0 %  [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>PrintTracker</b>	PING	0 msec	100 % 0 %	[23h 51m 29s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	PING	0 msec	100 % 0 %	[23h 50m 53s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	HTTP	37 msec	100 % 0 %	[23h 57m 16s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	PING	0 msec	100 % 0 %	[23h 49m 43s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff User Folder	0 Byte	100 % 0 %	[23h 59m 06s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff Shared Folder	0 Byte	100 % 0 %	[23h 58m 56s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	PING	0 msec	100 % 0 %	[23h 52m 03s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Student Folders	15 Byte	92 % 8 %	[22h 04m 12s [01h 54m 00s] 91 % 9 %	[440] [43]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Students Shared Folder	15 Byte	92 % 8 %	[22h 04m 17s [01h 54m 00s] 91 % 9 %	[440] [43]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	PING	0 msec	100 % 0 %	[23h 50m 29s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	Tech Resources Folder	0 Byte	100 % 0 %	[23h 59m 43s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	PING	0 msec	100 % 0 %	[23h 50m 32s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	HTTP	7 msec	100 % 0 %	[23h 50m 37s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	PING	0 msec	100 % 0 %	[23h 51m 21s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	HTTP	6 msec	100 % 0 %	[23h 57m 44s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	PING	0 msec	100 % 0 %	[23h 50m 46s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	HTTP	110 msec	100 % 0 %	[23h 57m 10s [00s] 100 % 0 %	[479] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » VPU1	PING	0 msec	100 % 0 %	[23h 51m 12s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	PING	0 msec	100 % 0 %	[23h 52m 17s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	HTTPS	12 msec	100 % 0 %	[23h 58m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-VCMGMT1	PING	0 msec	100 % 0 %	[23h 51m 05s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	PING	0 msec	100 % 0 %	[23h 52m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	HTTPS	25 msec	100 % 0 %	[23h 58m 54s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	PING	1 msec	100 % 0 %	[23h 54m 48s [00s] 100 % 0 % [2872] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Output Phase# 1	119 VAC	100 % 0 %	[23h 51m 23s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	APC UPS Health	1 h 6 m	100 % 0 %	[23h 51m 28s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Input Phase# 1	0 W	100 % 0 %	[23h 51m 38s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	(002) lance Traffic	2.83 kbit/s 29,849 KByte	100 % 0 %	[23h 58m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	Uptime	348 d	100 % 0 %	[23h 52m 27s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	HTTP	444 msec	100 % 0 %	[23h 57m 32s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages In	0.34 ICMP/s 29,035 ICMP	100 % 0 %	[23h 57m 22s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages Out	0.34 ICMP/s 29,042 ICMP	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [290] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 22s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 57s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,770 SNMP	100 % 0 %	[23h 57m 52s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,771 SNMP	100 % 0 %	[23h 56m 27s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,716 TCP	100 % 0 %	[23h 57m 42s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,801 TCP	100 % 0 %	[23h 58m 07s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,774 UDP	100 % 0 %	[23h 58m 02s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.14 UDP/s 12,494 UDP	100 % 0 %	[23h 57m 37s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	100 % 0 %	[23h 54m 49s [00s	100 % [2872] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 50m 59s [00s	100 % [479] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 56 m	100 % 0 %	[23h 52m 09s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 51m 59s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	3.36 kbit/s 35,488 KByte	100 % 0 %	[23h 59m 28s [00s	100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	348 d	100 % 0 %	[23h 51m 53s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	445 msec	100 % 0 %	[23h 50m 29s [00s	100 % [479] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 13s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 59m 08s [00s	100 % [289] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 23s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 28s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 29,041 ICMP	100 % 0 %	[23h 58m 38s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 29,047 ICMP	100 % 0 %	[23h 59m 58s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,732 TCP	100 % 0 %	[23h 58m 43s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,813 TCP	100 % 0 %	[23h 55m 08s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,760 SNMP	100 % 0 %	[23h 58m 58s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,759 SNMP	100 % 0 %	[23h 59m 48s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,765 UDP	100 % 0 %	[23h 58m 33s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.14 UDP/s 12,485 UDP	100 % 0 %	[23h 58m 53s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	100 % 0 %	[23h 54m 58s [00s	100 % [2872] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 50m 23s [00s	100 % [479] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	34 m 14 s	100 % 0 %	[23h 50m 53s [00s	100 % [479] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 52m 33s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	3.36 kbit/s 35,477 KByte	100 % 0 %	[23h 57m 22s [00s	100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	263 d	100 % 0 %	[23h 49m 37s [00s	100 % [479] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	442 msec	100 % 0 %	[23h 50m 03s [00s	100 % [479] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 29,035 ICMP	100 % 0 %	[23h 59m 17s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 29,041 ICMP	100 % 0 %	[23h 59m 32s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 52s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 57m 42s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 07s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 37s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,760 SNMP	100 % 0 %	[23h 59m 37s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,760 SNMP	100 % 0 %	[23h 58m 02s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,701 TCP	100 % 0 %	[23h 58m 12s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,788 TCP	100 % 0 %	[23h 59m 07s [00s	100 % [289] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,765 UDP	100 % 0 %	[23h 57m 32s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.14 UDP/s 12,484 UDP	100 % 0 %	[23h 58m 47s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	100 % 0 %	[23h 54m 58s [00s	100 % [2872] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 51m 28s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 51m 33s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	22 m 42 s	100 % 0 %	[23h 51m 03s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	2.83 kbit/s 29,829 KByte	100 % 0 %	[23h 58m 27s [00s	100 % [481] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	348 d	100 % 0 %	[23h 51m 12s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	444 msec	100 % 0 %	[23h 50m 33s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 32s [00s] 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 55m 37s [00s] 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 07s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 17s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 29,034 ICMP	100 % 0 %	[23h 58m 42s [00s] 100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 29,041 ICMP	100 % 0 %	[23h 59m 37s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,717 TCP	100 % 0 %	[23h 59m 42s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,800 TCP	100 % 0 %	[23h 59m 27s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,761 SNMP	100 % 0 %	[23h 55m 12s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,761 SNMP	100 % 0 %	[23h 55m 07s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,765 UDP	100 % 0 %	[23h 58m 57s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.14 UDP/s 12,485 UDP	100 % 0 %	[23h 59m 57s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	100 % 0 %	[23h 54m 56s [00s] 100 % 0 %	[2872] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	42 m 12 s	100 % 0 %	[23h 50m 01s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	20 %	100 % 0 %	[23h 49m 46s [00s] 100 % 0 %	[479] [0]















Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 52m 01s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	2.71 kbit/s 28,612 KByte	100 % 0 %	[23h 58m 25s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	444 msec	100 % 0 %	[23h 49m 36s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	348 d	100 % 0 %	[23h 49m 50s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	100 % 0 %	[23h 55m 05s [00s] 100 % 0 %	[2873] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	1 msec	100 % 0 %	[23h 52m 10s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 52m 00s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	4 msec	100 % 0 %	[23h 55m 02s [00s] 100 % 0 %	[2873] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[23h 54m 38s [00s] 100 % 0 %	[2872] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	1 msec	100 % 0 %	[23h 52m 03s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 58m 17s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 % 0 %	[23h 54m 37s [00s] 99.896 % 0.104 %	[2870] [3]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	1 msec	100 % 0 %	[23h 52m 22s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 % 0 %	[23h 59m 36s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	100 % 0 %	[23h 54m 37s [00s] 100 % 0 %	[2872] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	187	100 % 0 %	[23h 51m 57s [00s] 100 % 0 %	[480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 57m 51s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	1 msec	100 % 0 %	[23h 55m 21s [00s] 100 % 0 % [145] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	30 msec	100 % 0 %	[23h 58m 06s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	41 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	3 msec	100 % 0 %	[23h 50m 59s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	1 msec	100 % 0 %	[23h 49m 58s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	7 msec	100 % 0 %	[23h 51m 17s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	1 msec	100 % 0 %	[23h 50m 56s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	3 msec	100 % 0 %	[23h 51m 15s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 52m 23s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplin_to_WASH-HW-MDF-2950-01 Traffic	858 kbit/s 9,051,304 KByte	100 % 0 %	[23h 58m 36s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 51m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	2,297 kbit/s 24,225,214 KByte	100 % 0 %	[23h 57m 54s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	2 msec	100 % 0 %	[23h 49m 53s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	3 msec	100 % 0 %	[23h 51m 24s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » JACK-MODULAR	PING	1 msec	100 % 0 %	[23h 51m 52s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 50m 12s [00s] 100 % 0 % [479] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Jackman ES » JACK-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 52m 30s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC3-WIRELESS	PING	2 msec	100 % 0 %	[23h 51m 43s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-IDF	PING	1 msec	100 % 0 %	[23h 51m 54s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-MDF	PING	2 msec	100 % 0 %	[23h 51m 06s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC1-WIRELESS	PING	2 msec	100 % 0 %	[23h 52m 32s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 49m 44s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-IDF	Ping	1 msec	100 % 0 %	[23h 58m 09s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-MDF	Ping	1 msec	100 % 0 %	[23h 50m 26s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 52m 25s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 50m 44s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Monac ES » MONA-IDF	Ping	1 msec	100 % 0 %	[23h 49m 58s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Monac ES » MONA-MDF	Ping	2 msec	100 % 0 %	[23h 59m 59s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » MONA-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 50m 05s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 50m 19s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	1 msec	100 % 0 %	[23h 58m 28s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	2 msec	100 % 0 %	[23h 49m 49s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 52m 06s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 51m 22s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-IDF</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 57m 42s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 15s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 51m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 49m 56s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF-2</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 49m 55s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 50m 21s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 13s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 32s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 52m 23s [00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 50m 45s [00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC3-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 51m 20s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-IDF</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 50m 03s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 49m 42s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 09s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 50m 47s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 52m 13s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[23h 58m 46s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[23h 57m 45s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	3 msec	100 % 0 %	[23h 57m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	1 msec	100 % 0 %	[23h 50m 28s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[23h 57m 19s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	2 msec	100 % 0 %	[23h 50m 14s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[23h 51m 22s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 50m 12s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	3 msec	100 % 0 %	[23h 52m 21s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	0 msec	100 % 0 %	[23h 51m 59s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	461 msec	100 % 0 %	[23h 58m 12s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	PING	0 msec	100 % 0 %	[23h 49m 40s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	HTTP	297 msec	100 % 0 %	[23h 58m 54s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	2 msec	100 % 0 %	[23h 49m 39s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 % 0 %	[23h 52m 02s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	4 msec	100 % 0 %	[23h 51m 55s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	4 msec	100 % 0 %	[23h 50m 07s [00s] 100 % 0 % [479] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 %  0 % 	[23h 52m 25s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	5 msec	100 %  0 % 	[23h 52m 32s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 %  0 % 	[23h 50m 26s [00s] 100 %  0 %  [479] [0]