

WLS-DIS-Daily (4/2/2020 12:00:00 AM - 4/3/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	140 msec	100 % 0 %	[23h 59m 05s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	67 msec	100 % 0 %	[23h 57m 04s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	58 msec	100 % 0 %	[23h 57m 13s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	70 msec	100 % 0 %	[23h 58m 51s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 % 0 %	[23h 58m 11s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	560 msec	100 % 0 %	[23h 58m 16s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 % 0 %	[23h 58m 32s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	309 msec	100 % 0 %	[23h 58m 37s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	0 msec	100 % 0 %	[23h 57m 11s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	22 msec	100 % 0 %	[23h 57m 06s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 % 0 %	[22h 56m 05s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	1 msec	100 % 0 %	[22h 56m 00s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 % 0 %	[22h 56m 35s 00s] 99.567 % 0.433 % [460] [2]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 % 0 %	[23h 57m 58s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	PING	0 msec	100 % 0 %	[23h 57m 18s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	HTTP	25 msec	100 % 0 %	[23h 57m 13s 00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Gateway	PING	2 msec	100 % 0 %	[23h 59m 11s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[23h 58m 35s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	9 msec	100 % 0 %	[23h 58m 30s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 58m 25s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	0 msec	100 % 0 %	[23h 58m 18s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	20 msec	100 % 0 %	[23h 58m 13s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	0 msec	100 % 0 %	[23h 59m 19s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	22 msec	100 % 0 %	[23h 59m 24s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	0 msec	100 % 0 %	[23h 59m 03s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	23 msec	100 % 0 %	[23h 58m 58s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	0 msec	100 % 0 %	[23h 58m 18s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	12 msec	100 % 0 %	[23h 58m 23s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	141 msec	100 % 0 %	[23h 57m 07s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[23h 57m 48s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	0 msec	100 % 0 %	[23h 57m 20s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	100 % 0 %	[23h 59m 27s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	HTTPS	67 msec	100 % 0 %	[23h 59m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>papercut</b>	PING	1 msec	100 % 0 %	[23h 57m 39s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>PrintTracker</b>	PING	0 msec	100 % 0 %	[23h 58m 21s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	PING	0 msec	100 % 0 %	[23h 57m 35s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	HTTP	39 msec	100 % 0 %	[23h 57m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	PING	0 msec	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff User Folder	0 Byte	100 % 0 %	[23h 58m 22s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff Shared Folder	0 Byte	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	PING	0 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Student Folders	15 Byte	100 % 0 %	[23h 57m 34s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Students Shared Folder	15 Byte	100 % 0 %	[23h 57m 24s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	PING	0 msec	100 % 0 %	[23h 59m 16s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	Tech Resources Folder	0 Byte	100 % 0 %	[23h 59m 11s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	PING	0 msec	100 % 0 %	[23h 58m 43s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	HTTP	11 msec	100 % 0 %	[23h 58m 48s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	PING	0 msec	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	HTTP	13 msec	100 % 0 %	[23h 58m 22s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 57s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>HTTP</b>	93 msec	100 % 0 %	[23h 59m 02s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>VPU1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 38s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>HTTPS</b>	14 msec	100 % 0 %	[23h 57m 43s [00s] 100 % 0 %	[482] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-VCMGMT1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 47s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 48s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>HTTPS</b>	31 msec	100 % 0 %	[23h 59m 53s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 59m 43s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Output Phase# 1</b>	120 VAC	100 % 0 %	[23h 59m 48s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>APC UPS Health</b>	40 m 42 s	100 % 0 %	[23h 59m 53s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Input Phase# 1</b>	0 W	100 % 0 %	[23h 57m 08s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>(002) lance Traffic</b>	2.08 kbit/s 21,968 KB	100 % 0 %	[23h 59m 08s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>Uptime</b>	414 d	100 % 0 %	[23h 59m 38s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>HTTP</b>	444 msec	100 % 0 %	[23h 59m 23s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages In</b>	0.34 ICMP/s 29,122 ICMP	100 % 0 %	[23h 55m 08s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages Out</b>	0.34 ICMP/s 29,128 ICMP	100 % 0 %	[23h 59m 58s [00s] 100 % 0 %	[289] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 43s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 59m 48s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 13s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 13s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 58m 58s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 58m 18s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,736 TCP	100 % 0 %	[23h 58m 33s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,814 TCP	100 % 0 %	[23h 59m 28s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,758 UDP	100 % 0 %	[23h 59m 18s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.14 UDP/s 12,478 UDP	100 % 0 %	[23h 58m 28s [00s	100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	100 % 0 %	[23h 59m 54s [00s	100 % 0 % [2881] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 59m 14s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 57 m	100 % 0 %	[23h 59m 29s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 59m 09s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	2.58 kbit/s 27,262 KB	100 % 0 %	[23h 57m 49s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	414 d	100 % 0 %	[23h 58m 59s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	448 msec	100 % 0 %	[23h 58m 24s [00s	100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed		
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 04s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 55m 54s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 24s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 34s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 29,122 ICMP	100 % 0 %	[23h 55m 09s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 29,128 ICMP	100 % 0 %	[23h 55m 39s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,758 TCP	100 % 0 %	[23h 55m 14s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,832 TCP	100 % 0 %	[23h 55m 49s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 55m 44s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 55m 19s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,759 UDP	100 % 0 %	[23h 59m 59s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.14 UDP/s 12,479 UDP	100 % 0 %	[23h 55m 29s [00s	100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	100 % 0 %	[23h 59m 44s [00s	100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 57m 34s [00s	100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	26 m 24 s	100 % 0 %	[23h 59m 39s [00s	100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 59m 34s [00s	100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	2.59 kbit/s 27,274 KB	100 % 0 %	[23h 57m 09s [00s	100 % 0 %	[481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	329 d	100 % 0 %	[23h 59m 49s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	444 msec	100 % 0 %	[23h 57m 19s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 29,122 ICMP	100 % 0 %	[23h 58m 44s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 29,129 ICMP	100 % 0 %	[23h 59m 44s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 49s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 58m 24s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 59s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 14s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 59m 54s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 58m 54s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,737 TCP	100 % 0 %	[23h 59m 04s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,814 TCP	100 % 0 %	[23h 58m 19s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,758 UDP	100 % 0 %	[23h 58m 04s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.14 UDP/s 12,478 UDP	100 % 0 %	[23h 59m 39s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	100 % 0 %	[23h 59m 50s [00s] 100 % 0 % [2881] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 58m 00s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 58m 05s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	22 m 24 s	100 % 0 %	[23h 58m 55s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	2.08 kbit/s 21,968 KB	100 % 0 %	[23h 58m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	414 d	100 % 0 %	[23h 59m 05s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	445 msec	100 % 0 %	[23h 58m 15s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 20s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 56m 25s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 45s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 30s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 29,122 ICMP	100 % 0 %	[23h 59m 55s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 29,128 ICMP	100 % 0 %	[23h 56m 10s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,734 TCP	100 % 0 %	[23h 56m 15s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,814 TCP	100 % 0 %	[23h 56m 00s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 55m 25s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,752 SNMP	100 % 0 %	[23h 55m 20s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,758 UDP	100 % 0 %	[23h 55m 35s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.14 UDP/s 12,478 UDP	100 % 0 %	[23h 55m 10s [00s] 100 % 0 % [289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	100 % 0 %	[23h 59m 38s [00s] 100 % 0 % [2881] [0]



Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	42 m 28 s	100 % 0 %	[23h 58m 13s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	20 %	100 % 0 %	[23h 57m 48s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 57m 53s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	1.97 kbit/s 20,732 KB	100 % 0 %	[23h 57m 58s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	444 msec	100 % 0 %	[23h 57m 43s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	414 d	100 % 0 %	[23h 58m 03s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	99.928 % 0.072 %	[23h 58m 50s [01m 02s] 99.827 % 0.173 %	[2878] [5]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	1 msec	100 % 0 %	[23h 58m 42s [00s] 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	16 msec	100 % 0 %	[23h 58m 47s [00s] 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	2 msec	100 % 0 %	[23h 59m 44s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[23h 59m 57s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	1 msec	100 % 0 %	[23h 59m 22s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	16 msec	100 % 0 %	[23h 59m 17s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 % 0 %	[23h 59m 50s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	1 msec	100 % 0 %	[23h 59m 15s [00s] 99.793 % 0.207 %	[481] [1]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	18 msec	100 % 0 %	[23h 59m 10s [00s] 100 % 0 %	[481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	100 % 0 %	[23h 59m 52s [00s] 100 % 0 % [2881] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	121	100 % 0 %	[23h 59m 12s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 59m 17s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	1 msec	100 % 0 %	[23h 55m 57s [00s] 100 % 0 % [145] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	32 msec	100 % 0 %	[23h 59m 07s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	42 msec	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	2 msec	100 % 0 %	[23h 59m 09s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	1 msec	100 % 0 %	[23h 58m 33s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	6 msec	100 % 0 %	[23h 58m 25s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	1 msec	100 % 0 %	[23h 58m 04s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	2 msec	100 % 0 %	[23h 57m 53s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 59m 03s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplin_to_WASH-HW-MDF-2950-01 Traffic	117 kbit/s 1,236,297 KB	100 % 0 %	[23h 58m 58s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 58m 18s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	191 kbit/s 2,019,301 KB	100 % 0 %	[23h 58m 13s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	2 msec	100 % 0 %	[23h 57m 27s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	4 msec	100 % 0 %	[23h 59m 26s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Jackman ES » <b>JACK-MODULAR</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 57m 01s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 15s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 44s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC3-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 58m 35s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-IDF</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 58m 57s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 59m 30s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC1-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 57m 06s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 12s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 01s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 31s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 59m 23s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 30s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 57s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC1-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 58m 54s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 22s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 23s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 31s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 59m 42s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 07s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-IDF</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 58m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 44s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 59m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 57m 38s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF-2</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 57m 59s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 08s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 26s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 53s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 57m 37s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC2-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 58m 55s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC3-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 44s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-IDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 52s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 24s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 05s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 59m 29s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 59m 49s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-101</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 28s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-102</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 51s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 37s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 58m 09s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 47s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC1-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 00s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC3-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 59m 21s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 35s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>HTTP</b>	329 msec	100 % 0 %	[23h 59m 30s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 45s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>HTTP</b>	302 msec	100 % 0 %	[23h 57m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 59m 59s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-SWTC-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 57m 09s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	2 msec	100 % 0 %	[23h 59m 41s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 % 0 %	[23h 59m 19s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 % 0 %	[23h 59m 45s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 52s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 59m 36s [00s] 100 % 0 % [481] [0]