

WLS-DIS-Daily (4/13/2020 12:00:00 AM - 4/14/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	138 msec	100 % 0 %	[23h 58m 00s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	86 msec	100 % 0 %	[23h 57m 37s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	66 msec	100 % 0 %	[23h 52m 08s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	65 msec	100 % 0 %	[23h 57m 53s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 % 0 %	[23h 57m 20s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	941 msec	100 % 0 %	[23h 57m 25s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 % 0 %	[23h 57m 34s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	304 msec	100 % 0 %	[23h 57m 39s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	0 msec	100 % 0 %	[23h 57m 44s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	23 msec	100 % 0 %	[23h 57m 39s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 % 0 %	[22h 55m 58s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	1 msec	100 % 0 %	[22h 55m 53s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 % 0 %	[22h 56m 26s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 % 0 %	[23h 59m 27s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	PING	0 msec	100 % 0 %	[23h 57m 51s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	HTTP	29 msec	100 % 0 %	[23h 57m 46s 00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Gateway	PING	2 msec	100 % 0 %	[23h 59m 26s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[23h 59m 12s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	6 msec	100 % 0 %	[23h 59m 02s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 59m 07s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	0 msec	100 % 0 %	[23h 58m 13s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	14 msec	100 % 0 %	[23h 58m 08s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	0 msec	100 % 0 %	[23h 58m 48s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	15 msec	100 % 0 %	[23h 58m 53s 00s] 99.585 % 0.415 % [480] [2]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	0 msec	100 % 0 %	[23h 58m 46s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	13 msec	100 % 0 %	[23h 58m 41s 00s] 99.585 % 0.415 % [480] [2]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	0 msec	100 % 0 %	[23h 52m 10s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	14 msec	100 % 0 %	[23h 52m 15s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 58m 30s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	138 msec	100 % 0 %	[23h 58m 25s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[23h 52m 23s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	1 msec	100 % 0 %	[23h 52m 02s 00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	100 % 0 %	[23h 58m 49s 00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	HTTPS	61 msec	100 % 0 %	[23h 59m 04s [00s] 100 % 0 %  [481] [0]
Local Probe (Local Probe) » Server Room » <b>papercut</b>	PING	0 msec	100 % 0 %	[23h 58m 11s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>PrintTracker</b>	PING	0 msec	100 % 0 %	[23h 58m 32s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	PING	0 msec	100 % 0 %	[23h 57m 56s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	HTTP	38 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	PING	0 msec	100 % 0 %	[23h 52m 12s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff User Folder	0 Byte	100 % 0 %	[23h 59m 51s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff Shared Folder	0 Byte	100 % 0 %	[23h 59m 41s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	PING	0 msec	100 % 0 %	[23h 59m 07s [00s] 100 % 0 %  [481] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Student Folders	15 Byte	92 % 8 %	[22h 04m 57s [01h 54m 00s] 91 % 9 %  [441] [43]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Students Shared Folder	15 Byte	92 % 8 %	[22h 05m 02s [01h 54m 00s] 91 % 9 %  [441] [43]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	PING	0 msec	100 % 0 %	[23h 57m 33s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	Tech Resources Folder	0 Byte	100 % 0 %	[23h 57m 28s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	PING	0 msec	100 % 0 %	[23h 57m 22s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	HTTP	8 msec	100 % 0 %	[23h 57m 27s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	PING	0 msec	100 % 0 %	[23h 58m 24s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	HTTP	18 msec	100 % 0 %	[23h 58m 29s [00s] 100 % 0 %  [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 36s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>HTTP</b>	94 msec	100 % 0 %	[23h 57m 41s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>VPU1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 15s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 21s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>HTTPS</b>	14 msec	100 % 0 %	[23h 59m 16s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-VCMGMT1</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 08s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 27s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>HTTPS</b>	24 msec	100 % 0 %	[23h 59m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 57m 18s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Output Phase# 1</b>	120 VAC	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>APC UPS Health</b>	41 m 22 s	100 % 0 %	[23h 58m 32s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Input Phase# 1</b>	0 W	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>(002) lance Traffic</b>	2.08 kbit/s 21,907 KB	100 % 0 %	[23h 59m 17s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>Uptime</b>	425 d	100 % 0 %	[23h 59m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>HTTP</b>	443 msec	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages In</b>	0.34 ICMP/s 29,090 ICMP	100 % 0 %	[23h 58m 07s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages Out</b>	0.34 ICMP/s 29,095 ICMP	100 % 0 %	[23h 59m 12s [00s] 100 % 0 % [291] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 07s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,787 SNMP	100 % 0 %	[23h 58m 37s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,786 SNMP	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,726 TCP	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,806 TCP	100 % 0 %	[23h 58m 52s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,790 UDP	100 % 0 %	[23h 58m 47s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.14 UDP/s 12,512 UDP	100 % 0 %	[23h 58m 22s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 57m 56s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 57 m	100 % 0 %	[23h 59m 06s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 58m 56s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	2.59 kbit/s 27,298 KB	100 % 0 %	[23h 57m 06s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	425 d	100 % 0 %	[23h 58m 51s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	445 msec	100 % 0 %	[23h 57m 26s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 51s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 59m 46s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 01s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 06s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 29,083 ICMP	100 % 0 %	[23h 59m 16s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 29,088 ICMP	100 % 0 %	[23h 55m 36s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,752 TCP	100 % 0 %	[23h 59m 21s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,825 TCP	100 % 0 %	[23h 55m 46s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,783 SNMP	100 % 0 %	[23h 59m 36s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,783 SNMP	100 % 0 %	[23h 55m 26s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,787 UDP	100 % 0 %	[23h 59m 11s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.14 UDP/s 12,508 UDP	100 % 0 %	[23h 59m 31s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	100 % 0 %	[23h 57m 28s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 57m 27s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	25 m 48 s	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 52m 03s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	2.59 kbit/s 27,298 KB	100 % 0 %	[23h 58m 07s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	340 d	100 % 0 %	[23h 52m 07s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	445 msec	100 % 0 %	[23h 57m 07s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 29,089 ICMP	100 % 0 %	[23h 55m 02s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 29,095 ICMP	100 % 0 %	[23h 55m 17s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 37s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 52s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 22s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,782 SNMP	100 % 0 %	[23h 55m 22s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,783 SNMP	100 % 0 %	[23h 58m 47s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,733 TCP	100 % 0 %	[23h 58m 57s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,806 TCP	100 % 0 %	[23h 59m 52s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,786 UDP	100 % 0 %	[23h 58m 17s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.14 UDP/s 12,507 UDP	100 % 0 %	[23h 59m 32s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	100 % 0 %	[23h 57m 21s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 58m 25s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 58m 30s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	23 m 57 s	100 % 0 %	[23h 58m 00s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	2.07 kbit/s 21,871 KB	100 % 0 %	[23h 59m 05s [00s	100 % [482] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	425 d	100 % 0 %	[23h 58m 10s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	443 msec	100 % 0 %	[23h 57m 30s [00s	100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 10s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 56m 15s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 45s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 55s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 29,090 ICMP	100 % 0 %	[23h 59m 20s [00s	100 % [291] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 29,095 ICMP	100 % 0 %	[23h 55m 15s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,726 TCP	100 % 0 %	[23h 55m 20s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,805 TCP	100 % 0 %	[23h 55m 05s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,782 SNMP	100 % 0 %	[23h 55m 50s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,782 SNMP	100 % 0 %	[23h 55m 45s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,787 UDP	100 % 0 %	[23h 59m 35s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.14 UDP/s 12,506 UDP	100 % 0 %	[23h 55m 35s [00s	100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	100 % 0 %	[23h 57m 56s [00s	100 % [2878] 0 % [0]



Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	46 m 24 s	100 % 0 %	[23h 57m 05s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	18 %	100 % 0 %	[23h 52m 16s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 59m 05s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	1.96 kbit/s 20,659 KB	100 % 0 %	[23h 59m 10s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	444 msec	100 % 0 %	[23h 52m 06s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	425 d	100 % 0 %	[23h 52m 20s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	100 % 0 %	[23h 57m 05s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	1 msec	100 % 0 %	[23h 59m 36s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 59m 31s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	2 msec	100 % 0 %	[23h 57m 01s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[23h 57m 54s [00s] 100 % 0 % [2878] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	1 msec	100 % 0 %	[23h 58m 53s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 58m 48s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 % 0 %	[23h 57m 22s [00s] 99.965 % 0.035 % [2877] [1]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	1 msec	100 % 0 %	[23h 57m 16s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 57m 21s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	100 % 0 %	[23h 57m 00s [00s] 100 % 0 % [2876] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	110	100 % 0 %	[23h 58m 54s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 58m 29s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	1 msec	100 % 0 %	[23h 55m 59s [00s] 100 % 0 % [145] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	32 msec	100 % 0 %	[23h 58m 44s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	42 msec	100 % 0 %	[23h 58m 39s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	0 msec	100 % 0 %	[23h 57m 24s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	19 msec	100 % 0 %	[23h 59m 53s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	2 msec	100 % 0 %	[23h 57m 48s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	1 msec	100 % 0 %	[23h 52m 07s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	6 msec	100 % 0 %	[23h 58m 20s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	1 msec	100 % 0 %	[23h 57m 59s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	2 msec	100 % 0 %	[23h 58m 18s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 59m 19s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplink_to_WASH-HW-MDF-2950-01 Traffic	113 kbit/s 1,191,062 KB	100 % 0 %	[23h 59m 14s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 58m 34s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	190 kbit/s 2,004,070 KB	100 % 0 %	[23h 58m 39s [00s] 100 % 0 % [482] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Jackman ES » <b>JACK-IDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 52m 09s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 58m 14s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MODULAR</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 02s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 20s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC3-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 58m 33s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-IDF</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 58m 50s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 57m 55s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC1-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 52m 01s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 34s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 58m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-MDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 15s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 47s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 52m 20s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-MDF</b>	<b>Ping</b>	4 msec	100 % 0 %	[23h 57m 30s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC1-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 52m 14s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC2-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 09s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 58m 59s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-MDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 52m 04s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 59m 09s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 25s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-IDF</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 58m 27s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-MDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 46s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 58m 21s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC2-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 52m 11s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 58s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 24s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 44s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 03s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC1-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 59m 13s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC2-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 57m 34s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-SWTC3-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 09s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-IDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 52m 18s [00s] 100 % [480] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 31s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 54s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 50s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 16s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-101</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 59m 17s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-102</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 16s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 02s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 57m 18s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 04s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 17s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC1-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 58m 12s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 15s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC3-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 59m 10s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>HTTP</b>	414 msec	100 % 0 %	[23h 58m 56s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 52m 10s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>HTTP</b>	305 msec	100 % 0 %	[23h 52m 05s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-MDF</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 59m 29s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-SWTC-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 58m 52s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-IDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 58m 45s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 57m 10s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 59m 28s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 59m 22s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 57m 16s [00s] 100 % [480] 0 % [0]