

WLS-DIS-Daily (4/27/2020 12:00:00 AM - 4/28/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » Internet	HTTP	143 msec	100 % 0 %	[23h 49m 46s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » NWOCA » PowerSchool - Office Side	HTTP	183 msec	100 % 0 %	[23h 49m 16s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » NWOCA » PowerSchool - Teacher	HTTP	99 msec	100 % 0 %	[23h 44m 03s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » NWOCA » PowerSchool - Parent / Student	HTTP	62 msec	100 % 0 %	[23h 49m 39s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	PING	0 msec	100 % 0 %	[23h 42m 46s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	HTTP	538 msec	100 % 0 %	[23h 49m 11s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	PING	0 msec	100 % 0 %	[23h 43m 00s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	HTTP	305 msec	100 % 0 %	[23h 49m 25s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » cafe	PING	0 msec	100 % 0 %	[23h 43m 03s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » cafe	HTTPS	29 msec	100 % 0 %	[23h 49m 18s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	PING	0 msec	100 % 0 %	[22h 41m 09s [00s] 100 % 0 % [457] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	DNS	2 msec	100 % 0 %	[22h 41m 14s [00s] 100 % 0 % [457] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP2	PING	0 msec	100 % 0 %	[22h 48m 27s [00s] 100 % 0 % [457] [0]
Local Probe (Local Probe) » Server Room » iPECS Server	PING	0 msec	100 % 0 %	[23h 51m 06s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » ELEARN	PING	0 msec	100 % 0 %	[23h 43m 10s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » ELEARN	HTTP	24 msec	100 % 0 %	[23h 49m 25s [00s] 100 % 0 % [476] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Gateway	PING	3 msec	100 % 0 %	[23h 51m 19s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[23h 51m 05s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	6 msec	100 % 0 %	[23h 50m 55s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 51m 00s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	0 msec	100 % 0 %	[23h 43m 53s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	17 msec	100 % 0 %	[23h 50m 01s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	0 msec	100 % 0 %	[23h 50m 41s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	9 msec	100 % 0 %	[23h 50m 46s [00s] 99.165 % 0.835 % [475] [4]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	0 msec	100 % 0 %	[23h 50m 39s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	26 msec	100 % 0 %	[23h 50m 34s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	0 msec	100 % 0 %	[23h 37m 52s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	9 msec	100 % 0 %	[23h 44m 10s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 50m 23s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	136 msec	100 % 0 %	[23h 50m 18s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[23h 37m 58s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	1 msec	100 % 0 %	[23h 43m 57s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	100 % 0 %	[23h 50m 42s [00s] 100 % 0 % [477] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	HTTPS	58 msec	100 % 0 % 	[23h 50m 57s [00s] 100 % 0 %  [478] [0]
Local Probe (Local Probe) » Server Room » papercut	PING	1 msec	100 % 0 % 	[23h 43m 51s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » PrintTracker	PING	0 msec	100 % 0 % 	[23h 50m 25s [00s] 100 % 0 %  [477] [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	PING	0 msec	100 % 0 % 	[23h 43m 36s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	HTTP	37 msec	100 % 0 % 	[23h 49m 54s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » STAFF3	PING	0 msec	100 % 0 % 	[23h 37m 54s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff User Folder	0 Byte	100 % 0 % 	[23h 59m 43s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff Shared Folder	0 Byte	100 % 0 % 	[23h 59m 33s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	PING	0 msec	100 % 0 % 	[23h 51m 00s [00s] 100 % 0 %  [478] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Student Folders	15 Byte	100 % 0 % 	[23h 58m 49s [00s] 100 % 0 %  [477] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Students Shared Folder	15 Byte	100 % 0 % 	[23h 58m 54s [00s] 100 % 0 %  [478] [0]
Local Probe (Local Probe) » Server Room » TECH3	PING	0 msec	100 % 0 % 	[23h 43m 13s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » TECH3	Tech Resources Folder	0 Byte	100 % 0 % 	[23h 57m 20s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » transportation	PING	0 msec	100 % 0 % 	[23h 43m 02s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » transportation	HTTP	8 msec	100 % 0 % 	[23h 49m 20s [00s] 100 % 0 %  [476] [0]
Local Probe (Local Probe) » Server Room » tran-sql	PING	0 msec	100 % 0 % 	[23h 50m 17s [00s] 100 % 0 %  [477] [0]
Local Probe (Local Probe) » Server Room » tran-sql	HTTP	8 msec	100 % 0 % 	[23h 50m 22s [00s] 100 % 0 %  [477] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Uptime	PING	0 msec	100 % 0 %	[23h 43m 16s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Uptime	HTTP	93 msec	100 % 0 %	[23h 49m 34s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » VPU1	PING	0 msec	100 % 0 %	[23h 50m 08s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	PING	0 msec	100 % 0 %	[23h 51m 14s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	HTTPS	18 msec	100 % 0 %	[23h 51m 09s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » WLS-VCMGMT1	PING	0 msec	100 % 0 %	[23h 43m 48s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	PING	0 msec	100 % 0 %	[23h 51m 20s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	HTTPS	25 msec	100 % 0 %	[23h 51m 25s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	PING	1 msec	100 % 0 %	[23h 44m 23s [00s] 100 % 0 % [2855] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 50m 20s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	APC UPS Health	40 m 17 s	100 % 0 %	[23h 50m 25s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Input Phase# 1	0 W	100 % 0 %	[23h 50m 35s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	(002) lance Traffic	2.18 kbit/s 22,994 KB	100 % 0 %	[23h 59m 09s [00s] 100 % 0 % [483] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	Uptime	439 d	100 % 0 %	[23h 51m 24s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	HTTP	442 msec	100 % 0 %	[23h 50m 09s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages In	0.33 ICMP/s 28,887 ICMP	100 % 0 %	[23h 55m 59s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages Out	0.33 ICMP/s 28,893 ICMP	100 % 0 %	[23h 57m 04s [00s] 100 % 0 % [296] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 54s [00s	100 % [296] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 55m 49s [00s	100 % [294] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 59s [00s	100 % [295] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 34s [00s	100 % [296] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,928 SNMP	100 % 0 %	[23h 56m 29s [00s	100 % [296] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,927 SNMP	100 % 0 %	[23h 55m 04s [00s	100 % [294] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,674 TCP	100 % 0 %	[23h 56m 19s [00s	100 % [295] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,768 TCP	100 % 0 %	[23h 56m 44s [00s	100 % [296] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,931 UDP	100 % 0 %	[23h 56m 39s [00s	100 % [296] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 12,652 UDP	100 % 0 %	[23h 56m 14s [00s	100 % [295] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	100 % 0 %	[23h 44m 17s [00s	100 % [2855] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	122 VAC	100 % 0 %	[23h 43m 36s [00s	100 % [476] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 58 m	100 % 0 %	[23h 50m 59s [00s	100 % [478] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 50m 49s [00s	100 % [477] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	2.72 kbit/s 28,689 KB	100 % 0 %	[23h 59m 58s [00s	100 % [487] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	439 d	100 % 0 %	[23h 50m 43s [00s	100 % [477] 0 % [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	446 msec	100 % 0 %	[23h 49m 19s [00s	100 % [476] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 43s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 57m 38s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 53s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 58s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.33 ICMP/s 28,888 ICMP	100 % 0 %	[23h 57m 08s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.33 ICMP/s 28,894 ICMP	100 % 0 %	[23h 58m 28s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,686 TCP	100 % 0 %	[23h 57m 13s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,781 TCP	100 % 0 %	[23h 58m 38s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,888 SNMP	100 % 0 %	[23h 57m 28s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,889 SNMP	100 % 0 %	[23h 58m 18s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,894 UDP	100 % 0 %	[23h 57m 03s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 12,613 UDP	100 % 0 %	[23h 57m 23s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	100 % 0 %	[23h 45m 01s [00s] 100 % 0 % [2856] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	122 VAC	100 % 0 %	[23h 43m 07s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	26 m 17 s	100 % 0 %	[23h 43m 37s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 37m 45s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	2.72 kbit/s 28,691 KB	100 % 0 %	[23h 57m 59s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	354 d	100 % 0 %	[23h 37m 47s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	442 msec	100 % 0 %	[23h 52m 00s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.33 ICMP/s 28,888 ICMP	100 % 0 %	[23h 57m 54s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.33 ICMP/s 28,894 ICMP	100 % 0 %	[23h 58m 09s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 56m 19s [00s] 100 % 0 % [295] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 44s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 14s [00s] 100 % 0 % [295] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,901 SNMP	100 % 0 %	[23h 58m 14s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,900 SNMP	100 % 0 %	[23h 56m 39s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,654 TCP	100 % 0 %	[23h 56m 49s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,760 TCP	100 % 0 %	[23h 57m 44s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,904 UDP	100 % 0 %	[23h 56m 09s [00s] 100 % 0 % [295] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 12,625 UDP	100 % 0 %	[23h 57m 24s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	100 % 0 %	[23h 44m 26s [00s] 100 % 0 % [2855] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 50m 18s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	122 VAC	100 % 0 %	[23h 50m 23s [00s] 100 % 0 % [477] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	36 m 3 s	100 % 0 %	[23h 43m 40s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	2.18 kbit/s 22,984 KB	100 % 0 %	[23h 58m 57s [00s] 100 % 0 % [483] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	439 d	100 % 0 %	[23h 43m 48s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	443 msec	100 % 0 %	[23h 49m 23s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 6 ICMP	100 % 0 %	[23h 59m 07s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 37s [00s] 100 % 0 % [293] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 47s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.33 ICMP/s 28,893 ICMP	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [296] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.33 ICMP/s 28,899 ICMP	100 % 0 %	[23h 58m 07s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,662 TCP	100 % 0 %	[23h 58m 12s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,760 TCP	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,871 SNMP	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,871 SNMP	100 % 0 %	[23h 58m 37s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,873 UDP	100 % 0 %	[23h 57m 27s [00s] 100 % 0 % [292] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 12,595 UDP	100 % 0 %	[23h 58m 27s [00s] 100 % 0 % [294] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	100 % 0 %	[23h 44m 31s [00s] 100 % 0 % [2855] [0]


























Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	1 h 24 m	100 % 0 %	[23h 45m 45s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	11 %	100 % 0 %	[23h 37m 58s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 50m 58s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	2.07 kbit/s 21,781 KB	100 % 0 %	[23h 59m 02s [00s] 100 % 0 % [483] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	443 msec	100 % 0 %	[23h 44m 01s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	439 d	100 % 0 %	[23h 38m 00s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	100 % 0 %	[23h 44m 03s [00s] 100 % 0 % [2854] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	1 msec	100 % 0 %	[23h 51m 37s [00s] 100 % 0 % [479] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 51m 32s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	2 msec	100 % 0 %	[23h 44m 06s [00s] 100 % 0 % [2854] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[23h 44m 29s [00s] 100 % 0 % [2855] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	1 msec	100 % 0 %	[23h 50m 46s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 50m 41s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 % 0 %	[23h 44m 27s [00s] 99.93 % 0.07 % [2854] [2]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	1 msec	100 % 0 %	[23h 42m 56s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 % 0 %	[23h 49m 14s [00s] 100 % 0 % [476] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	100 % 0 %	[23h 43m 35s [00s] 100 % 0 % [2853] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	96	100 % 0 %	[23h 50m 47s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 50m 22s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	1 msec	100 % 0 %	[23h 58m 51s [00s] 99.32 % 0.68 % [146] [1]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	31 msec	100 % 0 %	[23h 50m 37s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	50 msec	100 % 0 %	[23h 50m 32s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	0 msec	100 % 0 %	[23h 44m 22s [00s] 100 % 0 % [2855] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	19 msec	100 % 0 %	[23h 49m 39s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	2 msec	100 % 0 %	[23h 43m 28s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	1 msec	100 % 0 %	[23h 29m 44s [00s] 100 % 0 % [474] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	7 msec	100 % 0 %	[23h 50m 13s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	1 msec	100 % 0 %	[23h 43m 39s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	2 msec	100 % 0 %	[23h 50m 11s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[23h 51m 12s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplink_to_WASH-HW-MDF-2950-01 Traffic	131 kbit/s 1,379,983 KB	100 % 0 %	[23h 59m 06s [00s] 100 % 0 % [483] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 50m 27s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	250 kbit/s 2,640,245 KB	100 % 0 %	[23h 58m 31s [00s] 100 % 0 % [482] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	2 msec	100 % 0 %	[23h 37m 44s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	3 msec	100 % 0 %	[23h 43m 40s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jackman ES » JACK-MODULAR	PING	1 msec	100 % 0 %	[23h 50m 28s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[23h 37m 56s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 50m 59s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC3-WIRELESS	PING	2 msec	100 % 0 %	[23h 50m 19s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-IDF	PING	1 msec	100 % 0 %	[23h 50m 43s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-MDF	PING	3 msec	100 % 0 %	[23h 43m 35s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC1-WIRELESS	PING	2 msec	100 % 0 %	[23h 37m 43s [00s] 100 % 0 % [475] [0]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 51m 13s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-IDF	Ping	1 msec	100 % 0 %	[23h 50m 26s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-MDF	Ping	2 msec	100 % 0 %	[23h 49m 22s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 51m 01s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 43m 27s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Monac ES » MONA-IDF	Ping	1 msec	100 % 0 %	[23h 44m 15s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Monac ES » MONA-MDF	Ping	2 msec	100 % 0 %	[23h 49m 09s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Monac ES » MONA-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 37m 49s [00s] 100 % 0 % [476] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[23h 38m 03s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	1 msec	100 % 0 %	[23h 50m 38s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	2 msec	100 % 0 %	[23h 43m 59s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 51m 02s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 50m 18s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	3 msec	100 % 0 %	[23h 50m 20s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	1 msec	100 % 0 %	[23h 49m 32s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 50m 07s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 37m 46s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	2 msec	100 % 0 %	[23h 44m 19s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	1 msec	100 % 0 %	[23h 49m 17s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	3 msec	100 % 0 %	[23h 50m 37s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	2 msec	100 % 0 %	[23h 50m 49s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 50m 52s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[23h 43m 14s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[23h 43m 49s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	2 msec	100 % 0 %	[23h 44m 13s [00s] 100 % 0 % [476] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	3 msec	100 % 0 %	[23h 51m 17s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	2 msec	100 % 0 %	[23h 49m 47s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 43m 30s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 51m 09s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	2 msec	100 % 0 %	[23h 51m 03s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	2 msec	100 % 0 %	[23h 50m 09s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	2 msec	100 % 0 %	[23h 49m 55s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	1 msec	100 % 0 %	[23h 49m 04s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[23h 49m 57s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	2 msec	100 % 0 %	[23h 49m 10s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[23h 43m 38s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 42m 55s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	3 msec	100 % 0 %	[23h 50m 56s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	0 msec	100 % 0 %	[23h 50m 55s [00s] 100 % 0 % [478] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	460 msec	100 % 0 %	[23h 50m 49s [00s] 100 % 0 % [477] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	PING	0 msec	100 % 0 %	[23h 37m 52s [00s] 100 % 0 % [476] [0]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	HTTP	310 msec	100 % 0 %	[23h 44m 00s [00s] 100 % 0 % [476] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	2 msec	100 %  0 % 	[23h 51m 15s [00s] 100 %  0 %  [478] [0]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 %  0 % 	[23h 50m 31s [00s] 100 %  0 %  [477] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	2 msec	100 %  0 % 	[23h 50m 24s [00s] 100 %  0 %  [477] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 %  0 % 	[23h 42m 50s [00s] 100 %  0 %  [476] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 %  0 % 	[23h 51m 21s [00s] 100 %  0 %  [478] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	5 msec	100 %  0 % 	[23h 51m 08s [00s] 100 %  0 %  [478] [0]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 %  0 % 	[23h 38m 10s [00s] 100 %  0 %  [476] [0]