

WLS-DIS-Daily (6/29/2020 12:00:00 AM - 6/30/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	145 msec	100 %  0 % 	[23h 59m 13s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	48 msec	100 %  0 % 	[23h 58m 43s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	57 msec	100 %  0 % 	[23h 57m 55s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	60 msec	100 %  0 % 	[23h 59m 06s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 %  0 % 	[23h 58m 33s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	1,162 msec	100 %  0 % 	[23h 58m 38s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 %  0 % 	[23h 58m 47s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	307 msec	100 %  0 % 	[23h 58m 52s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	0 msec	100 %  0 % 	[23h 58m 50s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	23 msec	100 %  0 % 	[23h 58m 45s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 %  0 % 	[22h 55m 51s [00s] 100 %  0 %  [461] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	3 msec	100 %  0 % 	[22h 55m 46s [00s] 99.567 %  0.433 %  [460] [2]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 %  0 % 	[22h 56m 26s [00s] 100 %  0 %  [461] [0]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 %  0 % 	[23h 57m 33s [00s] 100 %  0 %  [481] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	PING	0 msec	100 %  0 % 	[23h 58m 57s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	HTTP	27 msec	100 %  0 % 	[23h 58m 52s [00s] 100 %  0 %  [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » Gateway	PING	6 msec	100 % 0 %	[23h 57m 39s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[23h 57m 25s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	7 msec	100 % 0 %	[23h 57m 15s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 57m 20s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	0 msec	100 % 0 %	[23h 59m 26s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	13 msec	100 % 0 %	[23h 59m 21s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	0 msec	100 % 0 %	[23h 57m 01s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	9 msec	100 % 0 %	[23h 57m 06s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	1 msec	100 % 0 %	[23h 59m 59s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	8 msec	100 % 0 %	[23h 59m 54s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	0 msec	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	11 msec	100 % 0 %	[23h 58m 02s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 59m 43s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	138 msec	100 % 0 %	[23h 59m 38s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[23h 58m 10s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	1 msec	100 % 0 %	[23h 57m 49s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	100 % 0 %	[23h 57m 02s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	HTTPS	43 msec	100 % 0 %	[23h 57m 17s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » papercut	PING	0 msec	100 % 0 %	[23h 59m 24s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » PrintTracker	PING	0 msec	100 % 0 %	[23h 59m 45s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	PING	0 msec	100 % 0 %	[23h 59m 09s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	HTTP	39 msec	100 % 0 %	[23h 59m 14s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » STAFF3	PING	0 msec	100 % 0 %	[23h 57m 59s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff User Folder	0 Byte	100 % 0 %	[23h 58m 04s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff Shared Folder	0 Byte	100 % 0 %	[23h 57m 54s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » STUDENT3	PING	0 msec	100 % 0 %	[23h 57m 20s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Student Folders	15 Byte	100 % 0 %	[23h 57m 10s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Students Shared Folder	15 Byte	100 % 0 %	[23h 57m 15s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » TECH3	PING	0 msec	100 % 0 %	[23h 58m 46s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » TECH3	Tech Resources Folder	0 Byte	100 % 0 %	[23h 58m 41s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » transportation	PING	1 msec	100 % 0 %	[23h 58m 35s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » transportation	HTTP	No data	0 % 100 %	[00s] 0 % [0] [23h 50m 21s] 100 % [479]
Local Probe (Local Probe) » Server Room » tran-sql	PING	0 msec	100 % 0 %	[23h 59m 37s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » tran-sql	HTTP	8 msec	100 % 0 %	[23h 59m 42s [00s] 100 % [480] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	PING	0 msec	100 % 0 %	[23h 58m 49s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	HTTP	93 msec	100 % 0 %	[23h 58m 54s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>VPU1</b>	PING	0 msec	100 % 0 %	[23h 59m 28s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	PING	0 msec	100 % 0 %	[23h 57m 34s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	HTTPS	15 msec	100 % 0 %	[23h 57m 29s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>WLS-VCMGMT1</b>	PING	0 msec	100 % 0 %	[23h 59m 21s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	PING	0 msec	100 % 0 %	[23h 57m 40s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	HTTPS	26 msec	100 % 0 %	[23h 57m 45s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	PING	1 msec	100 % 0 %	[23h 57m 13s [00s] 100 % [2877] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	UPS Output Phase# 1	118 VAC	100 % 0 %	[23h 59m 40s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	APC UPS Health	40 m 20 s	100 % 0 %	[23h 59m 45s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	UPS Input Phase# 1	0 W	100 % 0 %	[23h 59m 55s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	(002) lance Traffic	798 kbit/s 8,414,758 KB	100 % 0 %	[23h 57m 30s [00s] 100 % [482] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	Uptime	6 d 14 h 32 m	100 % 0 %	[23h 57m 45s [00s] 100 % [481] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	HTTP	544 msec	100 % 0 %	[23h 59m 29s [00s] 100 % [480] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	ICMP Messages In	0.34 ICMP/s 29,086 ICMP	100 % 0 %	[23h 59m 20s [00s] 100 % [290] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	ICMP Messages Out	0.34 ICMP/s 29,097 ICMP	100 % 0 %	[23h 55m 25s [00s] 100 % [291] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	< 0.01 ICMP/s 1 ICMP	100 % 0 %	[23h 55m 15s [00s	100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 59m 10s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 20s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 55s [00s	100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,854 SNMP	100 % 0 %	[23h 59m 50s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,854 SNMP	100 % 0 %	[23h 58m 25s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,728 TCP	100 % 0 %	[23h 59m 40s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,809 TCP	100 % 0 %	[23h 55m 05s [00s	100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,858 UDP	100 % 0 %	[01d 00h 00m 00s [00s	100 % 0 % [292] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 12,578 UDP	100 % 0 %	[23h 59m 35s [00s	100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	100 % 0 %	[23h 57m 37s [00s	100 % 0 % [2878] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	119 VAC	100 % 0 %	[23h 59m 09s [00s	100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 58 m	100 % 0 %	[23h 57m 19s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 57m 09s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	2.95 kbit/s 31,146 KB	100 % 0 %	[23h 58m 19s [00s	100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	6 d 14 h 46 m	100 % 0 %	[23h 57m 04s [00s	100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	546 msec	100 % 0 %	[23h 58m 38s [00s	100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed		
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 04s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 55m 59s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 14s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 19s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 29,084 ICMP	100 % 0 %	[23h 55m 29s [00s	100 % 0 %	[291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 29,095 ICMP	100 % 0 %	[23h 56m 49s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,745 TCP	100 % 0 %	[23h 55m 34s [00s	100 % 0 %	[291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,820 TCP	100 % 0 %	[23h 56m 59s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,850 SNMP	100 % 0 %	[23h 55m 49s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,850 SNMP	100 % 0 %	[23h 56m 39s [00s	100 % 0 %	[290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,855 UDP	100 % 0 %	[23h 55m 24s [00s	100 % 0 %	[291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 12,574 UDP	100 % 0 %	[23h 55m 44s [00s	100 % 0 %	[291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	100 % 0 %	[23h 57m 23s [00s	100 % 0 %	[2877] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	119 VAC	100 % 0 %	[23h 58m 40s [00s	100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	26 m 13 s	100 % 0 %	[23h 59m 10s [00s	100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 57m 50s [00s	100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	2.96 kbit/s 31,209 KB	100 % 0 %	[23h 59m 20s [00s	100 % 0 %	[481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	417 d	100 % 0 %	[23h 57m 55s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	444 msec	100 % 0 %	[23h 58m 20s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 29,087 ICMP	100 % 0 %	[23h 56m 15s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 29,124 ICMP	100 % 0 %	[23h 56m 30s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	< 0.01 ICMP/s 2 ICMP	100 % 0 %	[23h 55m 50s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 39 ICMP	100 % 0 %	[23h 59m 40s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 05s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 35s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,960 SNMP	100 % 0 %	[23h 56m 35s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,960 SNMP	100 % 0 %	[01d 00h 00m 00s [00s] 100 % 0 % [292] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,877 TCP	100 % 0 %	[23h 55m 10s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,952 TCP	100 % 0 %	[23h 56m 05s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,964 UDP	100 % 0 %	[23h 59m 30s [00s] 100 % 0 % [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 12,684 UDP	100 % 0 %	[23h 55m 45s [00s] 100 % 0 % [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	100 % 0 %	[23h 57m 16s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 59m 38s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	120 VAC	100 % 0 %	[23h 59m 43s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	1 h 16 m	100 %  0 % 	[23h 59m 13s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	798 kbit/s 8,414,833 KB	100 %  0 % 	[23h 57m 18s [00s] 100 %  0 %  [482] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	6 d 14 h 33 m	100 %  0 % 	[23h 59m 23s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	543 msec	100 %  0 % 	[23h 58m 42s [00s] 100 %  0 %  [480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 %  0 % 	[23h 57m 23s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 39 ICMP	100 %  0 % 	[23h 57m 28s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 %  0 % 	[23h 55m 58s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 %  0 % 	[23h 57m 08s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 29,084 ICMP	100 %  0 % 	[23h 55m 33s [00s] 100 %  0 %  [291] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 29,123 ICMP	100 %  0 % 	[23h 56m 28s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,877 TCP	100 %  0 % 	[23h 56m 33s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,953 TCP	100 %  0 % 	[23h 56m 18s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,957 SNMP	100 %  0 % 	[23h 57m 03s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,957 SNMP	100 %  0 % 	[23h 56m 58s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,961 UDP	100 %  0 % 	[23h 55m 48s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 12,681 UDP	100 %  0 % 	[23h 56m 48s [00s] 100 %  0 %  [290] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	100 %  0 % 	[23h 57m 21s [00s] 100 %  0 %  [2877] [0]




Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	3 h 54 m	100 %  0 % 	[23h 58m 18s [00s] 100 %  0 % 	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	6 %	100 %  0 % 	[23h 58m 03s [00s] 100 %  0 % 	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 %  0 % 	[23h 57m 18s [00s] 100 %  0 % 	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	2.37 kbit/s 25,026 KB	100 %  0 % 	[23h 57m 23s [00s] 100 %  0 % 	[482] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	544 msec	100 %  0 % 	[23h 57m 52s [00s] 100 %  0 % 	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	6 d 14 h 31 m	100 %  0 % 	[23h 58m 08s [00s] 100 %  0 % 	[480] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	100 %  0 % 	[23h 57m 00s [00s] 100 %  0 % 	[2877] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	2 msec	100 %  0 % 	[23h 59m 36s [00s] 100 %  0 % 	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 %  0 % 	[23h 59m 31s [00s] 100 %  0 % 	[481] [0]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	6 msec	100 %  0 % 	[23h 56m 56s [00s] 100 %  0 % 	[2876] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 %  0 % 	[23h 57m 19s [00s] 100 %  0 % 	[2877] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	3 msec	100 %  0 % 	[23h 57m 06s [00s] 100 %  0 % 	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	15 msec	100 %  0 % 	[23h 57m 01s [00s] 100 %  0 % 	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 %  0 % 	[23h 57m 17s [00s] 99.931 %  0.069 % 	[2876] [2]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	2 msec	100 %  0 % 	[23h 58m 29s [00s] 99.584 %  0.416 % 	[479] [2]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 %  0 % 	[23h 58m 34s [00s] 99.792 %  0.208 % 	[480] [1]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	100 % 0 %	[23h 56m 55s [00s] 100 % 0 % [2876] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	33	100 % 0 %	[23h 57m 07s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 59m 42s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	1 msec	100 % 0 %	[23h 57m 12s [00s] 100 % 0 % [145] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	34 msec	100 % 0 %	[23h 59m 57s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	53 msec	100 % 0 %	[23h 59m 52s [00s] 99.792 % 0.208 % [480] [1]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	0 msec	100 % 0 %	[23h 57m 19s [00s] 100 % 0 % [2877] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	20 msec	100 % 0 %	[23h 59m 06s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	4 msec	100 % 0 %	[23h 59m 01s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	2 msec	100 % 0 %	[23h 57m 54s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	7 msec	100 % 0 %	[23h 59m 33s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	2 msec	100 % 0 %	[23h 59m 12s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	4 msec	100 % 0 %	[23h 59m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 32s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplin_to_WASH-HW-MDF-2950-01 Traffic	170 kbit/s 1,798,149 KB	100 % 0 %	[23h 57m 27s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 59m 47s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	240 kbit/s 2,529,678 KB	100 % 0 %	[23h 59m 52s [00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Jackman ES » <b>JACK-IDF</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 57m 56s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 59m 27s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MODULAR</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 59m 55s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 58m 08s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 57m 26s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC3-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 59m 46s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-IDF</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 57m 03s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-MDF</b>	<b>PING</b>	3 msec	100 % 0 %	[23h 59m 08s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC1-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[23h 57m 48s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[23h 57m 40s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 59m 53s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 42s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 28s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 59m 00s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-IDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 07s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 36s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 01s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 58m 15s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	1 msec	100 % 0 %	[23h 57m 05s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	3 msec	100 % 0 %	[23h 57m 51s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 22s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 38s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	4 msec	100 % 0 %	[23h 59m 40s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	2 msec	100 % 0 %	[23h 58m 59s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 59m 34s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 58s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	4 msec	100 % 0 %	[23h 58m 11s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	2 msec	100 % 0 %	[23h 58m 37s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	2 msec	100 % 0 %	[23h 59m 57s [00s] 100 % 0 % [482] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	2 msec	100 % 0 %	[23h 57m 16s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 19s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[23h 58m 47s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 22s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	4 msec	100 % 0 %	[23h 58m 05s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-1</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 57m 44s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-MDF-2</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 59m 07s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC1-WIRELESS</b>	<b>PING</b>	6 msec	100 % 0 %	[23h 59m 03s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Washington JH » <b>WASH-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-101</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 57m 30s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-102</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 59m 29s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF-2</b>	<b>Ping</b>	3 msec	100 % 0 %	[23h 59m 15s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-IDF3</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 58m 31s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-1</b>	<b>Ping</b>	1 msec	100 % 0 %	[23h 59m 17s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-MDF-2</b>	<b>Ping</b>	2 msec	100 % 0 %	[23h 58m 30s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC1-WIRELESS</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 59m 25s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC2-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[23h 58m 28s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Whitmer CTC » <b>CTC-SWTC3-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[23h 57m 23s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 15s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>HTTP</b>	365 msec	100 % 0 %	[23h 57m 09s [00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>PING</b>	0 msec	100 % 0 %	[23h 57m 57s [00s] 100 % 0 % [480] [0]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracusa-012</b>	<b>HTTP</b>	297 msec	100 % 0 %	[23h 57m 52s [00s] 100 % 0 % [480] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-MDF</b>	<b>PING</b>	2 msec	100 % 0 % 	[23h 57m 42s [00s] 100 % 0 %  [481] [0]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-SWTC-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 % 	[23h 59m 58s [00s] 100 % 0 %  [482] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-IDF</b>	<b>PING</b>	3 msec	100 % 0 % 	[23h 59m 51s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	6 msec	100 % 0 % 	[23h 58m 23s [00s] 100 % 0 %  [480] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	3 msec	100 % 0 % 	[23h 57m 41s [00s] 100 % 0 %  [481] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 % 	[23h 57m 35s [00s] 100 % 0 %  [481] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 % 	[23h 58m 22s [00s] 100 % 0 %  [480] [0]