

WLS-DIS-Daily (8/1/2020 12:00:00 AM - 8/2/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » Internet	HTTP	138 msec	100 % 0 %	[23h 59m 06s 00s] 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » NWOCA » PowerSchool - Office Side	HTTP	50 msec	100 % 0 %	[23h 58m 36s 00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » NWOCA » PowerSchool - Teacher	HTTP	152 msec	100 % 0 %	[23h 57m 55s 00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » NWOCA » PowerSchool - Parent / Student	HTTP	79 msec	100 % 0 %	[23h 58m 59s 00s] 99.584 % 0.416 % [479] [2]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	PING	0 msec	100 % 0 %	[23h 58m 26s 00s] 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	HTTP	534 msec	100 % 0 %	[23h 58m 31s 00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	PING	1 msec	100 % 0 %	[23h 58m 40s 00s] 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	HTTP	309 msec	100 % 0 %	[23h 58m 45s 00s] 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Server Room » cafe	PING	1 msec	100 % 0 %	[23h 58m 43s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » cafe	HTTPS	22 msec	100 % 0 %	[23h 58m 38s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	PING	1 msec	100 % 0 %	[22h 55m 44s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	DNS	4 msec	100 % 0 %	[22h 55m 39s 00s] 100 % 0 % [461] [0]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP2	PING	0 msec	100 % 0 %	[22h 56m 19s 00s] 99.351 % 0.649 % [459] [3]
Local Probe (Local Probe) » Server Room » iPECS Server	PING	0 msec	100 % 0 %	[23h 57m 26s 00s] 99.585 % 0.415 % [480] [2]
Local Probe (Local Probe) » Server Room » ELEARN	PING	1 msec	100 % 0 %	[23h 58m 50s 00s] 100 % 0 % [481] [0]
Local Probe (Local Probe) » Server Room » ELEARN	HTTP	29 msec	100 % 0 %	[23h 58m 45s 00s] 100 % 0 % [481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » Gateway	PING	7 msec	100 % 0 %	[23h 57m 32s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[23h 57m 18s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	54 msec	100 % 0 %	[23h 57m 08s [00s 99.793 % 0.207 %	[481] [1]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 57m 13s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Server Room » WLS-PS1	PING	1 msec	100 % 0 %	[23h 59m 33s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS1	HTTP	10 msec	100 % 0 %	[23h 59m 28s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	PING	1 msec	100 % 0 %	[23h 57m 01s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2	HTTP	10 msec	100 % 0 %	[23h 57m 06s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	PING	1 msec	100 % 0 %	[23h 59m 59s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3	HTTP	9 msec	100 % 0 %	[23h 59m 54s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	PING	1 msec	100 % 0 %	[23h 58m 04s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4	HTTP	14 msec	100 % 0 %	[23h 58m 09s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[23h 59m 36s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » k1000	HTTP	152 msec	100 % 0 %	[23h 59m 31s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLSAV	PING	1 msec	100 % 0 %	[23h 58m 03s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	1 msec	100 % 0 %	[23h 57m 42s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	1 msec	100 % 0 %	[23h 57m 16s [00s 99.585 % 0.415 %	[480] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	HTTPS	134 msec	100 % 0 %	[23h 57m 31s [00s 99.793 % 0.207 %	[481] [1]
Local Probe (Local Probe) » Server Room » papercut	PING	0 msec	100 % 0 %	[23h 59m 24s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » PrintTracker	PING	1 msec	100 % 0 %	[23h 59m 45s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » Server Room Environment	PING	1 msec	100 % 0 %	[23h 59m 16s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Server Room » Server Room Environment	HTTP	41 msec	100 % 0 %	[23h 59m 21s [00s 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Server Room » STAFF3	PING	0 msec	100 % 0 %	[23h 58m 06s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff User Folder	0 Byte	100 % 0 %	[23h 58m 11s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » STAFF3	Staff Shared Folder	0 Byte	100 % 0 %	[23h 58m 01s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	PING	0 msec	100 % 0 %	[23h 57m 20s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Student Folders	15 Byte	100 % 0 %	[23h 57m 10s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » STUDENT3	Students Shared Folder	15 Byte	100 % 0 %	[23h 57m 15s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » TECH3	PING	0 msec	100 % 0 %	[23h 58m 53s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » TECH3	Tech Resources Folder	0 Byte	100 % 0 %	[23h 58m 48s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » transportation	PING	1 msec	100 % 0 %	[23h 58m 28s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » transportation	HTTP	11 msec	100 % 0 %	[23h 58m 33s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » tran-sql	PING	1 msec	100 % 0 %	[23h 59m 44s [00s 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » tran-sql	HTTP	10 msec	100 % 0 %	[23h 59m 49s [00s 100 % 0 %	[481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » Uptime	PING	1 msec	100 % 0 %	[23h 58m 42s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » Uptime	HTTP	94 msec	100 % 0 %	[23h 58m 47s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » VPU1	PING	1 msec	100 % 0 %	[23h 59m 35s [00s] 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Server Room » wls-vc1	PING	1 msec	100 % 0 %	[23h 57m 34s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » wls-vc1	HTTPS	16 msec	100 % 0 %	[23h 57m 29s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-VCMGMT1	PING	0 msec	100 % 0 %	[23h 59m 28s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	PING	1 msec	100 % 0 %	[23h 57m 47s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	HTTPS	25 msec	100 % 0 %	[23h 57m 52s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	PING	2 msec	99.722 % 0.278 %	[23h 55m 42s [04m 00s] 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Output Phase# 1	120 VAC	100 % 0 %	[23h 52m 51s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	APC UPS Health	41 m 16 s	100 % 0 %	[23h 52m 56s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UPS Input Phase# 1	0 W	100 % 0 %	[23h 49m 46s [00s] 99.583 % 0.417 %	[478] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	(002) lance Traffic	3.52 kbit/s 36,898 KB	100 % 0 %	[23h 57m 37s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	Uptime	24 d	100 % 0 %	[23h 50m 40s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	HTTP	446 msec	100 % 0 %	[23h 59m 37s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages In	0.34 ICMP/s 28,918 ICMP	100 % 0 %	[23h 59m 27s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages Out	0.34 ICMP/s 28,905 ICMP	100 % 0 %	[23h 55m 32s [00s] 99.31 % 0.69 %	[288] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 22s [00s 99.31 % 0.69 %	[288] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 59m 17s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 58m 27s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 02s [00s 99.654 % 0.346 %	[288] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 11,773 SNMP	100 % 0 %	[23h 59m 57s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 11,789 SNMP	100 % 0 %	[23h 58m 32s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 7,669 TCP	100 % 0 %	[23h 59m 47s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 5,769 TCP	100 % 0 %	[23h 55m 12s [00s 99.654 % 0.346 %	[288] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 11,753 UDP	100 % 0 %	[23h 55m 07s [00s 99.654 % 0.346 %	[288] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 12,499 UDP	100 % 0 %	[23h 59m 42s [00s 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	2 msec	99.722 % 0.278 %	[23h 55m 43s [04m 00s 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	120 VAC	100 % 0 %	[23h 52m 14s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 59 m	100 % 0 %	[23h 48m 48s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[23h 48m 38s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	4.03 kbit/s 42,218 KB	100 % 0 %	[23h 48m 58s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	39 d	100 % 0 %	[23h 50m 02s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	548 msec	100 % 0 %	[23h 49m 52s [00s 100 % 0 %	[479] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 18s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 56m 13s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 28s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 33s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 28,880 ICMP	100 % 0 %	[23h 55m 43s [00s] 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 28,964 ICMP	100 % 0 %	[23h 57m 03s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 7,706 TCP	100 % 0 %	[23h 55m 48s [00s] 99.31 % 0.69 %	[288] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 5,806 TCP	100 % 0 %	[23h 57m 13s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 11,789 SNMP	100 % 0 %	[23h 56m 03s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 11,777 SNMP	100 % 0 %	[23h 56m 53s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 11,762 UDP	100 % 0 %	[23h 55m 38s [00s] 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 12,472 UDP	100 % 0 %	[23h 55m 58s [00s] 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	2 msec	99.722 % 0.278 %	[23h 55m 52s [04m 00s] 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	120 VAC	100 % 0 %	[23h 47m 56s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	25 m 43 s	100 % 0 %	[23h 51m 16s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[23h 47m 51s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	4.03 kbit/s 42,200 KB	100 % 0 %	[23h 59m 27s [00s] 99.792 % 0.208 %	[479] [1]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	450 d	100 % 0 %	[23h 49m 15s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	447 msec	100 % 0 %	[23h 49m 06s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 28,971 ICMP	100 % 0 %	[23h 56m 22s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 28,976 ICMP	100 % 0 %	[23h 56m 37s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 57s [00s] 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 59m 47s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 55m 12s [00s] 99.653 % 0.347 %	[287] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 59m 42s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 11,795 SNMP	100 % 0 %	[23h 56m 42s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 11,765 SNMP	100 % 0 %	[23h 55m 07s [00s] 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 7,680 TCP	100 % 0 %	[23h 55m 17s [00s] 99.654 % 0.346 %	[288] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 5,784 TCP	100 % 0 %	[23h 56m 12s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 11,779 UDP	100 % 0 %	[23h 59m 37s [00s] 100 % 0 %	[289] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 12,478 UDP	100 % 0 %	[23h 55m 52s [00s] 99.31 % 0.69 %	[288] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	2 msec	99.722 % 0.278 %	[23h 55m 45s [04m 00s] 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[23h 52m 30s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[23h 52m 35s [00s] 99.584 % 0.416 %	[479] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	1 h 17 m	100 % 0 %	[23h 52m 24s [00s 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	3.51 kbit/s 36,887 KB	100 % 0 %	[23h 57m 25s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	39 d	100 % 0 %	[23h 59m 30s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	546 msec	100 % 0 %	[23h 50m 13s [00s 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 30s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[23h 57m 35s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[23h 56m 05s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[23h 57m 15s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 28,888 ICMP	100 % 0 %	[23h 55m 40s [00s 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 28,981 ICMP	100 % 0 %	[23h 56m 35s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 7,698 TCP	100 % 0 %	[23h 56m 40s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 5,787 TCP	100 % 0 %	[23h 56m 25s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 11,782 SNMP	100 % 0 %	[23h 57m 10s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 11,782 SNMP	100 % 0 %	[23h 57m 05s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 11,764 UDP	100 % 0 %	[23h 55m 55s [00s 99.308 % 0.692 %	[287] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 12,507 UDP	100 % 0 %	[23h 56m 55s [00s 100 % 0 %	[288] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	2 msec	99.721 % 0.279 %	[23h 55m 49s [04m 01s 99.618 % 0.382 %	[2870] [11]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	3 h 17 m	100 % 0 %	[23h 47m 32s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	7 %	100 % 0 %	[23h 47m 27s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[23h 50m 39s [00s] 100 % 0 %	[480] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	3.40 kbit/s 35,663 KB	100 % 0 %	[23h 57m 30s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	546 msec	100 % 0 %	[23h 47m 36s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	39 d	100 % 0 %	[23h 47m 46s [00s] 100 % 0 %	[478] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	1 msec	99.723 % 0.277 %	[23h 55m 35s [03m 59s] 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	3 msec	100 % 0 %	[23h 53m 08s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 59m 24s [00s] 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	7 msec	99.687 % 0.313 %	[23h 55m 25s [04m 30s] 99.584 % 0.416 %	[2870] [12]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	1 msec	100 % 0 %	[23h 59m 34s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	4 msec	100 % 0 %	[23h 59m 59s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 59m 54s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	100 % 0 %	[23h 59m 46s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	5 msec	100 % 0 %	[23h 58m 36s [00s] 100 % 0 %	[481] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	15 msec	100 % 0 %	[23h 58m 41s [00s] 100 % 0 %	[481] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	99.687 % 0.313 %	[23h 55m 01s [04m 30s] 99.584 % 0.416 %	[2870] [12]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	-0.17	0 % 100 %	[00s] 0 % [23h 49m 49s] 100 %	[0] [480]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[23h 52m 54s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	3 msec	100 % 0 %	[23h 57m 26s [00s] 99.31 % 0.69 %	[144] [1]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	35 msec	100 % 0 %	[23h 49m 44s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	46 msec	100 % 0 %	[23h 49m 39s [00s] 100 % 0 %	[479] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	1 msec	99.722 % 0.278 %	[23h 55m 34s [04m 00s] 99.618 % 0.382 %	[2871] [11]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	22 msec	100 % 0 %	[23h 58m 59s [00s] 99.792 % 0.208 %	[479] [1]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	Ping	1 msec	100 % 0 %	[23h 59m 42s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	DNS	5 msec	100 % 0 %	[23h 59m 17s [00s] 99.379 % 0.621 %	[480] [3]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	Ping	1 msec	100 % 0 %	[23h 59m 58s [00s] 100 % 0 %	[2881] [0]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	DNS	4 msec	100 % 0 %	[23h 59m 03s [00s] 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	5 msec	100 % 0 %	[23h 58m 54s [00s] 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	3 msec	100 % 0 %	[23h 57m 47s [00s] 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	7 msec	100 % 0 %	[23h 59m 40s [00s] 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	2 msec	100 % 0 %	[23h 59m 19s [00s] 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	5 msec	100 % 0 %	[23h 59m 31s [00s] 99.378 % 0.622 %	[479] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 25s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Uplin_to_WASH-HW-MDF-2950-01 Traffic	245 kbit/s 2,573,464 KB	100 % 0 %	[23h 57m 20s [00s 99.584 % 0.416 %	[479] [2]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 59m 47s [00s 99.379 % 0.621 %	[480] [3]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	312 kbit/s 3,272,189 KB	100 % 0 %	[23h 59m 52s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	4 msec	100 % 0 %	[23h 57m 49s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	3 msec	100 % 0 %	[23h 59m 20s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jackman ES » JACK-MODULAR	PING	2 msec	100 % 0 %	[23h 59m 48s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 58m 01s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 57m 19s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC3-WIRELESS	PING	2 msec	100 % 0 %	[23h 59m 39s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » McGregor ES » MCGR-IDF	PING	2 msec	100 % 0 %	[23h 57m 17s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » McGregor ES » MCGR-MDF	PING	3 msec	100 % 0 %	[23h 59m 01s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[23h 57m 48s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » McGregor ES » MCGR-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 57m 33s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Meadowvale ES » MEAD-IDF	Ping	2 msec	100 % 0 %	[23h 59m 46s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Meadowvale ES » MEAD-MDF	Ping	3 msec	100 % 0 %	[23h 58m 28s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 21s [00s 99.585 % 0.415 %	[480] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[23h 59m 07s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Monac ES » MONA-IDF	Ping	2 msec	100 % 0 %	[23h 58m 00s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Monac ES » MONA-MDF	Ping	3 msec	100 % 0 %	[23h 58m 29s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Monac ES » MONA-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 54s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[23h 58m 08s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	2 msec	100 % 0 %	[23h 59m 58s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	3 msec	100 % 0 %	[23h 57m 44s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 29s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 38s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	5 msec	100 % 0 %	[23h 59m 47s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	3 msec	100 % 0 %	[23h 58m 52s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 59m 27s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 51s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	5 msec	100 % 0 %	[23h 58m 18s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	2 msec	100 % 0 %	[23h 58m 44s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	3 msec	100 % 0 %	[23h 59m 50s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	3 msec	100 % 0 %	[23h 57m 09s [00s 99.585 % 0.415 %	[480] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 12s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	7 msec	100 % 0 %	[23h 58m 40s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[23h 59m 15s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	6 msec	100 % 0 %	[23h 57m 58s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	3 msec	100 % 0 %	[23h 57m 37s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	4 msec	100 % 0 %	[23h 59m 14s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[23h 58m 49s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 36s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[23h 57m 23s [00s 99.585 % 0.415 %	[480] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[23h 59m 22s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	4 msec	100 % 0 %	[23h 59m 08s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	2 msec	100 % 0 %	[23h 58m 24s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[23h 59m 10s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	3 msec	100 % 0 %	[23h 58m 37s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	1 msec	100 % 0 %	[23h 59m 18s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[23h 58m 14s [00s 99.378 % 0.622 %	[479] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	4 msec	100 % 0 %	[23h 57m 16s [00s 99.585 % 0.415 %	[480] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	1 msec	100 % 0 %	[23h 57m 22s [00s 99.585 % 0.415 % [480] [2]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	479 msec	100 % 0 %	[23h 57m 15s [00s 99.793 % 0.207 % [481] [1]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-012	PING	1 msec	100 % 0 %	[23h 58m 04s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-012	HTTP	303 msec	100 % 0 %	[23h 57m 59s [00s 99.583 % 0.417 % [478] [2]
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	3 msec	100 % 0 %	[23h 57m 35s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 % 0 %	[23h 59m 51s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	4 msec	100 % 0 %	[23h 59m 44s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	7 msec	100 % 0 %	[23h 58m 30s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	3 msec	100 % 0 %	[23h 57m 41s [00s 99.378 % 0.622 % [479] [3]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[23h 57m 28s [00s 99.585 % 0.415 % [480] [2]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[23h 58m 15s [00s 99.378 % 0.622 % [479] [3]