

WLS-DIS-Daily (11/28/2020 12:00:00 AM - 11/29/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	131 msec	100 % 0 %	[19h 11m 01s 00s] 99.742 % 0.258 % [387] [1]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	39 msec	100 % 0 %	[19h 10m 38s 00s] 99.742 % 0.258 % [386] [1]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	52 msec	100 % 0 %	[19h 12m 22s 00s] 100 % 0 % [387] [0]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	70 msec	100 % 0 %	[19h 10m 54s 00s] 99.742 % 0.258 % [387] [1]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 % 0 %	[19h 10m 21s 00s] 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	872 msec	100 % 0 %	[19h 10m 26s 00s] 100 % 0 % [386] [0]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 % 0 %	[19h 13m 35s 00s] 99.485 % 0.515 % [386] [2]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	307 msec	100 % 0 %	[19h 13m 40s 00s] 99.742 % 0.258 % [387] [1]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 % 0 %	[18h 07m 02s 00s] 100 % 0 % [366] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	2 msec	100 % 0 %	[18h 07m 07s 00s] 100 % 0 % [366] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 % 0 %	[18h 12m 09s 00s] 99.459 % 0.541 % [368] [2]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 % 0 %	[19h 12m 28s 00s] 100 % 0 % [387] [0]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	PING	0 msec	100 % 0 %	[19h 10m 45s 00s] 98.969 % 1.031 % [384] [4]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	HTTP	26 msec	100 % 0 %	[19h 10m 40s 00s] 99.485 % 0.515 % [386] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » Gateway	PING	6 msec	100 % 0 %	[19h 02m 59s [00s] 99.481 % 0.519 %	[383] [2]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[19h 08m 45s [00s] 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	7 msec	100 % 0 %	[19h 08m 35s [00s] 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	15 msec	100 % 0 %	[19h 08m 40s [00s] 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » WLS-PS1a	PING	0 msec	100 % 0 %	[19h 10m 53s [00s] 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » WLS-PS1a	HTTP	11 msec	100 % 0 %	[19h 10m 46s [00s] 99.742 % 0.258 %	[387] [1]
Local Probe (Local Probe) » Server Room » WLS-PS2a	PING	0 msec	100 % 0 %	[19h 08m 28s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » WLS-PS2a	HTTP	9 msec	100 % 0 %	[19h 08m 32s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3a	PING	0 msec	100 % 0 %	[19h 08m 26s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » WLS-PS3a	HTTP	14 msec	100 % 0 %	[19h 08m 18s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4a	PING	0 msec	100 % 0 %	[19h 12m 24s [00s] 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Server Room » WLS-PS4a	HTTP	10 msec	100 % 0 %	[19h 12m 28s [00s] 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[19h 11m 10s [00s] 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » k1000	HTTP	272 msec	100 % 0 %	[19h 10m 05s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[19h 09m 58s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	0 msec	100 % 0 %	[19h 12m 37s [00s] 99.227 % 0.773 %	[385] [3]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	No data	? ?	[00s] ? [00s] ?	[0] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	HTTPS	No data	? ?	[00s] [00s] ? [0] ? [0]
Local Probe (Local Probe) » Server Room » <b>papercut</b>	PING	0 msec	100 % 0 %	[19h 10m 51s] [00s] 98.972 % [385] 1.028 % [4]
Local Probe (Local Probe) » Server Room » <b>PrintTracker</b>	PING	0 msec	100 % 0 %	[19h 11m 12s] [00s] 100 % [387] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	PING	0 msec	100 % 0 %	[19h 16m 29s] [00s] 99.486 % [387] 0.514 % [2]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	HTTP	39 msec	100 % 0 %	[19h 16m 34s] [00s] 99.743 % [388] 0.257 % [1]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	PING	0 msec	100 % 0 %	[19h 12m 19s] [00s] 99.485 % [386] 0.515 % [2]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff User Folder	0 Byte	100 % 0 %	[19h 12m 24s] [00s] 100 % [387] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff Shared Folder	0 Byte	97.396 % 2.604 %	[18h 42m 14s] [30m 00s] 96.649 % [375] 3.351 % [13]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	PING	0 msec	100 % 0 %	[19h 08m 47s] [00s] 100 % [386] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Student Folders	15 Byte	100 % 0 %	[19h 08m 37s] [00s] 100 % [386] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Students Shared Folder	15 Byte	100 % 0 %	[19h 08m 42s] [00s] 100 % [386] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	PING	0 msec	100 % 0 %	[19h 09m 59s] [00s] 99.742 % [386] 0.258 % [1]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	Tech Resources Folder	0 Byte	100 % 0 %	[19h 09m 54s] [00s] 100 % [386] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	PING	0 msec	100 % 0 %	[19h 10m 09s] [00s] 99.483 % [385] 0.517 % [2]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	HTTP	85 msec	100 % 0 %	[19h 10m 14s] [00s] 100 % [386] 0 % [0]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	PING	0 msec	100 % 0 %	[19h 10m 50s] [00s] 99.485 % [386] 0.515 % [2]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	HTTP	8 msec	100 % 0 %	[19h 10m 55s] [00s] 99.742 % [387] 0.258 % [1]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 16m 23s [00s] 100 % 0 %	[388] [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	<b>HTTP</b>	94 msec	100 % 0 %	[19h 16m 28s [00s] 100 % 0 %	[388] [0]
Local Probe (Local Probe) » Server Room » <b>VPU1</b>	<b>PING</b>	No data	? ?	[00s] ? [00s] ?	[0] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 03m 01s [00s] 99.481 % 0.519 %	[383] [2]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	<b>HTTPS</b>	15 msec	95.667 % 4.333 %	[18h 19m 09s [49m 47s] 94 % 6 %	[367] [23]
Local Probe (Local Probe) » Server Room » <b>WLS-VCMGMT1</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 10m 41s [00s] 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 08m 53s [00s] 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	<b>HTTPS</b>	31 msec	95.146 % 4.854 %	[18h 13m 06s [55m 46s] 94 % 6 %	[366] [24]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>PING</b>	1 msec	99.87 % 0.13 %	[19h 14m 08s [01m 30s] 99.698 % 0.302 %	[2310] [7]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Output Phase# 1</b>	121 VAC	100 % 0 %	[19h 14m 50s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>APC UPS Health</b>	46 m 6 s	100 % 0 %	[19h 14m 55s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>UPS Input Phase# 1</b>	0 W	100 % 0 %	[19h 12m 25s [00s] 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>(002) lance Traffic</b>	3.20 kbit/s 26,837 KB	100 % 0 %	[19h 10m 15s [00s] 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>Uptime</b>	143 d	100 % 0 %	[18h 58m 46s [00s] 99.481 % 0.519 %	[383] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>HTTP</b>	444 msec	100 % 0 %	[19h 13m 20s [00s] 99.743 % 0.257 %	[388] [1]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages In</b>	0.34 ICMP/s 23,102 ICMP	100 % 0 %	[19h 10m 05s [00s] 99.153 % 0.847 %	[234] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	<b>ICMP Messages Out</b>	0.34 ICMP/s 23,276 ICMP	100 % 0 %	[19h 10m 20s [00s] 100 % 0 %	[235] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 12m 05s [00s 100 % 0 %	[237] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[19h 10m 00s [00s 99.153 % 0.847 %	[234] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 12m 25s [00s 98.319 % 1.681 %	[234] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[19h 11m 40s [00s 98.739 % 1.261 %	[235] [3]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 9,484 SNMP	100 % 0 %	[19h 09m 55s [00s 99.153 % 0.847 %	[234] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 9,545 SNMP	100 % 0 %	[19h 06m 10s [00s 99.149 % 0.851 %	[233] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 6,337 TCP	100 % 0 %	[19h 09m 15s [00s 98.729 % 1.271 %	[233] [3]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 4,852 TCP	100 % 0 %	[19h 10m 10s [00s 99.574 % 0.426 %	[234] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 9,528 UDP	100 % 0 %	[19h 10m 05s [00s 99.153 % 0.847 %	[234] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 10,079 UDP	100 % 0 %	[19h 06m 20s [00s 99.149 % 0.851 %	[233] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	99.913 % 0.087 %	[19h 14m 38s [01m 00s 99.741 % 0.259 %	[2310] [6]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[19h 10m 30s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 33 m	100 % 0 %	[19h 12m 00s [00s 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[19h 11m 45s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	3.48 kbit/s 29,459 KB	100 % 0 %	[19h 11m 35s [00s 100 % 0 %	[388] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	158 d	100 % 0 %	[19h 11m 38s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	664 msec	100 % 0 %	[19h 09m 54s [00s 100 % 0 %	[386] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 07m 25s [00s 100 % 0 %	[232] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[19h 07m 20s [00s 100 % 0 %	[232] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 09m 35s [00s 100 % 0 %	[235] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[19h 09m 40s [00s 100 % 0 %	[235] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 23,193 ICMP	100 % 0 %	[19h 08m 45s [00s 99.573 % 0.427 %	[233] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 23,207 ICMP	100 % 0 %	[19h 06m 20s [00s 100 % 0 %	[234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 6,423 TCP	100 % 0 %	[19h 08m 50s [00s 99.573 % 0.427 %	[233] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 4,865 TCP	100 % 0 %	[19h 06m 35s [00s 100 % 0 %	[234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 9,506 SNMP	100 % 0 %	[19h 07m 05s [00s 100 % 0 %	[232] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 9,539 SNMP	100 % 0 %	[19h 08m 10s [00s 100 % 0 %	[234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 9,578 UDP	100 % 0 %	[19h 08m 40s [00s 100 % 0 %	[234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 10,070 UDP	100 % 0 %	[19h 09m 00s [00s 99.145 % 0.855 %	[232] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	99.914 % 0.086 %	[19h 17m 52s [01m 00s 99.656 % 0.344 %	[2317] [8]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[19h 14m 30s [00s 99.743 % 0.257 %	[388] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	26 m 52 s	100 % 0 %	[19h 15m 25s [00s 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[19h 09m 55s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	3.49 kbit/s 29,390 KB	100 % 0 %	[19h 14m 35s [00s 99.485 % 0.515 %	[386] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	73 d	100 % 0 %	[19h 04m 38s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	543 msec	100 % 0 %	[19h 04m 46s [00s 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 23,198 ICMP	100 % 0 %	[19h 08m 35s [00s 100 % 0 %	[233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 23,210 ICMP	100 % 0 %	[19h 09m 10s [00s 100 % 0 %	[233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 07m 55s [00s 100 % 0 %	[233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[19h 14m 40s [00s 99.156 % 0.844 %	[235] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 10m 35s [00s 99.16 % 0.84 %	[236] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[19h 16m 40s [00s 98.326 % 1.674 %	[235] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 9,538 SNMP	100 % 0 %	[19h 10m 05s [00s 100 % 0 %	[234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 9,528 SNMP	100 % 0 %	[19h 14m 00s [00s 99.156 % 0.844 %	[235] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 6,384 TCP	100 % 0 %	[19h 08m 55s [00s 99.574 % 0.426 %	[234] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 4,819 TCP	100 % 0 %	[19h 08m 50s [00s 99.571 % 0.429 %	[232] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 9,516 UDP	100 % 0 %	[19h 14m 45s [00s 98.734 % 1.266 %	[234] [3]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 10,158 UDP	100 % 0 %	[19h 10m 20s [00s 100 % 0 %	[235] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	99.87 % 0.13 %	[19h 13m 57s [01m 30s 99.698 % 0.302 %	[2311] [7]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[19h 15m 35s [00s 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	122 VAC	100 % 0 %	[19h 15m 40s [00s 99.486 % 0.514 %	[387] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	1 h 21 m	100 % 0 %	[19h 11m 35s [00s] 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	3.20 kbit/s 26,895 KB	100 % 0 %	[19h 10m 35s [00s] 99.485 % 0.515 % [386] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	158 d	100 % 0 %	[19h 10m 38s [00s] 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	600 msec	100 % 0 %	[19h 09m 29s [00s] 100 % 0 % [386] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	< 0.01 ICMP/s 1 ICMP	100 % 0 %	[19h 08m 05s [00s] 100 % 0 % [234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 12 ICMP	100 % 0 %	[19h 08m 20s [00s] 100 % 0 % [234] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[19h 09m 25s [00s] 99.145 % 0.855 % [232] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[19h 09m 50s [00s] 99.574 % 0.426 % [234] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 23,122 ICMP	100 % 0 %	[19h 03m 15s [00s] 100 % 0 % [233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 23,194 ICMP	100 % 0 %	[19h 08m 10s [00s] 100 % 0 % [232] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 6,371 TCP	100 % 0 %	[19h 08m 45s [00s] 99.569 % 0.431 % [231] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 4,828 TCP	100 % 0 %	[19h 08m 20s [00s] 99.569 % 0.431 % [231] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 9,472 SNMP	100 % 0 %	[19h 08m 05s [00s] 100 % 0 % [233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 9,468 SNMP	100 % 0 %	[19h 08m 00s [00s] 100 % 0 % [233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 9,501 UDP	100 % 0 %	[19h 07m 25s [00s] 100 % 0 % [232] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 10,042 UDP	100 % 0 %	[19h 07m 30s [00s] 100 % 0 % [233] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	99.911 % 0.089 %	[19h 13m 39s [01m 02s] 99.698 % 0.302 % [2309] [7]



Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	11 h 53 m	100 % 0 %	[19h 11m 01s [00s] 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	3 %	100 % 0 %	[19h 10m 36s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[19h 12m 11s [00s] 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	3.09 kbit/s 26,025 KB	100 % 0 %	[19h 13m 01s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	568 msec	100 % 0 %	[19h 02m 51s [00s] 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	158 d	100 % 0 %	[19h 10m 24s [00s] 100 % 0 %	[386] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	99.87 % 0.13 %	[19h 15m 37s [01m 30s] 99.655 % 0.345 %	[2314] [8]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	1 msec	100 % 0 %	[19h 15m 44s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[19h 15m 29s [00s] 99.486 % 0.514 %	[387] [2]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	6 msec	99.914 % 0.086 %	[19h 15m 28s [01m 00s] 99.655 % 0.345 %	[2311] [8]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[19h 15m 44s [00s] 100 % 0 %	[2316] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	2 msec	100 % 0 %	[19h 11m 26s [00s] 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	16 msec	100 % 0 %	[19h 11m 21s [00s] 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	99.479 % 0.521 %	[19h 12m 33s [06m 02s] 99.183 % 0.817 %	[2306] [19]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	2 msec	100 % 0 %	[19h 06m 42s [00s] 99.482 % 0.518 %	[384] [2]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 % 0 %	[19h 06m 47s [00s] 99.482 % 0.518 %	[384] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	Ping	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	SSL Certificate Sensor (Port 443)	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	SSL Security Check (Port 443)	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	SNTP	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	HTTP	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			?	[00s] ? [0]
LightSpeed Appliance	HTTPS	No data	?	[00s] ? [0]
Local Probe (Local Probe) » Server Room »			99.914 % 0.086 %	[19h 16m 43s [01m 00s] 99.741 % 0.259 % [2315]
10.100.192.42 (SAN-2020)	Ping	0 msec		
Local Probe (Local Probe) » Server Room »			100 % 0 %	[19h 14m 25s [00s] 99.742 % 0.258 % [387]
10.100.192.42 (SAN-2020)	HTTPS	23 msec		
Local Probe (Local Probe) » Server Room »			100 % 0 %	[19h 16m 52s [00s] 100 % 0 % [2318]
Rocket DNS - 10	Ping	0 msec		
Local Probe (Local Probe) » Server Room »			96.725 % 3.275 %	[18h 36m 00s [37m 47s] 95.641 % 4.359 % [373]
Rocket DNS - 10	DNS	13 msec		
Local Probe (Local Probe) » Server Room »			99.871 % 0.129 %	[19h 17m 46s [01m 30s] 99.742 % 0.258 % [2318]
relayrocket2.wls4kids.org (Rocket DNS - 11)	Ping	0 msec		
Local Probe (Local Probe) » Server Room »			95.901 % 4.099 %	[18h 29m 43s [47m 26s] 95 % 5 % [371]
relayrocket2.wls4kids.org (Rocket DNS - 11)	DNS	2 msec		
Local Probe (Local Probe) » Greenwood ES »			100 % 0 %	[19h 13m 35s [00s] 99.485 % 0.515 % [386]
GREE-IDF	PING	4 msec		
Local Probe (Local Probe) » Greenwood ES »			100 % 0 %	[19h 09m 49s [00s] 99.227 % 0.773 % [385]
GREE-MDF	PING	2 msec		
Local Probe (Local Probe) » Greenwood ES »			100 % 0 %	[19h 11m 00s [00s] 99.485 % 0.515 % [386]
GREE-SWTC-WIRELESS	PING	6 msec		
Local Probe (Local Probe) » Hiawatha ES »			100 % 0 %	[19h 10m 39s [00s] 99.483 % 0.517 % [385]
HIAW-IDF	PING	2 msec		
Local Probe (Local Probe) » Hiawatha ES »			100 % 0 %	[19h 10m 58s [00s] 99.485 % 0.515 % [386]
HIAW-MDF	PING	4 msec		

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[19h 08m 52s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC1-WIRELESS</b>	<b>(024) Uplin_to_WASH-HW-MDF-2950-01 Traffic</b>	194 kbit/s 1,626,740 KB	100 % 0 %	[19h 06m 47s [00s 99.482 % 0.518 %	[384] [2]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[19h 08m 14s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC2-WIRELESS</b>	<b>(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic</b>	289 kbit/s 2,416,611 KB	100 % 0 %	[19h 06m 19s [00s 99.482 % 0.518 %	[384] [2]
Local Probe (Local Probe) » Jackman ES » <b>JACK-IDF</b>	<b>PING</b>	3 msec	100 % 0 %	[19h 12m 44s [00s 99.742 % 0.258 %	[387] [1]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 08m 15s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MODULAR</b>	<b>PING</b>	1 msec	100 % 0 %	[19h 08m 36s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[19h 10m 03s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[19h 12m 21s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC3-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 08m 34s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-IDF</b>	<b>PING</b>	1 msec	100 % 0 %	[19h 08m 23s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 10m 42s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC1-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[19h 09m 15s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[19h 12m 35s [00s 99.742 % 0.258 %	[387] [1]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-IDF</b>	<b>Ping</b>	1 msec	100 % 0 %	[19h 08m 41s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-MDF</b>	<b>Ping</b>	2 msec	100 % 0 %	[19h 09m 55s [00s 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[19h 09m 16s [00s 99.483 % 0.517 %	[385] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Meadowvale ES » <b>MEAD-SWTC2-WIRELESS</b>	PING	5 msec	100 % 0 %	[19h 10m 13s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Monac ES » <b>MONA-IDF</b>	Ping	2 msec	100 % 0 %	[19h 12m 27s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Monac ES » <b>MONA-MDF</b>	Ping	3 msec	100 % 0 %	[19h 07m 31s [00s 99.482 % 0.518 %	[384] [2]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC1-WIRELESS</b>	PING	4 msec	100 % 0 %	[19h 09m 56s [00s 99.225 % 0.775 %	[384] [3]
Local Probe (Local Probe) » Monac ES » <b>MONA-SWTC2-WIRELESS</b>	PING	1 msec	100 % 0 %	[19h 10m 10s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-IDF</b>	Ping	1 msec	100 % 0 %	[19h 03m 00s [00s 99.481 % 0.519 %	[383] [2]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-MDF</b>	Ping	4 msec	100 % 0 %	[19h 12m 32s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC1-WIRELESS</b>	PING	5 msec	100 % 0 %	[19h 08m 49s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Shoreland ES » <b>SHOR-SWTC2-WIRELESS</b>	PING	5 msec	100 % 0 %	[19h 11m 05s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Wernert ES » <b>WERN-IDF</b>	Ping	3 msec	100 % 0 %	[19h 11m 07s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Wernert ES » <b>WERN-MDF</b>	Ping	2 msec	100 % 0 %	[19h 10m 46s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC1-WIRELESS</b>	PING	6 msec	100 % 0 %	[19h 08m 22s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Wernert ES » <b>WERN-SWTC2-WIRELESS</b>	PING	4 msec	100 % 0 %	[19h 12m 39s [00s 99.742 % 0.258 %	[387] [1]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF-2</b>	Ping	5 msec	100 % 0 %	[19h 12m 31s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-IDF3</b>	Ping	2 msec	100 % 0 %	[19h 10m 04s [00s 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-1</b>	Ping	2 msec	100 % 0 %	[19h 08m 17s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jefferson JH » <b>JEFF-MDF-2</b>	Ping	3 msec	100 % 0 %	[19h 08m 57s [00s 99.483 % 0.517 %	[385] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[19h 09m 14s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[19h 10m 21s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[19h 10m 56s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	4 msec	100 % 0 %	[19h 12m 46s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	2 msec	100 % 0 %	[19h 12m 25s [00s 100 % 0 %	[387] [0]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	3 msec	100 % 0 %	[19h 10m 27s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[19h 10m 16s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[19h 08m 56s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[19h 09m 11s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[19h 11m 03s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	3 msec	100 % 0 %	[19h 10m 49s [00s 99.485 % 0.515 %	[386] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	1 msec	100 % 0 %	[19h 10m 19s [00s 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[19h 10m 37s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	2 msec	100 % 0 %	[19h 09m 57s [00s 99.742 % 0.258 %	[386] [1]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[19h 08m 13s [00s 99.483 % 0.517 %	[385] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[19h 12m 41s [00s 99.742 % 0.258 %	[387] [1]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	4 msec	100 % 0 %	[19h 09m 04s [00s 99.483 % 0.517 %	[385] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 08m 42s [00s 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-011</b>	<b>HTTP</b>	449 msec	100 % 0 %	[19h 08m 36s [00s 99.742 % 0.258 % [386] [1]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-012</b>	<b>PING</b>	0 msec	100 % 0 %	[19h 09m 17s [00s 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Tran-Maint » <b>MAIN-Barracuda-012</b>	<b>HTTP</b>	327 msec	100 % 0 %	[19h 01m 57s [00s 99.742 % 0.258 % [386] [1]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 12m 30s [00s 100 % 0 % [387] [0]
Local Probe (Local Probe) » Tran-Maint » <b>TRAN-SWTC-WIRELESS</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 08m 53s [00s 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-IDF</b>	<b>PING</b>	3 msec	100 % 0 %	[19h 08m 46s [00s 99.483 % 0.517 % [385] [2]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	6 msec	100 % 0 %	[19h 09m 50s [00s 99.227 % 0.773 % [385] [3]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[19h 03m 08s [00s 99.481 % 0.519 % [383] [2]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[19h 12m 23s [00s 100 % 0 % [387] [0]
Local Probe (Local Probe) » Administration Bldg » <b>ADMI-SWTC2-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[19h 10m 17s [00s 99.483 % 0.517 % [385] [2]