

WLS-DIS-Monthly (4/1/2017 12:00:00 AM - 5/1/2017 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) NWOCA Internet	HTTP	184 msec	99.917 % 0.083 %	[29d23h21m3s [35m59s] 99.806 % [14380] 0.194 % [28]
127.0.0.1 (Local Probe) NWOCA PowerSchool - Office Side	HTTP	39 msec	99.568 % 0.432 %	[29d20h50m35s [3h6m27s] 99.424 % [14327] 0.576 % [83]
127.0.0.1 (Local Probe) NWOCA PowerSchool - Teacher	HTTP	42 msec	99.554 % 0.446 %	[29d20h44m35s [3h12m27s] 99.417 % [14326] 0.583 % [84]
127.0.0.1 (Local Probe) NWOCA PowerSchool - Parent / Student	HTTP	61 msec	99.554 % 0.446 %	[29d20h44m23s [3h12m39s] 99.424 % [14326] 0.576 % [83]
127.0.0.1 (Local Probe) Server Room Barracuda WLS-NOC-001	PING	0 msec	100 % 0 %	[29d23h57m2s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Barracuda WLS-NOC-001	HTTP	206 msec	100 % 0 %	[29d23h57m2s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Barracuda WLS-NOC-012	PING	0 msec	100 % 0 %	[29d23h57m2s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Barracuda WLS-NOC-012	HTTP	191 msec	100 % 0 %	[29d23h57m2s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room cafe	PING	1 msec	100 % 0 %	[29d23h59m50s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room cafe	HTTPS	15 msec	100 % 0 %	[29d23h59m45s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room CPS	PING	1 msec	100 % 0 %	[29d23h57m2s [0s] 100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room DNS: DNSDHCP	PING	0 msec	100 % 0 %	[28d16h27m2s [0s] 100 % [13800] 0 % [0]
127.0.0.1 (Local Probe) Server Room DNS: DNSDHCP	DNS	1 msec	100 % 0 %	[28d16h27m2s [0s] 100 % [13800] 0 % [0]
127.0.0.1 (Local Probe) Server Room DNS: DNSDHCP2	PING	1 msec	100 % 0 %	[28d16h27m2s [0s] 100 % [13800] 0 % [0]
127.0.0.1 (Local Probe) Server Room DNS: DNSDHCP2	DNS	1 msec	100 % 0 %	[28d16h27m2s [0s] 100 % [13800] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime		Good Failed
127.0.0.1 (Local Probe) Server Room ECOY	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room ELEARN	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room ELEARN	HTTP	6 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room ELEARN 2 Linux	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room ELEARN 2 Linux	HTTP	5 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Filtr	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Filtr	HTTPS	68 msec	100 % 0 %	[29d23h59m59s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room GALAXY-CS	PING	0 msec	100 % 0 %	[29d23h59m57s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room Gateway	PING	2 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room IEP	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-central	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-central	HTTP	6 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-east	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-east	HTTP	6 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-hs	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room iprint-hs	HTTP	6 msec	100 % 0 %	[29d23h57m2s 0s]	100 % [14400] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) Server Room iprint-west	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room iprint-west	HTTP	7 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room k1000	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room k1000	HTTP	78 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room k7	PING	1 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room lanschoolcs	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room ldap	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room ldap	LDAP	3 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room LS-ROCKET (Lightspeed)	PING	0 msec	99.832 % 0.168 %	[29d22h44m26s 1h12m34s] 99.674 % 0.326 % [14366 47]
127.0.0.1 (Local Probe) Server Room LS-ROCKET (Lightspeed)	HTTPS	130 msec	99.896 % 0.104 %	[29d2h0m52s 43m45s] 99.821 % 0.179 % [13958 25]
127.0.0.1 (Local Probe) Server Room papercut	PING	0 msec	100 % 0 %	[29d23h59m59s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room papercut	HTTPS	100 msec	100 % 0 %	[29d23h59m54s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room printshop	PING	0 msec	100 % 0 %	[29d23h59m45s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room printshop	HTTPS	96 msec	100 % 0 %	[29d23h59m40s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room PrintTracker	PING	1 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Server Room Server Room Environment	PING	No data	? ?	[0s 0s] ? [0] ? [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good	Failed
127.0.0.1 (Local Probe) Server Room Server Room Environment	HTTP	No data	? ?	[0s [0s	? [0] ? [0]
127.0.0.1 (Local Probe) Server Room SonicWall RA1	PING	0 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room SonicWall RA1	HTTPS	56 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room staff2	PING	0 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room staff2	Staff User Folder	0 Byte	99.479 % 0.521 %	[29d19h46m16s [3h44m59s	99.41 % [14313] 0.59 % [85]
127.0.0.1 (Local Probe) Server Room staff2	Staff Shared Folder	0 Byte	99.479 % 0.521 %	[29d20h6m7s [3h44m50s	99.458 % [14312] 0.542 % [78]
127.0.0.1 (Local Probe) Server Room Student Server (Old)	PING	0 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room student2	PING	0 msec	100 % 0 %	[29d23h59m43s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room student2	Student Folders	0 Byte	100 % 0 %	[29d23h59m33s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room student2	Students Shared Folder	0 Byte	100 % 0 %	[29d23h59m38s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room tech	PING	0 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room tech2	PING	0 msec	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room tech2	Tech Resources Folder	0 Byte	100 % 0 %	[29d23h57m2s [0s	100 % [14400] 0 % [0]
127.0.0.1 (Local Probe) Server Room transportation	PING	1 msec	100 % 0 %	[29d23h57m2s [0s	99.986 % [14399] 0.014 % [2]
127.0.0.1 (Local Probe) Server Room transportation	HTTP	5 msec	100 % 0 %	[29d23h57m2s [0s	99.986 % [14399] 0.014 % [2]
127.0.0.1 (Local Probe) Server Room tran-sql	PING	0 msec	100 % 0 %	[29d23h59m57s [0s	100 % [14400] 0 % [0]

Probe, Group, Device	Sensor	Average Total	Uptime	Downtime	Good	Failed
127.0.0.1 (Local Probe) Server Room tran-sql	HTTP	5 msec	100 % 0 %	[29d23h59m52s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room Uptime	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room Uptime	HTTP	184 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room VPU1	PING	1 msec	100 % 0 %	[29d23h59m36s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room wls-ldap	PING	0 msec	100 % 0 %	[29d23h59m36s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room wls-ldap	HTTP	5 msec	100 % 0 %	[29d23h59m31s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room wls-vc1	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room wls-vc1	HTTPS	12 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room WLS-VCMGMT1	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room zenworks11	PING	0 msec	100 % 0 %	[28d16h27m2s 0s]	100 % 0 %	[13800 0]
127.0.0.1 (Local Probe) Server Room zenworks11	RDP (Remote Desktop)	15 msec	100 % 0 %	[28d16h27m2s 0s]	100 % 0 %	[13800 0]
127.0.0.1 (Local Probe) Server Room Zone Director Server (WiFi Controller)	PING	0 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Server Room Zone Director Server (WiFi Controller)	HTTPS	54 msec	100 % 0 %	[29d23h57m2s 0s]	99.979 % 0.021 %	[14400 3]
127.0.0.1 (Local Probe) Greenwood ES GREE-IDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Greenwood ES GREE-MDF	PING	1 msec	100 % 0 %	[29d23h57m2s 0s]	100 % 0 %	[14400 0]
127.0.0.1 (Local Probe) Greenwood ES GREE-SWTC-WIRELESS	PING	6 msec	100 % 0 %	[29d23h59m47s 0s]	100 % 0 %	[14400 0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) Hiawatha ES HIAW-IDF	PING	1 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Hiawatha ES HIAW-MDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Hiawatha ES HIAW-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d23h59m54s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Hiawatha ES HIAW-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[29d23h57m1s 0s] 100 % 0 % [14399 0]
127.0.0.1 (Local Probe) Jackman ES JACK-IDF	PING	2 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Jackman ES JACK-MDF	PING	2 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Jackman ES JACK-MODULAR	PING	1 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Jackman ES JACK-SWTC1-WIRELESS	PING	4 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14396 5]
127.0.0.1 (Local Probe) Jackman ES JACK-SWTC2-WIRELESS	PING	0 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Jackman ES JACK-SWTC3-WIRELESS	PING	2 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) McGregor ES MCGR-IDF	PING	1 msec	100 % 0 %	[29d23h57m2s 0s] 99.986 % 0.014 % [14399 2]
127.0.0.1 (Local Probe) McGregor ES MCGR-MDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) McGregor ES MCGR-SWTC1-WIRELESS	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) McGregor ES MCGR-SWTC2-WIRELESS	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 99.986 % 0.014 % [14399 2]
127.0.0.1 (Local Probe) Meadowvale ES MEAD-IDF	Ping	1 msec	100 % 0 %	[29d23h59m58s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Meadowvale ES MEAD-MDF	Ping	2 msec	100 % 0 %	[29d23h59m51s 0s] 100 % 0 % [14400 0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) Meadowvale ES MEAD-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Meadowvale ES MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Monac ES MONA-IDF	Ping	1 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Monac ES MONA-MDF	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Monac ES MONA-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Monac ES MONA-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Shoreland ES SHOR-IDF	Ping	1 msec	99.993 % 0.007 %	[29d23h56m2s 3m0s] 99.972 % 0.028 % [14397 4]
127.0.0.1 (Local Probe) Shoreland ES SHOR-MDF	Ping	2 msec	100 % 0 %	[29d23h58m55s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Shoreland ES SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Shoreland ES SHOR-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 99.979 % 0.021 % [14398 3]
127.0.0.1 (Local Probe) Wernert ES WERN-IDF	Ping	2 msec	99.993 % 0.007 %	[29d23h54m2s 3m0s] 99.972 % 0.028 % [14397 4]
127.0.0.1 (Local Probe) Wernert ES WERN-MDF	Ping	1 msec	99.993 % 0.007 %	[29d23h54m2s 3m0s] 99.972 % 0.028 % [14397 4]
127.0.0.1 (Local Probe) Wernert ES WERN-SWTC1-WIRELESS	PING	5 msec	99.986 % 0.014 %	[29d23h52m53s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Wernert ES WERN-SWTC2-WIRELESS	PING	3 msec	99.986 % 0.014 %	[29d23h53m0s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Jefferson JH JEFF-IDF-2	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Jefferson JH JEFF-IDF3	Ping	1 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) Jefferson JH JEFF-MDF-1	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Jefferson JH JEFF-MDF-2	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Jefferson JH JEFF-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Jefferson JH JEFF-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Jefferson JH JEFF-SWTC3-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Washington JH WASH-IDF	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Washington JH WASH-MDF-1	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Washington JH WASH-MDF-2	Ping	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Washington JH WASH-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[29d23h59m7s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Washington JH WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d23h59m14s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-IDF-101	Ping	2 msec	100 % 0 %	[29d23h59m16s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-IDF-102	Ping	2 msec	100 % 0 %	[29d23h59m23s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-IDF-2	Ping	3 msec	100 % 0 %	[29d23h59m30s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-IDF3	Ping	1 msec	100 % 0 %	[29d23h59m37s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-MDF-1	Ping	1 msec	100 % 0 %	[29d23h59m44s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-MDF-2	Ping	2 msec	100 % 0 %	[29d23h58m43s 0s] 100 % 0 % [14400 0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
127.0.0.1 (Local Probe) Whitmer CTC CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Whitmer CTC CTC-SWTC3-WIRELESS	PING	3 msec	100 % 0 %	[29d23h59m40s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Tran-Maint TRAN-MDF	PING	2 msec	99.986 % 0.014 %	[29d23h51m2s 6m0s] 99.965 % 0.035 % [14397 5]
127.0.0.1 (Local Probe) Tran-Maint TRAN-SWTC-WIRELESS	PING	1 msec	99.993 % 0.007 %	[29d23h54m2s 3m0s] 99.972 % 0.028 % [14397 4]
127.0.0.1 (Local Probe) Administration Bldg ADMI-Barracuda-011	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-Barracuda-011	HTTP	188 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-Barracusa-012	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-Barracusa-012	HTTP	187 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-IDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-MDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-MDF	PING	2 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg ADMI-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]
127.0.0.1 (Local Probe) Administration Bldg wls-co	PING	0 msec	100 % 0 %	[29d23h57m2s 0s] 100 % 0 % [14400 0]