

WLS-DIS-Monthly (11/1/2020 12:00:00 AM - 12/1/2020 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » NWOCA » <b>Internet</b>	HTTP	138 msec	100 % 0 %	[29d 10h 52m 25s [00s] 99.993 % 0.007 % [14137] [1]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Office Side</b>	HTTP	45 msec	99.901 % 0.099 %	[29d 09h 56m 44s [42m 00s] 99.83 % 0.17 % [14115] [24]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Teacher</b>	HTTP	54 msec	99.908 % 0.092 %	[29d 10h 01m 40s [39m 00s] 99.837 % 0.163 % [14115] [23]
Local Probe (Local Probe) » NWOCA » <b>PowerSchool - Parent / Student</b>	HTTP	70 msec	99.901 % 0.099 %	[29d 10h 01m 08s [42m 00s] 99.83 % 0.17 % [14117] [24]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	PING	0 msec	100 % 0 %	[29d 10h 30m 05s [00s] 99.972 % 0.028 % [14131] [4]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-001</b>	HTTP	506 msec	100 % 0 %	[29d 10h 39m 47s [00s] 99.993 % 0.007 % [14133] [1]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	PING	0 msec	100 % 0 %	[29d 10h 39m 46s [00s] 99.972 % 0.028 % [14133] [4]
Local Probe (Local Probe) » Server Room » <b>Barracuda WLS-NOC-012</b>	HTTP	309 msec	100 % 0 %	[29d 10h 42m 53s [00s] 99.993 % 0.007 % [14134] [1]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	PING	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » <b>cafe</b>	HTTPS	No data	? ?	[00s] ? [0] [00s] ? [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	PING	0 msec	100 % 0 %	[28d 04h 15m 00s [00s] 100 % 0 % [13558] [0]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP</b>	DNS	4 msec	100 % 0 %	[28d 04h 11m 45s [00s] 99.985 % 0.015 % [13556] [2]
Local Probe (Local Probe) » Server Room » <b>DNS: DNSDHCP2</b>	PING	0 msec	100 % 0 %	[28d 04h 26m 04s [00s] 99.963 % 0.037 % [13563] [5]
Local Probe (Local Probe) » Server Room » <b>iPECS Server</b>	PING	0 msec	100 % 0 %	[29d 10h 31m 18s [00s] 99.986 % 0.014 % [14133] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	<b>PING</b>	0 msec	100 % 0 %	[29d 10h 35m 05s [00s 99.972 % 0.028 %	[14132] [4]
Local Probe (Local Probe) » Server Room » <b>ELEARN</b>	<b>HTTP</b>	28 msec	100 % 0 %	[29d 10h 41m 17s [00s 99.986 % 0.014 %	[14133] [2]
Local Probe (Local Probe) » Server Room » <b>Gateway</b>	<b>PING</b>	7 msec	100 % 0 %	[29d 10h 20m 43s [00s 99.972 % 0.028 %	[14130] [4]
Local Probe (Local Probe) » Server Room » <b>HVAC Server</b>	<b>PING</b>	0 msec	100 % 0 %	[29d 10h 52m 17s [00s 99.972 % 0.028 %	[14138] [4]
Local Probe (Local Probe) » Server Room » <b>HVAC Server</b>	<b>HTTP</b>	9 msec	100 % 0 %	[29d 10h 48m 43s [00s 99.993 % 0.007 %	[14138] [1]
Local Probe (Local Probe) » Server Room » <b>HVAC Server</b>	<b>RDP (Remote Desktop)</b>	15 msec	100 % 0 %	[29d 10h 52m 41s [00s 99.972 % 0.028 %	[14138] [4]
Local Probe (Local Probe) » Server Room » <b>WLS-PS1a</b>	<b>PING</b>	0 msec	99.965 % 0.035 %	[29d 10h 28m 45s [14m 59s 99.929 % 0.071 %	[14130] [10]
Local Probe (Local Probe) » Server Room » <b>WLS-PS1a</b>	<b>HTTP</b>	9 msec	100 % 0 %	[29d 10h 25m 57s [00s 99.979 % 0.021 %	[14129] [3]
Local Probe (Local Probe) » Server Room » <b>WLS-PS2a</b>	<b>PING</b>	1 msec	100 % 0 %	[29d 10h 50m 04s [00s 100 % 0 %	[14139] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS2a</b>	<b>HTTP</b>	9 msec	100 % 0 %	[29d 10h 50m 08s [00s 100 % 0 %	[14139] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS3a</b>	<b>PING</b>	0 msec	100 % 0 %	[29d 10h 50m 17s [00s 100 % 0 %	[14139] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS3a</b>	<b>HTTP</b>	9 msec	100 % 0 %	[29d 10h 50m 09s [00s 100 % 0 %	[14138] [0]
Local Probe (Local Probe) » Server Room » <b>WLS-PS4a</b>	<b>PING</b>	0 msec	99.972 % 0.028 %	[29d 10h 18m 33s [11m 59s 99.95 % 0.05 %	[14129] [7]
Local Probe (Local Probe) » Server Room » <b>WLS-PS4a</b>	<b>HTTP</b>	9 msec	100 % 0 %	[29d 10h 24m 39s [00s 99.986 % 0.014 %	[14127] [2]
Local Probe (Local Probe) » Server Room » <b>k1000</b>	<b>PING</b>	0 msec	100 % 0 %	[29d 10h 44m 48s [00s 99.986 % 0.014 %	[14135] [2]
Local Probe (Local Probe) » Server Room » <b>k1000</b>	<b>HTTP</b>	156 msec	100 % 0 %	[29d 10h 43m 43s [00s 99.986 % 0.014 %	[14135] [2]
Local Probe (Local Probe) » Server Room » <b>WLSAV</b>	<b>PING</b>	0 msec	100 % 0 %	[29d 10h 29m 23s [00s 100 % 0 %	[14133] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>lanschoolcs</b>	PING	0 msec	100 %  0 % 	[29d 10h 29m 09s [00s 99.965 %  0.035 % 	[14130] [5]
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	PING	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » <b>LS-ROCKET (Lightspeed)</b>	HTTPS	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » <b>papercut</b>	PING	0 msec	100 %  0 % 	[29d 10h 44m 20s [00s 99.972 %  0.028 % 	[14133] [4]
Local Probe (Local Probe) » Server Room » <b>PrintTracker</b>	PING	0 msec	100 %  0 % 	[29d 10h 53m 30s [00s 100 %  0 % 	[14137] [0]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	PING	0 msec	100 %  0 % 	[29d 10h 34m 29s [00s 99.986 %  0.014 % 	[14134] [2]
Local Probe (Local Probe) » Server Room » <b>Server Room Environment</b>	HTTP	40 msec	100 %  0 % 	[29d 10h 47m 21s [00s 99.993 %  0.007 % 	[14135] [1]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	PING	0 msec	100 %  0 % 	[29d 10h 30m 44s [00s 99.986 %  0.014 % 	[14133] [2]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff User Folder	0 Byte	96.633 %  3.367 % 	[28d 11h 05m 08s [23h 48m 00s 96.584 %  3.416 % 	[13655] [483]
Local Probe (Local Probe) » Server Room » <b>STAFF3</b>	Staff Shared Folder	0 Byte	96.555 %  3.445 % 	[28d 10h 31m 43s [01d 00h 21m 00s 96.485 %  3.515 % 	[13642] [497]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	PING	0 msec	100 %  0 % 	[29d 10h 49m 33s [00s 100 %  0 % 	[14139] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Student Folders	15 Byte	100 %  0 % 	[29d 10h 49m 08s [00s 100 %  0 % 	[14138] [0]
Local Probe (Local Probe) » Server Room » <b>STUDENT3</b>	Students Shared Folder	15 Byte	100 %  0 % 	[29d 10h 49m 28s [00s 100 %  0 % 	[14139] [0]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	PING	0 msec	100 %  0 % 	[29d 10h 28m 11s [00s 99.979 %  0.021 % 	[14133] [3]
Local Probe (Local Probe) » Server Room » <b>TECH3</b>	Tech Resources Folder	0 Byte	99.462 %  0.538 % 	[29d 07h 02m 26s [03h 48m 00s 99.392 %  0.608 % 	[14053] [86]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	PING	0 msec	100 %  0 % 	[29d 10h 29m 11s [00s 99.972 %  0.028 % 	[14131] [4]
Local Probe (Local Probe) » Server Room » <b>transportation</b>	HTTP	10 msec	100 %  0 % 	[29d 10h 42m 25s [00s 99.972 %  0.028 % 	[14131] [4]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	PING	0 msec	100 % 0 %	[29d 10h 41m 22s [00s 99.986 % 0.014 %	[14133] [2]
Local Probe (Local Probe) » Server Room » <b>tran-sql</b>	HTTP	9 msec	100 % 0 %	[29d 10h 41m 27s [00s 99.979 % 0.021 %	[14133] [3]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	PING	0 msec	100 % 0 %	[29d 10h 35m 19s [00s 100 % 0 %	[14135] [0]
Local Probe (Local Probe) » Server Room » <b>Uptime</b>	HTTP	95 msec	100 % 0 %	[29d 10h 48m 33s [00s 100 % 0 %	[14136] [0]
Local Probe (Local Probe) » Server Room » <b>VPU1</b>	PING	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	PING	0 msec	100 % 0 %	[29d 10h 18m 40s [00s 99.986 % 0.014 %	[14129] [2]
Local Probe (Local Probe) » Server Room » <b>wls-vc1</b>	HTTPS	16 msec	99.883 % 0.117 %	[29d 09h 59m 57s [49m 47s 99.823 % 0.177 %	[14119] [25]
Local Probe (Local Probe) » Server Room » <b>WLS-VCMGMT1</b>	PING	0 msec	100 % 0 %	[29d 10h 28m 41s [00s 99.986 % 0.014 %	[14132] [2]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	PING	0 msec	100 % 0 %	[29d 10h 50m 53s [00s 99.986 % 0.014 %	[14139] [2]
Local Probe (Local Probe) » Server Room » <b>Zone Director Server (WiFi Controller)</b>	HTTPS	26 msec	99.836 % 0.164 %	[29d 09h 41m 03s [01h 09m 42s 99.781 % 0.219 %	[14115] [31]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	PING	1 msec	99.996 % 0.004 %	[29d 10h 36m 51s [01m 30s 99.988 % 0.012 %	[84801] [10]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	UPS Output Phase# 1	120 VAC	100 % 0 %	[29d 10h 47m 01s [00s 99.986 % 0.014 %	[14135] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	APC UPS Health	45 m 48 s	100 % 0 %	[29d 10h 50m 06s [00s 99.986 % 0.014 %	[14136] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	UPS Input Phase# 1	0 W	100 % 0 %	[29d 10h 39m 52s [00s 99.986 % 0.014 %	[14137] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	(002) lance Traffic	17 kbit/s 5,276,844 KB	100 % 0 %	[29d 10h 52m 38s [00s 99.972 % 0.028 %	[14146] [4]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	Uptime	130 d	100 % 0 %	[29d 10h 09m 53s [00s 99.986 % 0.014 %	[14130] [2]
Local Probe (Local Probe) » Server Room » <b>NOC-UPS1</b>	HTTP	445 msec	100 % 0 %	[29d 10h 42m 46s [00s 99.993 % 0.007 %	[14135] [1]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages In	0.34 ICMP/s 857,176 ICMP	100 % 0 %	[29d 10h 50m 47s [00s 99.976 % 0.024 %	[8495] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Messages Out	0.34 ICMP/s 857,743 ICMP	100 % 0 %	[29d 10h 51m 17s [00s 100 % 0 %	[8501] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 53m 07s [00s 100 % 0 %	[8502] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 401 ICMP	100 % 0 %	[29d 10h 50m 52s [00s 99.976 % 0.024 %	[8496] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 50m 02s [00s 99.953 % 0.047 %	[8494] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 53m 23s [00s 99.941 % 0.059 %	[8499] [5]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages In	0.14 SNMP/s 348,367 SNMP	100 % 0 %	[29d 10h 51m 48s [00s 99.953 % 0.047 %	[8496] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 348,456 SNMP	100 % 0 %	[29d 10h 43m 47s [00s 99.976 % 0.024 %	[8493] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments In	0.09 TCP/s 228,468 TCP	100 % 0 %	[29d 10h 51m 07s [00s 99.953 % 0.047 %	[8494] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS1	TCP Segments Out	0.07 TCP/s 171,925 TCP	100 % 0 %	[29d 10h 51m 17s [00s 99.988 % 0.012 %	[8499] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams In	0.14 UDP/s 348,540 UDP	100 % 0 %	[29d 10h 51m 47s [00s 99.953 % 0.047 %	[8498] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS1	UDP Datagrams Out	0.15 UDP/s 369,751 UDP	100 % 0 %	[29d 10h 43m 57s [00s 99.976 % 0.024 %	[8494] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	PING	1 msec	99.997 % 0.003 %	[29d 10h 35m 51s [01m 29s 99.988 % 0.012 %	[84798] [10]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Output Phase# 1	122 VAC	100 % 0 %	[29d 10h 29m 52s [00s 99.972 % 0.028 %	[14131] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS2	APC UPS Health	1 h 57 m	100 % 0 %	[29d 10h 47m 55s [00s 99.986 % 0.014 %	[14140] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[29d 10h 48m 21s [00s 99.972 % 0.028 %	[14137] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS2	(002) lance Traffic	3.78 kbit/s 1,172,913 KB	100 % 0 %	[29d 10h 51m 36s [00s 100 % 0 %	[14149] [0]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » NOC-UPS2	Uptime	146 d	100 % 0 %	[29d 10h 48m 17s [00s] 99.972 % 0.028 %	[14137] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS2	HTTP	551 msec	100 % 0 %	[29d 10h 39m 24s [00s] 100 % 0 %	[14132] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 46m 41s [00s] 100 % 0 %	[8491] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 404 ICMP	100 % 0 %	[29d 10h 46m 41s [00s] 100 % 0 %	[8491] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 48m 41s [00s] 100 % 0 %	[8494] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 48m 41s [00s] 100 % 0 %	[8494] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages In	0.34 ICMP/s 857,268 ICMP	100 % 0 %	[29d 10h 49m 31s [00s] 99.988 % 0.012 %	[8499] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 857,649 ICMP	100 % 0 %	[29d 10h 45m 56s [00s] 100 % 0 %	[8493] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments In	0.09 TCP/s 229,000 TCP	100 % 0 %	[29d 10h 49m 36s [00s] 99.988 % 0.012 %	[8498] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS2	TCP Segments Out	0.07 TCP/s 172,232 TCP	100 % 0 %	[29d 10h 46m 01s [00s] 100 % 0 %	[8493] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages In	0.14 SNMP/s 348,369 SNMP	100 % 0 %	[29d 10h 46m 36s [00s] 100 % 0 %	[8490] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 348,443 SNMP	100 % 0 %	[29d 10h 48m 56s [00s] 100 % 0 %	[8493] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams In	0.14 UDP/s 348,630 UDP	100 % 0 %	[29d 10h 49m 31s [00s] 100 % 0 %	[8499] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS2	UDP Datagrams Out	0.15 UDP/s 369,754 UDP	100 % 0 %	[29d 10h 49m 41s [00s] 99.976 % 0.024 %	[8497] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	PING	1 msec	99.998 % 0.002 %	[29d 10h 39m 54s [01m 00s] 99.991 % 0.009 %	[84809] [8]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[29d 10h 31m 37s [00s] 99.993 % 0.007 %	[14134] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	APC UPS Health	28 m 16 s	100 % 0 %	[29d 10h 31m 07s [00s] 99.986 % 0.014 %	[14133] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[29d 10h 24m 22s [00s] 99.986 % 0.014 % [14131] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	(002) lance Traffic	3.78 kbit/s 1,172,869 KB	100 % 0 %	[29d 10h 55m 12s [00s] 99.986 % 0.014 % [14141] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	Uptime	60 d	100 % 0 %	[29d 10h 15m 45s [00s] 99.986 % 0.014 % [14132] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	HTTP	545 msec	100 % 0 %	[29d 10h 35m 02s [00s] 100 % 0 % [14132] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages In	0.34 ICMP/s 857,196 ICMP	100 % 0 %	[29d 10h 45m 37s [00s] 100 % 0 % [8492] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 857,681 ICMP	100 % 0 %	[29d 10h 50m 17s [00s] 100 % 0 % [8493] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 48m 17s [00s] 100 % 0 % [8493] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 403 ICMP	100 % 0 %	[29d 10h 52m 27s [00s] 99.976 % 0.024 % [8496] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 48m 12s [00s] 99.976 % 0.024 % [8501] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[29d 10h 55m 32s [00s] 99.953 % 0.047 % [8497] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages In	0.14 SNMP/s 348,420 SNMP	100 % 0 %	[29d 10h 51m 02s [00s] 100 % 0 % [8494] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 348,365 SNMP	100 % 0 %	[29d 10h 50m 37s [00s] 99.976 % 0.024 % [8498] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments In	0.09 TCP/s 228,343 TCP	100 % 0 %	[29d 10h 45m 27s [00s] 99.988 % 0.012 % [8498] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	TCP Segments Out	0.07 TCP/s 171,732 TCP	100 % 0 %	[29d 10h 46m 07s [00s] 99.988 % 0.012 % [8491] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams In	0.14 UDP/s 348,503 UDP	100 % 0 %	[29d 10h 52m 42s [00s] 99.965 % 0.035 % [8495] [3]
Local Probe (Local Probe) » Server Room » NOC-UPS3	UDP Datagrams Out	0.15 UDP/s 369,813 UDP	100 % 0 %	[29d 10h 51m 47s [00s] 100 % 0 % [8501] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	PING	1 msec	99.993 % 0.007 %	[29d 10h 36m 07s [02m 59s] 99.985 % 0.015 % [84801] [13]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Input Phase# 1	0 W	100 %  0 % 	[29d 10h 40m 02s [00s] 99.986 %  0.014 %  [14134] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UPS Output Phase# 1	122 VAC	100 %  0 % 	[29d 10h 40m 07s [00s] 99.986 %  0.014 %  [14134] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	APC UPS Health	1 h 18 m	100 %  0 % 	[29d 10h 37m 44s [00s] 99.972 %  0.028 %  [14132] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS4	(002) lance Traffic	30 kbit/s 9,471,235 KB	100 %  0 % 	[29d 10h 52m 52s [00s] 99.972 %  0.028 %  [14145] [4]
Local Probe (Local Probe) » Server Room » NOC-UPS4	Uptime	146 d	100 %  0 % 	[29d 10h 30m 07s [00s] 99.986 %  0.014 %  [14133] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	HTTP	548 msec	100 %  0 % 	[29d 10h 38m 59s [00s] 100 %  0 %  [14132] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable In	< 0.01 ICMP/s 1 ICMP	100 %  0 % 	[29d 10h 47m 06s [00s] 100 %  0 %  [8494] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 404 ICMP	100 %  0 % 	[29d 10h 47m 21s [00s] 100 %  0 %  [8494] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 %  0 % 	[29d 10h 48m 41s [00s] 99.976 %  0.024 %  [8491] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 %  0 % 	[29d 10h 49m 41s [00s] 99.988 %  0.012 %  [8493] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages In	0.34 ICMP/s 857,196 ICMP	100 %  0 % 	[29d 10h 44m 16s [00s] 100 %  0 %  [8499] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 857,624 ICMP	100 %  0 % 	[29d 10h 47m 26s [00s] 100 %  0 %  [8491] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments In	0.09 TCP/s 228,342 TCP	100 %  0 % 	[29d 10h 48m 01s [00s] 99.988 %  0.012 %  [8491] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	TCP Segments Out	0.07 TCP/s 171,732 TCP	100 %  0 % 	[29d 10h 47m 36s [00s] 99.988 %  0.012 %  [8490] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages In	0.14 SNMP/s 348,320 SNMP	100 %  0 % 	[29d 10h 47m 56s [00s] 100 %  0 %  [8492] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 348,316 SNMP	100 %  0 % 	[29d 10h 47m 51s [00s] 100 %  0 %  [8492] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams In	0.14 UDP/s 348,459 UDP	100 %  0 % 	[29d 10h 46m 46s [00s] 100 %  0 %  [8490] [0]



Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed		
Local Probe (Local Probe) » Server Room » NOC-UPS4	UDP Datagrams Out	0.15 UDP/s 369,640 UDP	100 % 0 %	[29d 10h 47m 26s [00s	100 % 0 %	[8492] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	PING	1 msec	99.998 % 0.002 %	[29d 10h 31m 43s [01m 02s	99.992 % 0.008 %	[84793] [7]
Local Probe (Local Probe) » Server Room » NOC-UPS5	APC UPS Health	4 h 19 m	100 % 0 %	[29d 10h 26m 30s [00s	100 % 0 %	[14133] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Output Phase# 1	7 %	100 % 0 %	[29d 10h 26m 25s [00s	100 % 0 %	[14132] [0]
Local Probe (Local Probe) » Server Room » NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[29d 10h 46m 19s [00s	99.986 % 0.014 %	[14138] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	(002) lance Traffic	17 kbit/s 5,241,875 KB	100 % 0 %	[29d 10h 52m 20s [00s	99.986 % 0.014 %	[14147] [2]
Local Probe (Local Probe) » Server Room » NOC-UPS5	HTTP	546 msec	100 % 0 %	[29d 10h 31m 49s [00s	99.993 % 0.007 %	[14132] [1]
Local Probe (Local Probe) » Server Room » NOC-UPS5	Uptime	146 d	100 % 0 %	[29d 10h 19m 53s [00s	100 % 0 %	[14132] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	99.986 % 0.014 %	[29d 10h 34m 25s [06m 02s	99.959 % 0.041 %	[84794] [35]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	2 msec	100 % 0 %	[29d 10h 56m 47s [00s	99.972 % 0.028 %	[14139] [4]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	15 msec	100 % 0 %	[29d 10h 47m 50s [00s	99.972 % 0.028 %	[14138] [4]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	7 msec	99.998 % 0.002 %	[29d 10h 37m 21s [01m 00s	99.988 % 0.012 %	[84802] [10]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	100 % 0 %	[29d 10h 38m 48s [00s	99.993 % 0.007 %	[84808] [6]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	4 msec	100 % 0 %	[29d 10h 48m 27s [00s	99.986 % 0.014 %	[14139] [2]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	16 msec	100 % 0 %	[29d 10h 54m 33s [00s	100 % 0 %	[14139] [0]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	99.986 % 0.014 %	[29d 10h 35m 37s [06m 02s	99.968 % 0.032 %	[84797] [27]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	3 msec	100 % 0 %	[29d 10h 24m 41s [00s 99.929 % 0.071 %	[14127] [10]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 % 0 %	[29d 10h 37m 55s [00s 99.95 % 0.05 %	[14129] [7]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	No data	? ?	[00s [00s ? ?	[0] [0]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	0 msec	99.998 % 0.002 %	[29d 10h 37m 12s [01m 00s 99.991 % 0.009 %	[84802] [8]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	22 msec	100 % 0 %	[29d 10h 38m 44s [00s 99.993 % 0.007 %	[14134] [1]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	Ping	0 msec	100 % 0 %	[29d 10h 38m 56s [00s 100 % 0 %	[84810] [0]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	DNS	3 msec	99.911 % 0.089 %	[29d 10h 01m 14s [37m 47s 99.88 % 0.12 %	[14121] [17]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	Ping	0 msec	99.996 % 0.004 %	[29d 10h 43m 20s [01m 30s 99.993 % 0.007 %	[84817] [6]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	DNS	3 msec	99.888 % 0.112 %	[29d 09h 57m 50s [47m 26s 99.851 % 0.149 %	[14120] [21]
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	4 msec	100 % 0 %	[29d 10h 39m 13s [00s 99.986 % 0.014 %	[14134] [2]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	2 msec	100 % 0 %	[29d 10h 28m 32s [00s 99.965 % 0.035 %	[14131] [5]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Greenwood ES » <b>GREE-SWTC-WIRELESS</b>	<b>PING</b>	7 msec	100 % 0 %	[29d 10h 44m 19s [00s 99.972 % 0.028 % [14133] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-IDF</b>	<b>PING</b>	2 msec	100 % 0 %	[29d 10h 37m 30s [00s 99.972 % 0.028 % [14132] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-MDF</b>	<b>PING</b>	5 msec	100 % 0 %	[29d 10h 44m 39s [00s 99.972 % 0.028 % [14133] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC1-WIRELESS</b>	<b>PING</b>	4 msec	100 % 0 %	[29d 10h 52m 04s [00s 99.972 % 0.028 % [14138] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC1-WIRELESS</b>	<b>(024) Upln_to_WASH-HW-MDF-2950-01 Traffic</b>	537 kbit/s 166,689,779 KB	100 % 0 %	[29d 10h 49m 10s [00s 99.972 % 0.028 % [14144] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[29d 10h 53m 51s [00s 99.972 % 0.028 % [14136] [4]
Local Probe (Local Probe) » Hiawatha ES » <b>HIAW-SWTC2-WIRELESS</b>	<b>(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic</b>	2,050 kbit/s 636,708,847 KB	100 % 0 %	[29d 10h 48m 17s [00s 99.972 % 0.028 % [14142] [4]
Local Probe (Local Probe) » Jackman ES » <b>JACK-IDF</b>	<b>PING</b>	3 msec	100 % 0 %	[29d 10h 29m 16s [00s 99.972 % 0.028 % [14131] [4]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MDF</b>	<b>PING</b>	3 msec	99.993 % 0.007 %	[29d 10h 32m 35s [03m 00s 99.958 % 0.042 % [14133] [6]
Local Probe (Local Probe) » Jackman ES » <b>JACK-MODULAR</b>	<b>PING</b>	1 msec	99.993 % 0.007 %	[29d 10h 40m 29s [03m 00s 99.958 % 0.042 % [14134] [6]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC1-WIRELESS</b>	<b>PING</b>	5 msec	100 % 0 %	[29d 10h 27m 59s [00s 99.965 % 0.035 % [14130] [5]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[29d 10h 31m 18s [00s 99.965 % 0.035 % [14131] [5]
Local Probe (Local Probe) » Jackman ES » <b>JACK-SWTC3-WIRELESS</b>	<b>PING</b>	2 msec	99.993 % 0.007 %	[29d 10h 42m 02s [03m 00s 99.943 % 0.057 % [14134] [8]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-IDF</b>	<b>PING</b>	2 msec	100 % 0 %	[29d 10h 51m 11s [00s 99.972 % 0.028 % [14136] [4]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-MDF</b>	<b>PING</b>	2 msec	100 % 0 %	[29d 10h 36m 06s [00s 99.986 % 0.014 % [14133] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC1-WIRELESS</b>	<b>PING</b>	3 msec	100 % 0 %	[29d 10h 25m 32s [00s 99.986 % 0.014 % [14131] [2]
Local Probe (Local Probe) » McGregor ES » <b>MCGR-SWTC2-WIRELESS</b>	<b>PING</b>	1 msec	100 % 0 %	[29d 10h 31m 25s [00s 99.979 % 0.021 % [14133] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Meadowvale ES » MEAD-IDF	Ping	2 msec	100 % 0 %	[29d 10h 51m 57s [00s] 99.972 % 0.028 % [14138] [4]
Local Probe (Local Probe) » Meadowvale ES » MEAD-MDF	Ping	2 msec	100 % 0 %	[29d 10h 27m 51s [00s] 99.993 % 0.007 % [14133] [1]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 26m 16s [00s] 99.986 % 0.014 % [14131] [2]
Local Probe (Local Probe) » Meadowvale ES » MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 28m 33s [00s] 99.986 % 0.014 % [14132] [2]
Local Probe (Local Probe) » Monac ES » MONA-IDF	Ping	2 msec	100 % 0 %	[29d 10h 32m 08s [00s] 99.986 % 0.014 % [14133] [2]
Local Probe (Local Probe) » Monac ES » MONA-MDF	Ping	3 msec	100 % 0 %	[29d 10h 38m 08s [00s] 99.986 % 0.014 % [14131] [2]
Local Probe (Local Probe) » Monac ES » MONA-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d 10h 28m 06s [00s] 99.979 % 0.021 % [14131] [3]
Local Probe (Local Probe) » Monac ES » MONA-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[29d 10h 21m 35s [00s] 99.986 % 0.014 % [14131] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-IDF	Ping	2 msec	100 % 0 %	[29d 10h 28m 47s [00s] 99.972 % 0.028 % [14129] [4]
Local Probe (Local Probe) » Shoreland ES » SHOR-MDF	Ping	3 msec	100 % 0 %	[29d 10h 35m 23s [00s] 100 % 0 % [14133] [0]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 50m 30s [00s] 99.986 % 0.014 % [14138] [2]
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 53m 49s [00s] 99.972 % 0.028 % [14134] [4]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	4 msec	100 % 0 %	[29d 10h 54m 05s [00s] 99.95 % 0.05 % [14133] [7]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	2 msec	100 % 0 %	[29d 10h 43m 49s [00s] 99.95 % 0.05 % [14131] [7]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[29d 10h 35m 42s [00s] 99.965 % 0.035 % [14134] [5]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d 10h 29m 03s [00s] 99.979 % 0.021 % [14132] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	5 msec	100 % 0 %	[29d 10h 32m 07s [00s 99.986 % 0.014 %	[14133] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	2 msec	100 % 0 %	[29d 10h 27m 15s [00s 99.993 % 0.007 %	[14132] [1]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	2 msec	100 % 0 %	[29d 10h 41m 54s [00s 99.986 % 0.014 %	[14136] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	3 msec	100 % 0 %	[29d 10h 45m 16s [00s 99.986 % 0.014 %	[14135] [2]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	100 % 0 %	[29d 10h 28m 11s [00s 99.958 % 0.042 %	[14130] [6]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	6 msec	100 % 0 %	[29d 10h 29m 36s [00s 99.972 % 0.028 %	[14131] [4]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 42m 47s [00s 99.986 % 0.014 %	[14134] [2]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	5 msec	100 % 0 %	[29d 10h 39m 08s [00s 99.986 % 0.014 %	[14133] [2]
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	2 msec	100 % 0 %	[29d 10h 35m 16s [00s 100 % 0 %	[14133] [0]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	3 msec	100 % 0 %	[29d 10h 28m 27s [00s 99.986 % 0.014 %	[14132] [2]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[29d 10h 21m 33s [00s 99.986 % 0.014 %	[14131] [2]
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 50m 37s [00s 99.986 % 0.014 %	[14138] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[29d 10h 32m 37s [00s 99.986 % 0.014 %	[14132] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[29d 10h 35m 30s [00s 99.986 % 0.014 %	[14133] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	3 msec	100 % 0 %	[29d 10h 42m 40s [00s 99.986 % 0.014 %	[14134] [2]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	1 msec	100 % 0 %	[29d 10h 36m 54s [00s 99.979 % 0.021 %	[14132] [3]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[29d 10h 34m 32s [00s 99.986 % 0.014 %	[14132] [2]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	PING	3 msec	100 % 0 %	[29d 10h 27m 15s [00s 99.993 % 0.007 %	[14132] [1]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[29d 10h 44m 55s [00s 99.958 % 0.042 %	[14135] [6]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 30m 44s [00s 99.993 % 0.007 %	[14134] [1]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	4 msec	100 % 0 %	[29d 10h 26m 10s [00s 99.986 % 0.014 %	[14132] [2]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	0 msec	100 % 0 %	[29d 10h 50m 23s [00s 99.965 % 0.035 %	[14136] [5]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	453 msec	100 % 0 %	[29d 10h 50m 16s [00s 99.979 % 0.021 %	[14136] [3]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	PING	0 msec	100 % 0 %	[29d 10h 25m 04s [00s 99.972 % 0.028 %	[14130] [4]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	HTTP	305 msec	100 % 0 %	[29d 10h 30m 53s [00s 99.979 % 0.021 %	[14130] [3]
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	2 msec	100 % 0 %	[29d 10h 29m 16s [00s 99.986 % 0.014 %	[14132] [2]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 % 0 %	[29d 10h 30m 38s [00s 99.965 % 0.035 %	[14132] [5]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	3 msec	100 % 0 %	[29d 10h 43m 47s [00s 99.929 % 0.071 %	[14133] [10]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	7 msec	100 % 0 %	[29d 10h 27m 29s [00s 99.979 % 0.021 %	[14132] [3]
Local Probe (Local Probe) » Administration Bldg » ADMI-MDF	PING	2 msec	100 % 0 %	[29d 10h 19m 39s [00s 99.929 % 0.071 %	[14124] [10]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[29d 10h 29m 09s [00s 99.844 % 0.156 %	[14121] [22]
Local Probe (Local Probe) » Administration Bldg » ADMI-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[29d 10h 21m 42s [00s 99.936 % 0.064 %	[14127] [9]