

WLS-DIS-Annual (1/1/2020 12:00:00 AM - 1/1/2021 12:00:00 AM 24 / 7)

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » NWOCA » Internet	HTTP	146 msec	100 % 0 %	[365d 06h 25m 34s [00s] 99.993 % 0.007 %	[175288] [12]
Local Probe (Local Probe) » NWOCA » PowerSchool - Office Side	HTTP	65 msec	99.815 % 0.185 %	[364d 13h 54m 00s [16h 10m 50s] 99.683 % 0.317 %	[174883] [557]
Local Probe (Local Probe) » NWOCA » PowerSchool - Teacher	HTTP	72 msec	99.821 % 0.179 %	[364d 12h 06m 32s [15h 40m 49s] 99.682 % 0.318 %	[174863] [557]
Local Probe (Local Probe) » NWOCA » PowerSchool - Parent / Student	HTTP	84 msec	99.821 % 0.179 %	[364d 14h 44m 29s [15h 38m 59s] 99.691 % 0.309 %	[174894] [542]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	PING	0 msec	100 % 0 %	[365d 04h 16m 39s [00s] 99.994 % 0.006 %	[175275] [11]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-001	HTTP	560 msec	100 % 0 %	[365d 05h 37m 05s [00s] 99.992 % 0.008 %	[175278] [14]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	PING	0 msec	100 % 0 %	[365d 04h 52m 32s [00s] 99.996 % 0.004 %	[175283] [7]
Local Probe (Local Probe) » Server Room » Barracuda WLS-NOC-012	HTTP	308 msec	100 % 0 %	[365d 06h 14m 21s [00s] 99.998 % 0.002 %	[175283] [3]
Local Probe (Local Probe) » Server Room » cafe	PING	0 msec	99.994 % 0.006 %	[226d 06h 13m 20s [18m 00s] 99.985 % 0.015 %	[108599] [16]
Local Probe (Local Probe) » Server Room » cafe	HTTPS	25 msec	95.825 % 4.175 %	[226d 07h 06m 30s [09d 20h 38m 20s] 95.814 % 4.186 %	[108597] [4744]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	PING	0 msec	100 % 0 %	[349d 06h 52m 53s [00s] 99.994 % 0.006 %	[168036] [10]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP	DNS	3 msec	100 % 0 %	[349d 06h 46m 09s [00s] 99.963 % 0.037 %	[168006] [63]
Local Probe (Local Probe) » Server Room » DNS: DNSDHCP2	PING	0 msec	100 % 0 %	[349d 09h 02m 32s [00s] 99.987 % 0.013 %	[168095] [22]
Local Probe (Local Probe) » Server Room » iPECS Server	PING	0 msec	100 % 0 %	[365d 05h 33m 11s [00s] 99.996 % 0.004 %	[175308] [7]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » ELEARN	PING	0 msec	95.867 % 4.133 %	[350d 02h 50m 39s [15d 02h 17m 56s 95.857 % 4.143 %	[168040] [7263]
Local Probe (Local Probe) » Server Room » ELEARN	HTTP	28 msec	100 % 0 %	[350d 03h 40m 25s [00s 99.994 % 0.006 %	[168040] [10]
Local Probe (Local Probe) » Server Room » Gateway	PING	5 msec	100 % 0 %	[365d 06h 06m 38s [00s 99.996 % 0.004 %	[175316] [7]
Local Probe (Local Probe) » Server Room » HVAC Server	PING	0 msec	100 % 0 %	[316d 23h 43m 23s [00s 99.995 % 0.005 %	[152143] [8]
Local Probe (Local Probe) » Server Room » HVAC Server	HTTP	10 msec	100 % 0 %	[316d 22h 59m 09s [00s 99.989 % 0.011 %	[152116] [16]
Local Probe (Local Probe) » Server Room » HVAC Server	RDP (Remote Desktop)	16 msec	100 % 0 %	[316d 23h 03m 02s [00s 99.988 % 0.012 %	[152117] [18]
Local Probe (Local Probe) » Server Room » WLS-PS1a	PING	0 msec	99.995 % 0.005 %	[365d 04h 57m 22s [23m 59s 99.988 % 0.012 %	[175280] [21]
Local Probe (Local Probe) » Server Room » WLS-PS1a	HTTP	10 msec	100 % 0 %	[365d 06h 04m 10s [00s 99.978 % 0.022 %	[175262] [38]
Local Probe (Local Probe) » Server Room » WLS-PS2a	PING	0 msec	99.998 % 0.002 %	[365d 06h 24m 57s [09m 00s 99.99 % 0.01 %	[175314] [18]
Local Probe (Local Probe) » Server Room » WLS-PS2a	HTTP	11 msec	100 % 0 %	[365d 07h 21m 12s [00s 99.975 % 0.025 %	[175298] [44]
Local Probe (Local Probe) » Server Room » WLS-PS3a	PING	1 msec	99.998 % 0.002 %	[365d 06h 09m 48s [10m 45s 99.99 % 0.01 %	[175312] [17]
Local Probe (Local Probe) » Server Room » WLS-PS3a	HTTP	11 msec	100 % 0 %	[365d 07h 14m 02s [00s 99.974 % 0.026 %	[175289] [45]
Local Probe (Local Probe) » Server Room » WLS-PS4a	PING	0 msec	99.995 % 0.005 %	[365d 01h 53m 47s [23m 51s 99.987 % 0.013 %	[175254] [22]
Local Probe (Local Probe) » Server Room » WLS-PS4a	HTTP	12 msec	100 % 0 %	[365d 02h 57m 13s [00s 99.982 % 0.018 %	[175239] [32]
Local Probe (Local Probe) » Server Room » k1000	PING	0 msec	100 % 0 %	[365d 06h 16m 51s [00s 99.999 % 0.001 %	[175306] [2]
Local Probe (Local Probe) » Server Room » k1000	HTTP	147 msec	99.998 % 0.002 %	[365d 06h 56m 02s [12m 00s 99.992 % 0.008 %	[175298] [14]
Local Probe (Local Probe) » Server Room » WLSAV	PING	0 msec	100 % 0 %	[365d 03h 14m 20s [00s 99.998 % 0.002 %	[175269] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » lanschoolcs	PING	1 msec	100 % 0 %	[365d 03h 39m 36s [00s 99.993 % 0.007 %	[175286] [12]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	PING	0 msec	99.996 % 0.004 %	[265d 08h 38m 52s [15m 01s 99.992 % 0.008 %	[127365] [10]
Local Probe (Local Probe) » Server Room » LS-ROCKET (Lightspeed)	HTTPS	57 msec	95.387 % 4.613 %	[265d 09h 27m 07s [12d 20h 00m 15s 95.384 % 4.616 %	[127368] [6164]
Local Probe (Local Probe) » Server Room » papercut	PING	0 msec	99.998 % 0.002 %	[365d 05h 11m 36s [09m 00s 99.993 % 0.007 %	[175285] [12]
Local Probe (Local Probe) » Server Room » PrintTracker	PING	0 msec	100 % 0 %	[365d 05h 58m 33s [00s 99.999 % 0.001 %	[175305] [2]
Local Probe (Local Probe) » Server Room » Server Room Environment	PING	0 msec	100 % 0 %	[365d 04h 53m 09s [00s 99.996 % 0.004 %	[175286] [7]
Local Probe (Local Probe) » Server Room » Server Room Environment	HTTP	41 msec	100 % 0 %	[365d 06h 29m 15s [00s 99.998 % 0.002 %	[175287] [3]
Local Probe (Local Probe) » Server Room » STAFF3	PING	0 msec	99.998 % 0.002 %	[365d 02h 21m 46s [12m 02s 99.991 % 0.009 %	[175257] [15]
Local Probe (Local Probe) » Server Room » STAFF3	Staff User Folder	0 Byte	99.375 % 0.625 %	[363d 01h 12m 43s [02d 06h 45m 33s 99.344 % 0.656 %	[174138] [1150]
Local Probe (Local Probe) » Server Room » STAFF3	Staff Shared Folder	0 Byte	99.369 % 0.631 %	[363d 00h 51m 56s [02d 07h 17m 00s 99.336 % 0.664 %	[174127] [1164]
Local Probe (Local Probe) » Server Room » STUDENT3	PING	0 msec	100 % 0 %	[365d 06h 42m 56s [00s 99.997 % 0.003 %	[175329] [5]
Local Probe (Local Probe) » Server Room » STUDENT3	Student Folders	15 Byte	97.496 % 2.504 %	[356d 04h 59m 21s [09d 03h 33m 00s 97.465 % 2.535 %	[170913] [4446]
Local Probe (Local Probe) » Server Room » STUDENT3	Students Shared Folder	15 Byte	96.685 % 3.315 %	[353d 05h 51m 58s [12d 02h 40m 43s 96.648 % 3.352 %	[169493] [5878]
Local Probe (Local Probe) » Server Room » TECH3	PING	0 msec	100 % 0 %	[365d 04h 14m 09s [00s 99.994 % 0.006 %	[175279] [11]
Local Probe (Local Probe) » Server Room » TECH3	Tech Resources Folder	0 Byte	97.761 % 2.239 %	[357d 04h 01m 44s [08d 04h 18m 00s 97.716 % 2.284 %	[171322] [4004]
Local Probe (Local Probe) » Server Room » transportation	PING	0 msec	100 % 0 %	[365d 04h 10m 02s [00s 99.994 % 0.006 %	[175274] [11]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed		
Local Probe (Local Probe) » Server Room » transportation	HTTP	10 msec	82 % 18 %	[300d 03h 45m 43s [65d 00h 23m 59s	82 % 18 %	[144032] [31258]
Local Probe (Local Probe) » Server Room » tran-sql	PING	0 msec	100 % 0 %	[365d 05h 33m 36s [00s	99.993 % 0.007 %	[175291] [13]
Local Probe (Local Probe) » Server Room » tran-sql	HTTP	12 msec	99.346 % 0.654 %	[362d 21h 25m 37s [02d 09h 18m 00s	99.319 % 0.681 %	[174126] [1194]
Local Probe (Local Probe) » Server Room » Uptime	PING	0 msec	100 % 0 %	[365d 04h 36m 30s [00s	100 % 0 %	[175285] [0]
Local Probe (Local Probe) » Server Room » Uptime	HTTP	98 msec	100 % 0 %	[365d 06h 17m 28s [00s	100 % 0 %	[175288] [0]
Local Probe (Local Probe) » Server Room » VPU1	PING	0 msec	99.988 % 0.012 %	[265d 06h 56m 14s [45m 00s	99.984 % 0.016 %	[127325] [21]
Local Probe (Local Probe) » Server Room » wls-vc1	PING	0 msec	100 % 0 %	[365d 05h 41m 17s [00s	99.999 % 0.001 %	[175311] [2]
Local Probe (Local Probe) » Server Room » wls-vc1	HTTPS	15 msec	99.989 % 0.011 %	[365d 06h 40m 01s [55m 21s	99.978 % 0.022 %	[175300] [39]
Local Probe (Local Probe) » Server Room » WLS-VCMGMT1	PING	0 msec	100 % 0 %	[365d 04h 59m 33s [00s	99.997 % 0.003 %	[175286] [5]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	PING	0 msec	100 % 0 %	[365d 06h 55m 00s [00s	99.999 % 0.001 %	[175337] [2]
Local Probe (Local Probe) » Server Room » Zone Director Server (WiFi Controller)	HTTPS	26 msec	99.984 % 0.016 %	[365d 06h 24m 49s [01h 22m 04s	99.977 % 0.023 %	[175308] [41]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	PING	1 msec	99.994 % 0.006 %	[365d 03h 33m 08s [33m 58s	99.992 % 0.008 %	[1051705] [82]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	UPS Output Phase# 1	120 VAC	100 % 0 %	[365d 05h 08m 18s [00s	99.998 % 0.002 %	[175291] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	APC UPS Health	49 m 9 s	100 % 0 %	[365d 05h 23m 36s [00s	99.998 % 0.002 %	[175294] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	UPS Input Phase# 1	0 W	100 % 0 %	[365d 05h 25m 12s [00s	99.998 % 0.002 %	[175305] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	(002) lance Traffic	6.20 kbit/s 23,896,793 KB	100 % 0 %	[365d 08h 01m 32s [00s	99.998 % 0.002 %	[175399] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	Uptime	237 d	100 % 0 %	[365d 04h 47m 39s [00s	99.998 % 0.002 %	[175304] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	HTTP	450 msec	100 % 0 %	[365d 06h 10m 31s [00s 99.999 % 0.001 %	[175286] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP Messages In	0.34 ICMP/s 10,633,645 ICMP	100 % 0 %	[365d 07h 53m 41s [00s 99.998 % 0.002 %	[105309] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP Messages Out	0.34 ICMP/s 10,637,900 ICMP	100 % 0 %	[365d 08h 02m 01s [00s 99.998 % 0.002 %	[105343] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP DestUnreachable In	< 0.01 ICMP/s 22 ICMP	100 % 0 %	[365d 08h 04m 27s [00s 99.996 % 0.004 %	[105341] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP DestUnreachable Out	< 0.01 ICMP/s 4,074 ICMP	100 % 0 %	[365d 07h 53m 41s [00s 99.998 % 0.002 %	[105312] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[365d 07h 55m 36s [00s 99.995 % 0.005 %	[105299] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 06m 48s [00s 99.992 % 0.008 %	[105331] [8]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	SNMP Messages In	0.14 SNMP/s 4,311,420 SNMP	100 % 0 %	[365d 07h 58m 53s [00s 99.994 % 0.006 %	[105320] [6]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	SNMP Messages Out	0.14 SNMP/s 4,311,581 SNMP	100 % 0 %	[365d 07h 48m 41s [00s 99.998 % 0.002 %	[105299] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	TCP Segments In	0.09 TCP/s 2,830,334 TCP	100 % 0 %	[365d 07h 58m 26s [00s 99.995 % 0.005 %	[105312] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	TCP Segments Out	0.07 TCP/s 2,128,064 TCP	100 % 0 %	[365d 08h 03m 22s [00s 99.996 % 0.004 %	[105337] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	UDP Datagrams In	0.14 UDP/s 4,313,066 UDP	100 % 0 %	[365d 08h 03m 52s [00s 99.993 % 0.007 %	[105334] [7]
Local Probe (Local Probe) » Server Room » APC NOC-UPS1	UDP Datagrams Out	0.14 UDP/s 4,576,178 UDP	100 % 0 %	[365d 07h 52m 06s [00s 99.997 % 0.003 %	[105310] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	PING	1 msec	99.998 % 0.002 %	[365d 04h 01m 45s [08m 00s 99.997 % 0.003 %	[1051759] [29]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	UPS Output Phase# 1	121 VAC	100 % 0 %	[365d 04h 28m 48s [00s 99.997 % 0.003 %	[175286] [6]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	APC UPS Health	1 h 54 m	100 % 0 %	[365d 06h 21m 07s [00s 99.999 % 0.001 %	[175331] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	UPS Input Phase# 1	0 W	100 % 0 %	[365d 06h 18m 44s [00s 99.998 % 0.002 %	[175324] [4]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	(002) lance Traffic	6.65 kbit/s 25,634,915 KB	100 % 0 %	[365d 08h 16m 18s [00s 100 % 0 %	[175433] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	Uptime	244 d	100 % 0 %	[365d 06h 19m 55s [00s 99.998 % 0.002 %	[175322] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	HTTP	499 msec	100 % 0 %	[365d 05h 26m 09s [00s 100 % 0 %	[175277] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP DestUnreachable In	< 0.01 ICMP/s 27 ICMP	100 % 0 %	[365d 08h 29m 15s [00s 100 % 0 %	[105279] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP DestUnreachable Out	< 0.01 ICMP/s 4,077 ICMP	100 % 0 %	[365d 08h 29m 15s [00s 100 % 0 %	[105276] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 31m 15s [00s 100 % 0 %	[105283] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 31m 15s [00s 100 % 0 %	[105285] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP Messages In	0.34 ICMP/s 10,634,397 ICMP	100 % 0 %	[365d 08h 33m 05s [00s 99.997 % 0.003 %	[105342] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	ICMP Messages Out	0.34 ICMP/s 10,638,459 ICMP	100 % 0 %	[365d 08h 33m 01s [00s 99.998 % 0.002 %	[105291] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	TCP Segments In	0.09 TCP/s 2,845,693 TCP	100 % 0 %	[365d 08h 33m 10s [00s 99.997 % 0.003 %	[105345] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	TCP Segments Out	0.07 TCP/s 2,139,629 TCP	100 % 0 %	[365d 08h 28m 06s [00s 99.998 % 0.002 %	[105291] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	SNMP Messages In	0.14 SNMP/s 4,311,102 SNMP	100 % 0 %	[365d 08h 29m 10s [00s >99.999 % <0.001 %	[105273] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	SNMP Messages Out	0.14 SNMP/s 4,311,210 SNMP	100 % 0 %	[365d 08h 37m 01s [00s 99.998 % 0.002 %	[105286] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	UDP Datagrams In	0.14 UDP/s 4,313,201 UDP	100 % 0 %	[365d 08h 33m 05s [00s 99.998 % 0.002 %	[105345] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS2	UDP Datagrams Out	0.14 UDP/s 4,576,138 UDP	100 % 0 %	[365d 08h 33m 15s [00s 99.995 % 0.005 %	[105341] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	PING	1 msec	>99.999 % <0.001 %	[365d 04h 16m 02s [05m 00s 99.998 % 0.002 %	[1051792] [23]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	UPS Output Phase# 1	121 VAC	100 % 0 %	[365d 03h 43m 38s [00s >99.999 % <0.001 %	[175278] [1]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	APC UPS Health	28 m 35 s	100 % 0 %	[365d 04h 24m 30s [00s 99.998 % 0.002 %	[175287] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	UPS Input Phase# 1	0 W	100 % 0 %	[365d 04h 26m 13s [00s 99.997 % 0.003 %	[175293] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	(002) lance Traffic	5.56 kbit/s 21,438,161 KB	100 % 0 %	[365d 08h 13m 48s [00s 99.998 % 0.002 %	[175370] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	Uptime	275 d	100 % 0 %	[365d 02h 16m 22s [00s 99.997 % 0.003 %	[175266] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	HTTP	474 msec	100 % 0 %	[365d 04h 15m 05s [00s 100 % 0 %	[175269] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP Messages In	0.34 ICMP/s 10,634,369 ICMP	100 % 0 %	[365d 08h 33m 19s [00s >99.999 % <0.001 %	[105282] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP Messages Out	0.34 ICMP/s 10,638,501 ICMP	100 % 0 %	[365d 08h 38m 15s [00s 99.998 % 0.002 %	[105286] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP DestUnreachable In	< 0.01 ICMP/s 21 ICMP	100 % 0 %	[365d 08h 30m 44s [00s 99.997 % 0.003 %	[105310] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP DestUnreachable Out	< 0.01 ICMP/s 4,076 ICMP	100 % 0 %	[365d 08h 31m 54s [00s 99.998 % 0.002 %	[105318] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 31m 39s [00s 99.997 % 0.003 %	[105341] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 34m 59s [00s 99.996 % 0.004 %	[105319] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	SNMP Messages In	0.14 SNMP/s 4,311,248 SNMP	100 % 0 %	[365d 08h 39m 00s [00s 99.998 % 0.002 %	[105289] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	SNMP Messages Out	0.14 SNMP/s 4,311,170 SNMP	100 % 0 %	[365d 08h 29m 04s [00s 99.998 % 0.002 %	[105337] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	TCP Segments In	0.09 TCP/s 2,828,081 TCP	100 % 0 %	[365d 08h 28m 54s [00s 99.998 % 0.002 %	[105339] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	TCP Segments Out	0.07 TCP/s 2,126,282 TCP	100 % 0 %	[365d 08h 28m 34s [00s >99.999 % <0.001 %	[105276] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	UDP Datagrams In	0.14 UDP/s 4,312,815 UDP	100 % 0 %	[365d 08h 32m 09s [00s 99.997 % 0.003 %	[105315] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS3	UDP Datagrams Out	0.14 UDP/s 4,575,905 UDP	100 % 0 %	[365d 08h 35m 14s [00s 99.997 % 0.003 %	[105349] [3]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	PING	1 msec	99.999 % 0.001 %	[365d 04h 06m 43s [06m 59s 99.998 % 0.002 %	[1051775] [25]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	UPS Input Phase# 1	0 W	100 % 0 %	[365d 05h 21m 13s [00s 99.998 % 0.002 %	[175296] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	UPS Output Phase# 1	121 VAC	100 % 0 %	[365d 05h 28m 51s [00s 99.998 % 0.002 %	[175297] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	APC UPS Health	1 h 0 m	100 % 0 %	[365d 04h 39m 40s [00s 99.997 % 0.003 %	[175287] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	(002) lance Traffic	7.29 kbit/s 28,091,713 KB	100 % 0 %	[365d 08h 24m 45s [00s 99.998 % 0.002 %	[175404] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	Uptime	244 d	100 % 0 %	[365d 04h 46m 52s [00s 99.998 % 0.002 %	[175290] [4]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	HTTP	498 msec	100 % 0 %	[365d 05h 26m 01s [00s 100 % 0 %	[175277] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP DestUnreachable In	< 0.01 ICMP/s 23 ICMP	100 % 0 %	[365d 08h 23m 40s [00s 100 % 0 %	[105296] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP DestUnreachable Out	< 0.01 ICMP/s 4,132 ICMP	100 % 0 %	[365d 08h 23m 55s [00s 100 % 0 %	[105296] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP Errors In	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 32m 15s [00s 99.998 % 0.002 %	[105276] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP Errors Out	0 ICMP/s 0 ICMP	100 % 0 %	[365d 08h 27m 15s [00s >99.999 % <0.001 %	[105293] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP Messages In	0.34 ICMP/s 10,634,317 ICMP	100 % 0 %	[365d 08h 27m 50s [00s 99.998 % 0.002 %	[105347] [2]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	ICMP Messages Out	0.34 ICMP/s 10,638,511 ICMP	100 % 0 %	[365d 08h 30m 00s [00s 100 % 0 %	[105283] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	TCP Segments In	0.09 TCP/s 2,828,439 TCP	100 % 0 %	[365d 08h 30m 35s [00s >99.999 % <0.001 %	[105284] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	TCP Segments Out	0.07 TCP/s 2,126,619 TCP	100 % 0 %	[365d 08h 30m 10s [00s >99.999 % <0.001 %	[105280] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	SNMP Messages In	0.14 SNMP/s 4,311,033 SNMP	100 % 0 %	[365d 08h 24m 30s [00s 100 % 0 %	[105290] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	SNMP Messages Out	0.14 SNMP/s 4,311,029 SNMP	100 % 0 %	[365d 08h 24m 25s [00s 100 % 0 %	[105290] [0]



Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	UDP Datagrams In	0.14 UDP/s 4,312,602 UDP	100 % 0 %	[365d 08h 29m 20s [00s 99.997 % 0.003 %	[105271] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS4	UDP Datagrams Out	0.14 UDP/s 4,575,682 UDP	100 % 0 %	[365d 08h 29m 00s [00s 100 % 0 %	[105289] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	PING	1 msec	99.993 % 0.007 %	[364d 13h 23m 05s [36m 00s 99.992 % 0.008 %	[1050003] [85]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	APC UPS Health	3 h 53 m	100 % 0 %	[364d 12h 10m 02s [00s 100 % 0 %	[174975] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	UPS Output Phase# 1	10 %	100 % 0 %	[364d 11h 17m 18s [00s 100 % 0 %	[174967] [0]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	UPS Input Phase# 1	0 W	100 % 0 %	[364d 15h 36m 54s [00s 99.998 % 0.002 %	[175032] [3]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	(002) lance Traffic	5 kbit/s 19,244,114 KB	100 % 0 %	[364d 17h 48m 05s [00s 99.997 % 0.003 %	[175115] [5]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	HTTP	497 msec	100 % 0 %	[364d 12h 40m 06s [00s >99.999 % <0.001 %	[174969] [1]
Local Probe (Local Probe) » Server Room » APC NOC-UPS5	Uptime	245 d	100 % 0 %	[364d 11h 26m 46s [00s 100 % 0 %	[174969] [0]
Local Probe (Local Probe) » Server Room » WLS-DC4	Ping	0 msec	99.99 % 0.01 %	[365d 03h 26m 32s [54m 01s 99.968 % 0.032 %	[1051592] [334]
Local Probe (Local Probe) » Server Room » WLS-DC4	DNS	2 msec	100 % 0 %	[365d 05h 35m 32s [00s 99.986 % 0.014 %	[175325] [24]
Local Probe (Local Probe) » Server Room » WLS-DC4	RDP (Remote Desktop)	16 msec	100 % 0 %	[365d 07h 02m 54s [00s 99.987 % 0.013 %	[175321] [23]
Local Probe (Local Probe) » Server Room » 10.100.1.1 (WLS Core)	Ping	5 msec	99.998 % 0.002 %	[365d 04h 02m 09s [08m 30s 99.997 % 0.003 %	[1051760] [31]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	Ping	0 msec	99.98 % 0.02 %	[365d 02h 23m 04s [01h 45m 00s 99.97 % 0.03 %	[1051525] [318]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	DNS	3 msec	99.799 % 0.201 %	[364d 10h 30m 25s [17h 39m 00s 99.771 % 0.229 %	[174909] [401]
Local Probe (Local Probe) » Server Room » WLS-DC5.wls4kids.org (wls-dc5)	RDP (Remote Desktop)	16 msec	99.799 % 0.201 %	[364d 11h 47m 44s [17h 39m 00s 99.782 % 0.218 %	[174914] [383]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	Ping	0 msec	99.999 % 0.001 %	[365d 04h 09m 00s [07m 37s] 99.988 % 0.012 %	[1051738] [122]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	DNS	3 msec	>99.999 % <0.001 %	[365d 03h 01m 43s [03m 05s] 99.958 % 0.042 %	[175234] [74]
Local Probe (Local Probe) » Server Room » WLS-DC6.wls4kids.org (wls-dc6)	RDP (Remote Desktop)	16 msec	100 % 0 %	[365d 06h 03m 16s [00s] 99.978 % 0.022 %	[175260] [39]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	Ping	0 msec	99.999 % 0.001 %	[215d 03h 28m 44s [04m 30s] 99.998 % 0.002 %	[619667] [12]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Certificate Sensor (Port 443)	106	96.057 % 3.943 %	[206d 18h 00m 52s [08d 11h 40m 48s] 96.053 % 3.947 %	[99223] [4077]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SSL Security Check (Port 443)	0 %	100 % 0 %	[215d 05h 31m 46s [00s] >99.999 % <0.001 %	[103286] [1]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	SNTP	9 msec	100 % 0 %	[215d 06h 38m 01s [00s] 99.903 % 0.097 %	[30987] [30]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTP	36 msec	100 % 0 %	[215d 05h 38m 50s [00s] 99.996 % 0.004 %	[103297] [4]
Local Probe (Local Probe) » Server Room » LightSpeed Appliance	HTTPS	47 msec	100 % 0 %	[215d 05h 34m 11s [00s] 99.997 % 0.003 %	[103293] [3]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	Ping	0 msec	99.999 % 0.001 %	[268d 15h 45m 36s [05m 00s] 99.997 % 0.003 %	[773789] [22]
Local Probe (Local Probe) » Server Room » 10.100.192.42 (SAN-2020)	HTTPS	22 msec	100 % 0 %	[268d 17h 35m 59s [00s] 99.998 % 0.002 %	[128959] [2]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	Ping	0 msec	100 % 0 %	[173d 22h 34m 56s [00s] 100 % 0 %	[500991] [0]
Local Probe (Local Probe) » Server Room » Rocket DNS - 10	DNS	3 msec	99.965 % 0.035 %	[173d 21h 57m 07s [01h 28m 47s] 99.923 % 0.077 %	[83457] [64]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	Ping	0 msec	>99.999 % <0.001 %	[173d 22h 27m 20s [01m 30s] 99.998 % 0.002 %	[500973] [8]
Local Probe (Local Probe) » Server Room » relayrocket2.wls4kids.org (Rocket DNS - 11)	DNS	4 msec	99.963 % 0.037 %	[173d 21h 36m 53s [01h 32m 26s] 99.933 % 0.067 %	[83456] [56]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Greenwood ES » GREE-IDF	PING	4 msec	99.986 % 0.014 %	[365d 04h 02m 40s 01h 12m 00s] 99.978 % 0.022 %	[175258] [38]
Local Probe (Local Probe) » Greenwood ES » GREE-MDF	PING	2 msec	99.986 % 0.014 %	[365d 01h 49m 28s 01h 12m 00s] 99.978 % 0.022 %	[175242] [39]
Local Probe (Local Probe) » Greenwood ES » GREE-SWTC-WIRELESS	PING	7 msec	99.986 % 0.014 %	[365d 04h 28m 30s 01h 12m 00s] 99.976 % 0.024 %	[175262] [42]
Local Probe (Local Probe) » Hiawatha ES » HIAW-IDF	PING	2 msec	100 % 0 %	[365d 05h 00m 11s 00s] 99.992 % 0.008 %	[175280] [14]
Local Probe (Local Probe) » Hiawatha ES » HIAW-MDF	PING	4 msec	100 % 0 %	[365d 05h 27m 16s 00s] 99.993 % 0.007 %	[175287] [13]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	PING	4 msec	>99.999 % <0.001 %	[365d 06h 59m 03s 03m 00s] 99.992 % 0.008 %	[175326] [14]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC1-WIRELESS	(024) Upln_to_WASH-HW-MDF-2950-01 Traffic	360 kbit/s 1,386,659,891 KB	100 % 0 %	[365d 08h 20m 42s 00s] 99.992 % 0.008 %	[175397] [14]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	PING	1 msec	>99.999 % <0.001 %	[365d 06h 09m 14s 03m 00s] 99.992 % 0.008 %	[175303] [14]
Local Probe (Local Probe) » Hiawatha ES » HIAW-SWTC2-WIRELESS	(024) Uplink_to_WASH-HW-IDF-2950-01 Traffic	1,109 kbit/s 4,271,129,728 KB	100 % 0 %	[365d 08h 19m 48s 00s] 99.993 % 0.007 %	[175385] [13]
Local Probe (Local Probe) » Jackman ES » JACK-IDF	PING	3 msec	100 % 0 %	[365d 03h 35m 59s 00s] 99.996 % 0.004 %	[175279] [7]
Local Probe (Local Probe) » Jackman ES » JACK-MDF	PING	3 msec	>99.999 % <0.001 %	[365d 05h 22m 35s 03m 00s] 99.995 % 0.005 %	[175295] [9]
Local Probe (Local Probe) » Jackman ES » JACK-MODULAR	PING	1 msec	>99.999 % <0.001 %	[365d 06h 36m 20s 03m 00s] 99.995 % 0.005 %	[175312] [9]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[365d 03h 36m 50s 00s] 99.995 % 0.005 %	[175268] [8]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[365d 05h 58m 31s 00s] 99.995 % 0.005 %	[175313] [8]
Local Probe (Local Probe) » Jackman ES » JACK-SWTC3-WIRELESS	PING	2 msec	>99.999 % <0.001 %	[365d 06h 09m 57s 03m 00s] 99.994 % 0.006 %	[175302] [11]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » McGregor ES » 🔌 MCGR-IDF	PING	1 msec	100 % 0 %	[365d 06h 48m 40s 00s] 99.995 % 0.005 % [175320] [9]
Local Probe (Local Probe) » McGregor ES » 🔌 MCGR-MDF	PING	2 msec	>99.999 % <0.001 %	[365d 05h 08m 50s 03m 00s] 99.995 % 0.005 % [175285] [9]
Local Probe (Local Probe) » McGregor ES » 🔌 MCGR-SWTC1-WIRELESS	PING	3 msec	100 % 0 %	[365d 04h 47m 26s 00s] 99.995 % 0.005 % [175292] [8]
Local Probe (Local Probe) » McGregor ES » 🔌 MCGR-SWTC2-WIRELESS	PING	1 msec	100 % 0 %	[365d 04h 16m 57s 00s] 99.995 % 0.005 % [175294] [8]
Local Probe (Local Probe) » Meadowvale ES » 🔌 MEAD-IDF	Ping	1 msec	100 % 0 %	[365d 06h 39m 46s 00s] 99.996 % 0.004 % [175312] [7]
Local Probe (Local Probe) » Meadowvale ES » 🔌 MEAD-MDF	Ping	2 msec	100 % 0 %	[365d 04h 16m 56s 00s] 99.998 % 0.002 % [175275] [4]
Local Probe (Local Probe) » Meadowvale ES » 🔌 MEAD-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[365d 05h 58m 46s 00s] 99.997 % 0.003 % [175310] [6]
Local Probe (Local Probe) » Meadowvale ES » 🔌 MEAD-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[365d 04h 46m 22s 00s] 99.996 % 0.004 % [175283] [7]
Local Probe (Local Probe) » Monac ES » 🔌 MONA-IDF	Ping	2 msec	99.929 % 0.071 %	[364d 21h 28m 45s 06h 15m 00s] 99.92 % 0.08 % [175139] [140]
Local Probe (Local Probe) » Monac ES » 🔌 MONA-MDF	Ping	3 msec	99.929 % 0.071 %	[364d 23h 04m 35s 06h 15m 00s] 99.92 % 0.08 % [175151] [141]
Local Probe (Local Probe) » Monac ES » 🔌 MONA-SWTC1-WIRELESS	PING	4 msec	99.929 % 0.071 %	[364d 20h 55m 44s 06h 15m 00s] 99.919 % 0.081 % [175134] [142]
Local Probe (Local Probe) » Monac ES » 🔌 MONA-SWTC2-WIRELESS	PING	1 msec	99.929 % 0.071 %	[364d 21h 12m 15s 06h 15m 00s] 99.92 % 0.08 % [175139] [141]
Local Probe (Local Probe) » Shoreland ES » 🔌 SHOR-IDF	Ping	2 msec	99.961 % 0.039 %	[365d 02h 40m 47s 03h 23m 57s] 99.955 % 0.045 % [175236] [79]
Local Probe (Local Probe) » Shoreland ES » 🔌 SHOR-MDF	Ping	3 msec	99.961 % 0.039 %	[365d 00h 21m 29s 03h 23m 57s] 99.958 % 0.042 % [175217] [74]
Local Probe (Local Probe) » Shoreland ES » 🔌 SHOR-SWTC1-WIRELESS	PING	5 msec	99.961 % 0.039 %	[365d 03h 19m 40s 03h 23m 57s] 99.957 % 0.043 % [175260] [76]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed
Local Probe (Local Probe) » Shoreland ES » SHOR-SWTC2-WIRELESS	PING	5 msec	99.961 % 0.039 %	[365d 02h 21m 00s [03h 23m 57s] 99.954 % 0.046 %  [175226] [80]
Local Probe (Local Probe) » Wernert ES » WERN-IDF	Ping	4 msec	100 % 0 %	[365d 06h 17m 21s [00s] 99.994 % 0.006 %  [175295] [10]
Local Probe (Local Probe) » Wernert ES » WERN-MDF	Ping	2 msec	100 % 0 %	[365d 05h 34m 36s [00s] 99.994 % 0.006 %  [175281] [10]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC1-WIRELESS	PING	6 msec	100 % 0 %	[365d 05h 35m 18s [00s] 99.995 % 0.005 %  [175300] [8]
Local Probe (Local Probe) » Wernert ES » WERN-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[365d 03h 29m 10s [00s] 99.997 % 0.003 %  [175276] [6]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF-2	Ping	4 msec	>99.999 % <0.001 %	[365d 03h 47m 34s [03m 00s] 99.995 % 0.005 %  [175265] [9]
Local Probe (Local Probe) » Jefferson JH » JEFF-IDF3	Ping	2 msec	>99.999 % <0.001 %	[365d 04h 45m 38s [03m 00s] 99.995 % 0.005 %  [175277] [8]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-1	Ping	2 msec	100 % 0 %	[365d 06h 37m 17s [00s] 99.995 % 0.005 %  [175310] [8]
Local Probe (Local Probe) » Jefferson JH » JEFF-MDF-2	Ping	2 msec	100 % 0 %	[365d 06h 49m 21s [00s] 99.995 % 0.005 %  [175315] [8]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC1-WIRELESS	PING	4 msec	>99.999 % <0.001 %	[365d 06h 04m 03s [03m 00s] 99.99 % 0.01 %  [175306] [17]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC2-WIRELESS	PING	6 msec	>99.999 % <0.001 %	[365d 04h 33m 56s [03m 00s] 99.993 % 0.007 %  [175275] [13]
Local Probe (Local Probe) » Jefferson JH » JEFF-SWTC3-WIRELESS	PING	5 msec	>99.999 % <0.001 %	[365d 05h 24m 41s [03m 00s] 99.995 % 0.005 %  [175288] [9]
Local Probe (Local Probe) » Washington JH » WASH-IDF	Ping	4 msec	100 % 0 %	[365d 03h 45m 54s [00s] 99.995 % 0.005 %  [175266] [8]
Local Probe (Local Probe) » Washington JH » WASH-MDF-1	Ping	3 msec	100 % 0 %	[365d 05h 22m 59s [00s] 99.997 % 0.003 %  [175305] [5]
Local Probe (Local Probe) » Washington JH » WASH-MDF-2	Ping	3 msec	>99.999 % <0.001 %	[365d 05h 28m 25s [03m 00s] 99.995 % 0.005 %  [175284] [9]
Local Probe (Local Probe) » Washington JH » WASH-SWTC1-WIRELESS	PING	6 msec	>99.999 % <0.001 %	[365d 04h 19m 56s [03m 00s] 99.995 % 0.005 %  [175277] [9]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Washington JH » WASH-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[365d 06h 43m 45s [00s 99.995 % 0.005 %	[175326] [9]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-101	Ping	3 msec	100 % 0 %	[365d 06h 24m 00s [00s 99.998 % 0.002 %	[175314] [4]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-102	Ping	3 msec	100 % 0 %	[365d 06h 01m 04s [00s 99.997 % 0.003 %	[175293] [5]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF-2	Ping	3 msec	100 % 0 %	[365d 06h 05m 15s [00s 99.997 % 0.003 %	[175290] [5]
Local Probe (Local Probe) » Whitmer CTC » CTC-IDF3	Ping	1 msec	100 % 0 %	[365d 04h 36m 28s [00s 99.997 % 0.003 %	[175274] [6]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-1	Ping	2 msec	100 % 0 %	[365d 05h 49m 49s [00s 99.997 % 0.003 %	[175289] [5]
Local Probe (Local Probe) » Whitmer CTC » CTC-MDF-2	Ping	3 msec	100 % 0 %	[365d 04h 09m 35s [00s 99.998 % 0.002 %	[175275] [4]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC1-WIRELESS	PING	0 msec	100 % 0 %	[365d 05h 27m 04s [00s 99.986 % 0.014 %	[175287] [24]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC2-WIRELESS	PING	5 msec	100 % 0 %	[365d 03h 52m 20s [00s 99.997 % 0.003 %	[175273] [5]
Local Probe (Local Probe) » Whitmer CTC » CTC-SWTC3-WIRELESS	PING	4 msec	100 % 0 %	[365d 06h 08m 03s [00s 99.998 % 0.002 %	[175314] [4]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	PING	0 msec	99.117 % 0.883 %	[362d 01h 19m 29s [03d 05h 24m 02s 99.101 % 0.899 %	[173772] [1576]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracuda-011	HTTP	460 msec	100 % 0 %	[362d 02h 00m 15s [00s 99.987 % 0.013 %	[173766] [22]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	PING	0 msec	99.994 % 0.006 %	[365d 01h 50m 23s [30m 00s 99.986 % 0.014 %	[175248] [24]
Local Probe (Local Probe) » Tran-Maint » MAIN-Barracusa-012	HTTP	302 msec	100 % 0 %	[365d 05h 42m 08s [00s 99.995 % 0.005 %	[175274] [8]
Local Probe (Local Probe) » Tran-Maint » TRAN-MDF	PING	2 msec	100 % 0 %	[365d 05h 30m 53s [00s 99.997 % 0.003 %	[175309] [5]
Local Probe (Local Probe) » Tran-Maint » TRAN-SWTC-WIRELESS	PING	2 msec	100 % 0 %	[365d 06h 18m 49s [00s 99.994 % 0.006 %	[175308] [10]
Local Probe (Local Probe) » Administration Bldg » ADMI-IDF	PING	3 msec	100 % 0 %	[365d 06h 32m 43s [00s 99.988 % 0.012 %	[175302] [21]

Probe, Group, Device	Sensor	Average Total	Uptime Downtime	Good Failed	
Local Probe (Local Probe) » Administration Bldg » ADM-MDF	PING	5 msec	100 % 0 %	[365d 03h 28m 56s [00s 99.997 % 0.003 %	[175270] [6]
Local Probe (Local Probe) » Administration Bldg » ADM-MDF	PING	3 msec	100 % 0 %	[365d 05h 49m 33s [00s 99.988 % 0.012 %	[175301] [21]
Local Probe (Local Probe) » Administration Bldg » ADM-SWTC1-WIRELESS	PING	5 msec	100 % 0 %	[365d 05h 52m 46s [00s 99.979 % 0.021 %	[175298] [36]
Local Probe (Local Probe) » Administration Bldg » ADM-SWTC2-WIRELESS	PING	4 msec	100 % 0 %	[365d 03h 48m 58s [00s 99.988 % 0.012 %	[175262] [21]